

10 3-1 Arsenic 10 μg/mL in 2% HNO3

High-Purity Standards

Catalogue number: 10 3-1 Version No: 2.2

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 3

Issue Date: **04/28/2017** Print Date: **04/28/2017** S.GHS.USA.EN

SECTION 1 IDENTIFICATION

Product Identifier

Product name	10 3-1 Arsenic 10 μg/mL in 2% HNO3
Synonyms	Not Available
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (contains nitric acid)
Other means of identification	10 3-1

Recommended use of the chemical and restrictions on use

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	High-Purity Standards
Address	PO Box 41727 SC 29423 United States
Telephone	843-767-7900
Fax	843-767-7906
Website	highpuritystandards.com
Email	Not Available

Emergency phone number

Association / Organisation	INFOTRAC
Emergency telephone numbers	1-800-535-5053
Other emergency telephone numbers	1-352-323-3500

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

Classification Metal Corrosion Category 1, Skin Corrosion/Irritation Category 1A, Serious Eye Damage Category 1

Label elements

Hazard pictogram(s)



SIGNAL WORD DANGER

Hazard statement(s)

. ,	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

Hazard(s) not otherwise specified

Not Applicable

Precautionary statement(s) Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Chemwatch: 9-241124 Page 2 of 9 Issue Date: 04/28/2017

Catalogue number: 10 3-1

Version No: 2.2

10 3-1 Arsenic 10 μg/mL in 2% HNO3

Print Date: 04/28/2017

Precautionary statement(s) Response

P301+P330+P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Precautionary statement(s) Storage

P405

Store locked up.

Precautionary statement(s) Disposal

P501

Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
7697-37-2	2	nitric acid
7440-38-2	0.001	arsenic
7732-18-5	balance	<u>water</u>

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.
Inhalation	 If furnes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. Inhalation of vapours or aerosols (mists, furnes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

For acute or short term repeated exposures to strong acids:

- ▶ Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- ▶ Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.
- For Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues. INGESTION:
- ▶ Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- ▶ Charcoal has no place in acid management.
- ▶ Some authors suggest the use of lavage within 1 hour of ingestion.

SKIN:

- ▶ Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- Deep second-degree burns may benefit from topical silver sulfadiazine.

EYE:

Catalogue number: 10 3-1 Version No: 2.2

10 3-1 Arsenic 10 μg/mL in 2% HNO3

Issue Date: **04/28/2017** Print Date: **04/28/2017**

- Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

Water spray or fog.

Special hazards arising from the substrate or mixture

Fire Incompatibility

None known.

Special protective equipment and precautions for fire-fighters

Fire Fightin	g
Fire/Explosion Hazar	d

► Alert Fire Brigade and tell them location and nature of hazard.

Non combustible.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

	<u> </u>
Minor Spills	 Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material. Clean up all spills immediately.
Major Spills	► Clear area of personnel and move upwind.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	Avoid all personal contact, including inhalation.
Other information	► Store in original containers.

Conditions for safe storage, including any incompatibilities

Suitable container

- ▶ DO NOT use aluminium or galvanised containers
- ► Check regularly for spills and leaks
- ► Lined metal can, lined metal pail/ can.

For low viscosity materials

▶ Drums and jerricans must be of the non-removable head type.

Storage incompatibility

▶ Inorganic acids are generally soluble in water with the release of hydrogen ions.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

INGREDIENT DATA						
Source	Ingredient	gredient Material name		STEL	Peak	Notes
US OSHA Permissible Exposure Levels (PELs) - Table Z1	nitric acid	Nitric acid	5 mg/m3 / 2 ppm	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	nitric acid	Nitric acid	2 ppm	4 ppm	Not Available	TLV® Basis: URT & eye irr; dental erosion
US NIOSH Recommended Exposure Limits (RELs)	nitric acid	Aqua fortis, Engravers acid, Hydrogen nitrate, Red fuming nitric acid (RFNA), White fuming nitric acid (WFNA)	5 mg/m3 / 2 ppm	10 mg/m3 / 4 ppm	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	arsenic	Arsenic-inorganic compounds	0.01 mg/m3	Not Available	Not Available	see 1910.1018;(as As)
US ACGIH Threshold Limit Values (TLV)	arsenic	Arsenic and inorganic compounds, as As	0.01 mg/m3	Not Available	Not Available	TLV® Basis: Lung cancer; BEI
US NIOSH Recommended Exposure Limits (RELs)	arsenic	Arsenic metal: Arsenia	Not Available	Not Available	0.002 mg/m3	Ca See Appendix A

Catalogue number: 10 3-1 Version No: 2.2

10 3-1 Arsenic 10 $\mu g/mL$ in 2% HNO3

Issue Date: **04/28/2017** Print Date: **04/28/2017**

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3	
nitric acid	Nitric acid Not Available		Not Available	Not Available	
Ingredient	Original IDLH		Revised IDLH		
nitric acid	100 ppm		25 ppm		
arsenic	100 mg/m3		5 mg/m3		
water	Not Available		Not Available		

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	 Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.
Skin protection	See Hand protection below
Hands/feet protection	 Elbow length PVC gloves When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.
Body protection	See Other protection below
Other protection	► Overalls.
Thermal hazards	Not Available

Respiratory protection

Type A Filter of sufficient capacity.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	colorless		
Physical state	liquid	Relative density (Water = 1)	Not Available
r Hysical state	iiquiu		Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	<2	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Contact with alkaline material liberates heat Unstable in the presence of incompatible materials.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7

Page 5 of 9

10 3-1 Arsenic 10 $\mu g/mL$ in 2% HNO3

Issue Date: **04/28/2017** Print Date: **04/28/2017**

Version No: 2.2

Hazardous decomposition products

See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

formation on toxicologi	cal effects			
Inhaled	The material can cause respiratory irritation in some persons. Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. The material has NOT been classified by EC Directives or other classification systems as "harmful by inhalation".			
Ingestion	Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion".			
Skin Contact	Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.			
Eye	If applied to the eyes, this material causes severe eye damage. Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light and burns.			
Chronic	Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling and/or ulceration of mouth lining. Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.			
40.04	TOXICITY	RITATION		
10 3-1 Arsenic 10 µg/mL in 2% HNO3		ot Available		
	TOXICITY	RRITATION		
nitric acid	Inhalation (rat) LC50: 625 ppm/1h*t ^[2] N	ot Available		
	TOXICITY	RITATION		
arsenic	Oral (rat) LD50: 763 mg/kg ^[2] N	ot Available		
	TOXICITY	RRITATION		
water	Not Available N	ot Available		
Legend:	Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances			
NITRIC ACID	Asthma-like symptoms may continue for months or even years after exposure to the r For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the the material may produce severe irritation to the eye causing pronounced inflammat. The material may produce respiratory tract irritation, and result in damage to the lurn the material may cause severe skin irritation after prolonged or repeated exposure a vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers]	ne pH falls to about 6.5. ion. ng including reduced lung function.		
	Arsenic compounds are classified by the European Union as toxic by inhalation and	ingestion and toxic to aquatic life and long lasting in the environment.		
ARSENIC	WARNING: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS.			
	· · · · · · · · · · · · · · · · · · ·	OGENIC TO HUMANS.		
WATER	Tumorigenic - Carcinogenic by RTECS criteria. No significant acute toxicological data identified in literature search.	OGENIC TO HUMANS.		
	Tumorigenic - Carcinogenic by RTECS criteria. No significant acute toxicological data identified in literature search.			
WATER Acute Toxicity Skin Irritation/Corrosion	Tumorigenic - Carcinogenic by RTECS criteria. No significant acute toxicological data identified in literature search. Carci	nogenicity Ooductivity		
Acute Toxicity	Tumorigenic - Carcinogenic by RTECS criteria. No significant acute toxicological data identified in literature search. Carci	nogenicity Oculority Oculority		
Acute Toxicity Skin Irritation/Corrosion Serious Eye	Tumorigenic - Carcinogenic by RTECS criteria. No significant acute toxicological data identified in literature search. Carci	nogenicity Oculority Oculo		
Acute Toxicity Skin Irritation/Corrosion Serious Eye Damage/Irritation Respiratory or Skin	Tumorigenic - Carcinogenic by RTECS criteria. No significant acute toxicological data identified in literature search. Carci Repr STOT - Single	nogenicity Oculority Oculo		

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

40.2.4. Amounto 40 control in	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
10 3-1 Arsenic 10 μg/mL in 2% HNO3	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

○ – Data Not Available to make classification

Catalogue number: 10 3-1 Version No: 2.2

Page 6 of 9 10 3-1 Arsenic 10 $\mu g/mL$ in 2% HNO3

Issue Date: 04/28/2017 Print Date: 04/28/2017

nitric acid	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	NOEC	16	Crustacea	107mg/L	4
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
arsenic	LC50	96	Fish	9.9mg/L	4
	EC50	336	Algae or other aquatic plants	0.63mg/L	4
	NOEC	336	Algae or other aquatic plants	<0.75mg/L	4
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
water	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

(Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Ecotoxicity:

The tolerance of water organisms towards pH margin and variation is diverse. Prevent, by any means available, spillage from entering drains or water courses. DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
water	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

► Recycle wherever possible.

SECTION 14 TRANSPORT INFORMATION

Labels Required



Marine Pollutant

NO

Land transport (DOT)

UN number	3264		
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (contains nitric acid)		
Transport hazard class(es)	Class 8 Subrisk Not Applicable		
Packing group	II .		
Environmental hazard	Not Applicable		
Special precautions for user	Hazard Label 8 Special provisions 386, B2, IB2, T11, TP2, TP27		

Air transport (ICAO-IATA / DGR)

· `	·
UN number	3264
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains nitric acid)

Page 7 of 9

10 3-1 Arsenic 10 μg/mL in 2% HNO3

Catalogue number: 10 3-1 Version No: 2.2 Issue Date: **04/28/2017**Print Date: **04/28/2017**

Transport hazard class(es)	ICAO/IATA Class ICAO / IATA Subrisk ERG Code	8 Not Applicable 8L	
Packing group			
Environmental hazard	Not Applicable		
Special precautions for user	Special provisions		A3A803
	Cargo Only Packing Instructions		855
	Cargo Only Maximum Qty / Pack		30 L
	Passenger and Cargo Packing Instructions		851
	Passenger and Cargo Maximum Qty / Pack		1 L
	Passenger and Cargo Limited Quantity Packing Instructions		Y840
	Passenger and Cargo Limited Maximum Qty / Pack		0.5 L

Sea transport (IMDG-Code / GGVSee)

UN number	3264		
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. * (contains nitric acid)		
Transport hazard class(es)	IMDG Class 8 IMDG Subrisk Not Applicable		
Packing group	Ш		
Environmental hazard	Not Applicable		
Special precautions for user	EMS Number F-A, S-B Special provisions 274 Limited Quantities 1 L		

Transport in bulk according to Annex II of MARPOL and the IBC code

Source	Product name	Pollution Category	Ship Type
IMO MARPOL (Annex II) - List of Noxious Liquid Substances Carried in Bulk	Nitric acid (70% and over) Nitric acid (less than 70%)	Y; Y	2 2

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

NITRIC ACID(7697-37-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS		
International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List	US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants	
Passenger and Cargo Aircraft	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants	
US - Alaska Limits for Air Contaminants		
US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)	US - Washington Permissible exposure limits of air contaminants	
US - California Permissible Exposure Limits for Chemical Contaminants	US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values	
US - Hawaii Air Contaminant Limits	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants	
US - Idaho - Limits for Air Contaminants	US ACGIH Threshold Limit Values (TLV)	
US - Massachusetts - Right To Know Listed Chemicals	US CWA (Clean Water Act) - List of Hazardous Substances	
US - Michigan Exposure Limits for Air Contaminants	US EPCRA Section 313 Chemical List	
US - Minnesota Permissible Exposure Limits (PELs)	US NIOSH Recommended Exposure Limits (RELs)	
US - Oregon Permissible Exposure Limits (Z-1)	US OSHA Permissible Exposure Levels (PELs) - Table Z1	
US - Pennsylvania - Hazardous Substance List	US SARA Section 302 Extremely Hazardous Substances	
US - Rhode Island Hazardous Substance List	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory	
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants		

ARSENIC(7440-38-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Chemwatch: 9-241124 Page 8 of 9 Catalogue number: 10 3-1

Version No: 2.2

10 3-1 Arsenic 10 µg/mL in 2% HNO3

Issue Date: 04/28/2017 Print Date: 04/28/2017

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC US - Washington Permissible exposure limits of air contaminants Monographs US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values US - Alaska Limits for Air Contaminants US ACGIH Threshold Limit Values (TLV) US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) US ACGIH Threshold Limit Values (TLV) - Carcinogens US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs) US Clean Air Act - Hazardous Air Pollutants US - California Permissible Exposure Limits for Chemical Contaminants US CWA (Clean Water Act) - Priority Pollutants US - Hawaii Air Contaminant Limits US CWA (Clean Water Act) - Toxic Pollutants US - Idaho - Limits for Air Contaminants US EPCRA Section 313 Chemical List US - Massachusetts - Right To Know Listed Chemicals US National Toxicology Program (NTP) 14th Report Part A Known to be Human Carcinogens US - Minnesota Permissible Exposure Limits (PELs) US NIOSH Recommended Exposure Limits (RELs) US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): US OSHA Permissible Exposure Levels (PELs) - Table Z1

Carcinogens

US - Pennsylvania - Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Pennsylvania - Hazardous Substance List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD CATEGORIES

Immediate (acute) health hazard	Yes
Delayed (chronic) health hazard	No
Fire hazard	No
Pressure hazard	No
Reactivity hazard	No

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
Nitric acid	1000	454
Arsenic	1	0.454

State Regulations

US. CALIFORNIA PROPOSITION 65

None Reported

National Inventory	Status	
Australia - AICS	Y	
Canada - DSL	Y	
Canada - NDSL	N (water; arsenic; nitric acid)	
China - IECSC	Υ	
Europe - EINEC / ELINCS / NLP	Y	
Japan - ENCS	N (water; arsenic; nitric acid)	
Korea - KECI	Y	
New Zealand - NZIoC	Y	
Philippines - PICCS	Y	
USA - TSCA	Υ	
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)	

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC - TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

Chemwatch: 9-241124

Catalogue number: 10 3-1 10 3-1 Arsenic 10 µg/mL in 2% HNO3

Page 9 of 9

Issue Date: **04/28/2017**Print Date: **04/28/2017**

OSF: Odour Safety Factor

Version No: 2.2

NOAEL: No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.