

Page 1/12

Safety Data Sheet acc. to OSHA HCS

Printing date 01/03/2023

Reviewed on 01/03/2023

Product identifier	
Trade name: <u>Tungsten (10µg/mL in 2% HNO3</u> +	<u>- Tr HF)</u>
Article number: 10-63-3	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
High-Purity Standards	
7221 Investment Drive, North Charleston, SC 294	18 United States
Telephone: +1-843-767-7900	
Fax: +1-843-767-7906	
highpuritystandards.com	
Email: info@highpuritystandards.com	
Information department: Product safety department	ent
Emergency telephone number:	
INFOTRAC	
<i>Emergency telephone numbers1-800-535-5053</i>	
Other emergency telephone numbers 1-352-323-3	500

Classification of the substance or mixture

BHS05 Corrosion

Corrosive to Metals 1	H290 May be corrosive to metals.
Skin Corrosion 1A	H314 Causes severe skin burns and eye damage.
Eye Damage 1	H318 Causes serious eye damage.

GHS07

Acute Toxicity - Dermal 4 H312 Harmful in contact with skin.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• Hazard-determining components of labeling: nitric acid

(Contd. on page 2)

⁻ US



Printing date 01/03/2023

Reviewed on 01/03/2023

Trade name: Tungsten (10µg/mL in 2% HNO3 + Tr HF)

1 1 0	(Contd. of page
hydrogen flu	
Hazard state	
	e corrosive to metals.
	ful in contact with skin.
	s severe skin burns and eye damage.
	ry statements
	original container.
	the dusts or mists.
	ghly after handling.
	tive gloves/protective clothing/eye protection/face protection.
	: Rinse mouth. Do NOT induce vomiting.
	hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	D: Remove person to fresh air and keep comfortable for breathing.
	inse cautiously with water for several minutes. Remove contact lenses, if present and easy to a
Continue rin	
	call a poison center/doctor.
	tment (see on this label).
	taminated clothing and wash it before reuse.
	ninated clothing before reuse.
	age to prevent material damage.
Store locked	
	osive resistant container with a resistant inner liner. ontents/container in accordance with local/regional/national/international regulations.
Classificatio	e e
	n system. gs (scale 0 - 4)
	55 (Scure 0 - 4)
	Health = 3
	Fire = 0
3 0	Reactivity = 0
HMIS-ratin	gs (scale 0 - 4)
	3 Health = 3
	Fire = 0
	Reactivity = 0
Other hazar	ds
Results of P	BT and vPvB assessment
PBT: Not ap	
vPvB: Not a	
	•
Comment	an lin formation on in mali ante
Compositi	on/information on ingredients

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

Page 2/12



Page 3/12

Safety Data Sheet acc. to OSHA HCS

Printing date 01/03/2023

Reviewed on 01/03/2023

Trade name: Tungsten (10µg/mL in 2% HNO3 + Tr HF)

		(Contd. of page 2)
0	s components:	
7697-37-2	nitric acid	2.0%
7664-39-3	hydrogen fluoride	0.49%
· Chemical	identification of the substance/preparation	
7732-18-5	water, distilled, conductivity or of similar purity	97.509%
7440-33-7	tungsten	0.001%

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

- *Most important symptoms and effects, both acute and delayed* No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

· Advice for firefighters

• Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

(Contd. on page 4)

US



Reviewed on 01/03/2023

Trade name: Tungsten (10µg/mL in 2% HNO3 + Tr HF)

	(Contd. of page 2
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7664-39-3 hydrogen fluoride	1.0 ppm
7440-33-7 tungsten	10 mg/m ⁻
PAC-2:	· · · · · · · · · · · · · · · · · · ·
7697-37-2 nitric acid	24 ppm
7664-39-3 hydrogen fluoride	24 ppm
7440-33-7 tungsten	330 mg/m ³
PAC-3:	
7697-37-2 nitric acid	92 ppm
7664-39-3 hydrogen fluoride	44 ppm
7440-33-7 tungsten	2,000 mg/m ²

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

(Contd. on page 5)

US



Printing date 01/03/2023

Reviewed on 01/03/2023

Trade name: Tungsten (10µg/mL in 2% HNO3 + Tr HF)

D D T	(Contd. of page 4)
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
TLV	Short-term value: (4) NIC-0.025* ppm
12,	Long-term value: (2) ppm
	*inh. fraction + vapor
	-39-3 hydrogen fluoride
PEL	Long-term value: 1* mg/m ³ , 3 ppm as F, *sulfuric acid
REL	Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm *15-min, as F
TLV	Long-term value: 0.5 ppm Ceiling limit value: 2 ppm as F; Skin, BEI
· Ingre	edients with biological limit values:
7664	-39-3 hydrogen fluoride
	3 mg/g creatinine
	Medium: urine
	Time: prior to shift
	Parameter: Fluorides (background, nonspecific)
	10 mg/g creatinine
	Medium: urine
	Time: end of shift
	Parameter: Fluorides (background, nonspecific)
· Addi	tional information: The lists that were valid during the creation were used as basis.
· Expo	psure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work. d contact with the eyes.
	d contact with the eyes. d contact with the eyes and skin.
	thing equipment:
In ca respi	use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use Tratory protective device that is independent of circulating air.
rrote	ection of hands:
6	
enn.	Protective gloves

Page 5/12



Page 6/12

(Contd. of page 5)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 01/03/2023

Reviewed on 01/03/2023

Trade name: Tungsten (10µg/mL in 2% HNO3 + Tr HF)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and c	hemical properties	
General Information Appearance:		
Form:	Liquid	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.00535 g/cm³ (8.38965 lbs/gal)	



Reviewed on 01/03/2023

Trade name: Tungsten (10µg/mL in 2% HNO3 + Tr HF)

		(Contd. of page
Bulk density:	1,005 kg/m ³	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	97.5 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- 7664-39-3 hydrogen fluoride
- *Oral LD50 1,276 mg/kg (rat)*
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.

(Contd. on page 8)

US

Page 7/12



Printing date 01/03/2023

Reviewed on 01/03/2023

Trade name: Tungsten (10µg/mL in 2% HNO3 + Tr HF)

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)

(Contd. of page 7)

Page 8/12

)



Printing date 01/03/2023

Reviewed on 01/03/2023

(Contd. of page 8)

Trade name: Tungsten (10µg/mL in 2% HNO3 + Tr HF)

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

UN-Number	
DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (NITRIC ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITR
*	ACID)
Transport hazard class(es)	
DOT	
\wedge	
CORROSIVE	
8	
Class	8 Corrosive substances
Label	8
ADR	
8	
Class	8 (C1) Corrosive substances
Label	8
IMDG, IATA	
8	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances

Page 9/12



Page 10/12

Safety Data Sheet acc. to OSHA HCS

Printing date 01/03/2023

Reviewed on 01/03/2023

Trade name: Tungsten (10µg/mL in 2% HNO3 + Tr HF)

	(Contd. of page
Hazard identification number (Kemler code)	: 80
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (NITRIC ACID), 8, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

7697-37-2 nitric acid

7664-39-3 hydrogen fluoride

• Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

7664-39-3 hydrogen fluoride

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

7664-39-3 hydrogen fluoride

(Contd. on page 11)

[—] US



Page 11/12

Safety Data Sheet acc. to OSHA HCS

Printing date 01/03/2023

Reviewed on 01/03/2023

Trade name: Tungsten (10µg/mL in 2% HNO3 + Tr HF)

(Contd. of page 10)

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: nitric acid hydrogen fluoride · Hazard statements H290 May be corrosive to metals. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. · Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 12)



Printing date 01/03/2023

Reviewed on 01/03/2023

Trade name: Tungsten (10µg/mL in 2% HNO3 + Tr HF)

(Contd. of page 11)

Immediately call a poison center/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906 • Date of preparation / last revision 01/03/2023 · Abbreviations and acronvms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety **OSHA:** Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Corrosive to Metals 1: Corrosive to metals - Category 1 Acute Toxicity - Dermal 4: Acute toxicity - Category 4 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A Eye Damage 1: Serious eye damage/eye irritation - Category 1

Page 12/12