HIGH-PURITY STANDARDS

Safety Data Sheet acc. to OSHA HCS

Printing date 03/15/2019

Reviewed on 03/15/2019

1 Identification

- · Product identifier
- · Trade name: Silicon (1000µg/mL in 1% HNO3 and Tr HF)
- · Article number: 100050-3
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: High-Purity Standards
 P.O. Box 41727
 Charleston, SC 29423
 Telephone: (843) 767-7900
 FAX: (843) 767-7906
- Information department: Product safety department
 Emergency telephone number: INFOTRAC
 Emergency telephone numbers1-800-535-5053
 Other emergency telephone numbers 1-352-323-3500

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Acute Tox. 4H312Harmful in contact with skin.Skin Irrit. 2H315Causes skin irritation.Eye Irrit. 2AH319Causes serious eye irritation.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

Hazard-determining components of labeling: Hydrofluoric acid
Hazard statements H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation.
Precautionary statements Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

US

Printing date 03/15/2019

GH-PURIT

Reviewed on 03/15/2019

Trade name: Silicon (1000µg/mL in 1% HNO3 and Tr HF)

(Contd. of page 1)

Call a poison center/doctor if you feel unwell. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)

Health = 2Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 2	Health = 2
FIRE 0	Fire = 0
REACTIVITY 0	Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
7697-37-2 1	itric acid	1.0%
· Chemical id	entification of the substance/preparation	
7664-39-3	Hydrofluoric acid	0.49%
60676-86-0	Silica, fused	0.1%
7732-18-5	water, distilled, conductivity or of similar purity	98.41%

4 First-aid measures

· Description of first aid measures

· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing: If symptoms persist consult doctor.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 03/15/2019

Reviewed on 03/15/2019

Trade name: Silicon (1000µg/mL in 1% HNO3 and Tr HF)

(Contd. of page 2)

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Not required.

• Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• *Methods and material for containment and cleaning up:* Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

• Protective Action Criteria for Chemicals

· PAC-1:		
7697-37-2	nitric acid	0.16 ppm
7664-39-3	Hydrofluoric acid	1.0 ppm
• PAC-2:		
7697-37-2	nitric acid	24 ppm
7664-39-3	Hydrofluoric acid	24 ppm
• PAC-3:		
7697-37-2	nitric acid	92 ppm
7664-39-3	Hydrofluoric acid	44 ppm

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 4)



US

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 03/15/2019

Reviewed on 03/15/2019

Trade name: Silicon (1000µg/mL in 1% HNO3 and Tr HF)

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- *General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.*
- Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.


Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



(Contd. on page 5)

Printing date 03/15/2019

Reviewed on 03/15/2019

Trade name: Silicon (1000µg/mL in 1% HNO3 and Tr HF)

GH-PURITY

		(Contd. of pag
Physical and chemical proper	ties	
Information on basic physical and c	hemical properties	
General Information	nemen properties	
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	pr): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	98.4 %	
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	
Salida agutante		
Solids content:	0.0%	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

(Contd. on page 6)

US

Printing date 03/15/2019

Reviewed on 03/15/2019

Trade name: Silicon (1000µg/mL in 1% HNO3 and Tr HF)

· Chemical stability

(Contd. of page 5)

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid* No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7664-39-3 Hydrofluoric acid

Oral LD50 1,276 mg/kg (rat)

· Primary irritant effect:

- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

60676-86-0 Silica, fused

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • *Results of PBT and vPvB assessment*

- *PBT:* Not applicable.
- · vPvB: Not applicable.

(Contd. on page 7)

US

3



Printing date 03/15/2019

Reviewed on 03/15/2019

(Contd. of page 6)

Trade name: Silicon (1000µg/mL in 1% HNO3 and Tr HF)

H-PURITY

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid, Hydroge
201	fluoride)
ADR	3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid
	Hydrogen fluoride)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRI ACID, HYDROGEN FLUORIDE)
Transport hazard class(es)	
DOT	
Class Label	8 Corrosive substances 8
ADR, IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F- A , S - B

Printing date 03/15/2019

Reviewed on 03/15/2019

Trade name: Silicon (1000µg/mL in 1% HNO3 and Tr HF)

	(Contd. of page
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: El
· · · · ·	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
-	(NITRIC ACID, HYDROGEN FLUORIDE), 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

Section 355 (extremely hazardous substances):	
7697-37-2 nitric acid	
7664-39-3 Hydrofluoric acid	
· Section 313 (Specific toxic chemical listings):	
7697-37-2 nitric acid	
7664-39-3 Hydrofluoric acid	
• TSCA (Toxic Substances Control Act):	
All ingredients are listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
(Contd. on page 9)	



Printing date 03/15/2019

Reviewed on 03/15/2019

Trade name: Silicon (1000µg/mL in 1% HNO3 and Tr HF)

(Contd. of page 8)

· Carcinogenic categories

· EPA (Environmental Protection Agency) (Substances not listed)

7697-37-2 nitric acid

7664-39-3 Hydrofluoric acid

60676-86-0 Silica, fused

7732-18-5 water, distilled, conductivity or of similar purity

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

60676-86-0 Silica, fused

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Warning

· Hazard-determining components of labeling:

Hydrofluoric acid

• Hazard statements

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

· Precautionary statements

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

High-Purity Standards Tel: 843-767-7900 *Fax:* 843-767-7906

(Contd. on page 10)

Printing date 03/15/2019

3H-PURI

Reviewed on 03/15/2019

Trade name: Silicon (1000µg/mL in 1% HNO3 and Tr HF)

(Contd. of page 9) · Date of preparation / last revision 03/15/2019 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A