

## Printing date 07/19/2022

Reviewed on 07/19/2022

Page 1/13

Product ident	fier
Trade name:	Cobalt (10000 µg/mL in 4% HNO3)
Article numbe	r: 10M13-1
Manufacturer High-Purity S 7221 Investme Telephone: + 1 Fax: +1-843- highpuritystan	<u>andards</u> nt Drive, North Charleston, SC 29418 United States 1-843-767-7900 767-7906
	epartment: Product safety department
<i>Emergency te</i> INFOTRAC	lephone number:
	ephone numbers1-800-535-5053
Oiner emergel	ncy telephone numbers 1-352-323-3500
	lentification of the substance or mixture
Classification	
Classification	of the substance or mixture
Classification	of the substance or mixture S08 Health hazard
Classification GH Resp. Sens. 1 Carc. 2	of the substance or mixture S08 Health hazard H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Classification GH Resp. Sens. 1 Carc. 2	of the substance or mixture S08 Health hazard H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H351 Suspected of causing cancer.
Classification GH Resp. Sens. 1 Carc. 2 Carc. 2 GH Met. Corr.1	of the substance or mixture S08 Health hazard H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H351 Suspected of causing cancer. S05 Corrosion
Classification GH Resp. Sens. 1 Carc. 2 GH Met. Corr.1	of the substance or mixture S08 Health hazard H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H351 Suspected of causing cancer. S05 Corrosion H290 May be corrosive to metals.
Classification GH Resp. Sens. 1 Carc. 2 GH Met. Corr. 1 Skin Corr. 1A	of the substance or mixture S08 Health hazard H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H351 Suspected of causing cancer. S05 Corrosion H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.
Classification GH Resp. Sens. 1 Carc. 2 Met. Corr. 1 Skin Corr. 1A Eye Dam. 1	of the substance or mixture S08 Health hazard H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H351 Suspected of causing cancer. S05 Corrosion H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage.



Printing date 07/19/2022

Reviewed on 07/19/2022

#### Trade name: Cobalt (10000 µg/mL in 4% HNO3)

(Contd. of page 1) · Hazard pictograms GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: nitric acid cobalt · Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0

Page 2/13

(Contd. on page 3)



Printing date 07/19/2022

Reviewed on 07/19/2022

#### Trade name: Cobalt (10000 µg/mL in 4% HNO3)

#### · HMIS-ratings (scale 0 - 4)

HEALTH\*3Health = \*3FIRE0Fire = 0REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

· vPvB: Not applicable.

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

7697-37-2 nitric acid

7440-48-4 cobalt

Chemical identification of the substance/preparation

7732-18-5 water, distilled, conductivity or of similar purity

### 4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)

# 4.0%

1.0%

95.0%

(Contd. of page 2)

Page 3/13

US



#### Printing date 07/19/2022

Trade name: Cobalt (10000 µg/mL in 4% HNO3)

• Advice for firefighters

· Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

	recautions, protective equipment and emergency procedures	
1	iratory protective device.	
	ctive equipment. Keep unprotected persons away.	
	ental precautions: Do not allow to enter sewers/ surface or ground water.	
	nd material for containment and cleaning up:	
	h liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutra	lizing agent.	
Dispose co	ntaminated material as waste according to item 13.	
Ensure ade	quate ventilation.	
· Reference	to other sections	
See Section	7 for information on safe handling.	
See Section	8 for information on personal protection equipment.	
	13 for disposal information.	
	Action Criteria for Chemicals	
· PAC-1:		
7697-37-2	nitric acid	0.16 ppm
7440-48-4	cobalt	0.18 mg/m <sup>3</sup>
· PAC-2:		
7697-37-2	nitric acid	24 ppm
7440-48-4	cobalt	$2 mg/m^3$
· PAC-3:		
7697-37-2	nitric acid	92 ppm
7440-48-4	cobalt	$20 \text{ mg/m}^3$

## 7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 5)

Page 4/13

Reviewed on 07/19/2022

(Contd. of page 3)



Printing date 07/19/2022

Trade name: Cobalt (10000 µg/mL in 4% HNO3)

• *Specific end use(s) No further relevant information available.* 

## 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

Com	ponents with limit values that require monitoring at the workplace:
	7-37-2 nitric acid
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV	Short-term value: 4 ppm Long-term value: 2 ppm
7440	-48-4 cobalt
	Long-term value: 0.1* mg/m <sup>3</sup> as Co; *for metal dust and fume
	Long-term value: 0.05 mg/m <sup>3</sup> as Co; metal dust & fume
TLV	Long-term value: 0.02* mg/m <sup>3</sup> *inh. fraction; DSEN, RSEN, BEI, A3
Ingro	edients with biological limit values:
7440	-48-4 cobalt
	15 μg/L Medium: urine Time: end of shift at end of workweek Parameter: Cobalt (nonspecific)
Addi	tional information: The lists that were valid during the creation were used as basis.
Perso Gene Keep Imme Wash Store Avoid Avoid Brea In ca	osure controls onal protective equipment: eral protective and hygienic measures: o away from foodstuffs, beverages and feed. ediately remove all soiled and contaminated clothing. h hands before breaks and at the end of work. e protective clothing separately. d contact with the eyes. d contact with the eyes. d contact with the eyes and skin. thing equipment: use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us iratory protective device that is independent of circulating air.
respi	

Page 5/13

Reviewed on 07/19/2022

(Contd. of page 4)



*Printing date 07/19/2022* 

Reviewed on 07/19/2022

(Contd. of page 5)

US

#### Trade name: Cobalt (10000 µg/mL in 4% HNO3)

• Protection of hands:

M 2

Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

Appearance:		
Form:	Liquid	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	

Page 6/13



Printing date 07/19/2022

Reviewed on 07/19/2022

#### Trade name: Cobalt (10000 µg/mL in 4% HNO3)

		(Contd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.09912 g/cm³ (9.17216 lbs/gal)	
Bulk density:	1,019 kg/m <sup>3</sup>	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	95.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	1.0 %	
Other information	No further relevant information available.	

## **10 Stability and reactivity**

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 8)

Page 7/13



#### Printing date 07/19/2022

**11 Toxicological information** 

Reviewed on 07/19/2022

Trade name: Cobalt (10000 µg/mL in 4% HNO3)

(Contd. of page 7)

Page 8/13

## · Information on toxicological effects • Acute toxicity: · LD/LC50 values that are relevant for classification: 7440-48-4 cobalt Oral LD50 6,170 mg/kg (rat) • Primary irritant effect: • on the skin: Strong caustic effect on skin and mucous membranes. • on the eye: Strong caustic effect. Strong irritant with the danger of severe eye injury. · Sensitization: Sensitization possible through inhalation. Sensitization possible through skin contact. · Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful Corrosive Irritant Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach. · Carcinogenic categories · IARC (International Agency for Research on Cancer) 7440-48-4 cobalt · NTP (National Toxicology Program) 7440-48-4 cobalt

**OSHA-Ca** (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

(Contd. on page 9)

2B

R

US



Printing date 07/19/2022

Reviewed on 07/19/2022

(Contd. of page 8)

Trade name: Cobalt (10000 µg/mL in 4% HNO3)

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

**13 Disposal considerations** 

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O., (NITRIC ACID)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRI ACID)
· Transport hazard class(es)	
DOT	
CORROSIVE 8	
- Class	8 Corrosive substances
· Label	8
ADR	
a straight of the straight of	
	8 (C1) Corrosive substances

Page 9/13



Page 10/13

# Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2022

Reviewed on 07/19/2022

#### Trade name: Cobalt (10000 µg/mL in 4% HNO3)

	(Contd. of page
Label	8
IMDG, IATA	
$\wedge$	
<u>w</u>	
8	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code)	
EMS Number: Segregation groups	F-A,S-B Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 50 ml Maximum net quantity per outer packaging: 1000 ml
IMDG	1 1 1 0 0
Limited quantities (LQ)	5L
Excepted quantities $(\tilde{E}Q)$	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
	(NITRIC ACID), 8, III

# **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 11)



Page 11/13

# Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2022

Reviewed on 07/19/2022

### Trade name: Cobalt (10000 µg/mL in 4% HNO3)

Sara	(Contd. of page
Sara Section 355 (extremely hazardous substances):	
7697-37-2 nitric acid	
Section 313 (Specific toxic chemical listings):	
7697-37-2 nitric acid	
7440-48-4 cobalt	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
Hazardous Air Pollutants	
7440-48-4 cobalt	
Proposition 65	
Chemicals known to cause cancer:	
7440-48-4 cobalt	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV (Threshold Limit Value)	
7440-48-4 cobalt	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	· · ·
None of the ingredients is listed.	

• Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: nitric acid cobalt
Hazard statements H290 May be corrosive to metals.

(Contd. on page 12)



Printing date 07/19/2022

Reviewed on 07/19/2022

Trade name: Cobalt (10000 µg/mL in 4% HNO3)

(Contd. of page 11) H314 Causes severe skin burns and eye damage. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H351 Suspected of causing cancer. · Precautionary statements *Obtain special instructions before use.* Do not handle until all safety precautions have been read and understood. Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

 Contact: High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906
 Date of preparation / last revision 07/19/2022 / Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances (Contd. on page 13)



Printing date 07/19/2022

Reviewed on 07/19/2022

Page 13/13

Trade name: Cobalt (10000 µg/mL in 4% HNO3)

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Resp. Sens. 1: Respiratory sensitisation - Category 1 Skin Sens. 1: Skin sensitisation – Category 1 Carc. 2: Carcinogenicity – Category 2

(Contd. of page 12)