

Page 1/12

Safety Data Sheet acc. to OSHA HCS

Printing date 08/04/2022

Reviewed on 08/04/2022

Product identifier	
Trade name: <u>Germanium 10,000 μg/mL in 10% HNO3 + 2% HF</u>	
Article number: 10M20-3	
Details of the supplier of the safety data sheet	
Manufacturer/Supplier:	
High-Purity Standards	
7221 Investment Drive, North Charleston, SC 29418 United States	
Telephone: +1-843-767-7900	
Fax: +1-843-767-7906	
highpuritystandards.com	
Email: info@highpuritystandards.com	
Information department: Product safety department	
Emergency telephone number:	
INFOTRAC	
Emergency telephone numbers1-800-535-5053	
Other emergency telephone numbers 1-352-323-3500	

· Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.

GHS05 Corrosion

Met. Corr.1H290 May be corrosive to metals.Skin Corr. 1AH314 Causes severe skin burns and eye damage.Eye Dam.1H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• Hazard-determining components of labeling: nitric acid

(Contd. on page 2)

⁻ US



Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: Germanium 10,000 µg/mL in 10% HNO3 + 2% HF

(Contd. of page 1) hydrogen fluoride · Hazard statements H290 May be corrosive to metals. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. · Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. *IF INHALED: Remove person to fresh air and keep comfortable for breathing.* If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Take off immediately all contaminated clothing and wash it before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 *Health* = 30 Fire = 0FIRE **REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

7697-37-2 nitric acid

(Contd. on page 3)

10.0%



Page 3/12

Safety Data Sheet acc. to OSHA HCS

Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: Germanium 10,000 µg/mL in 10% HNO3 + 2% HF

	(Contd. of page 2)
7664-39-3 hydrogen fluoride	2.0%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	87.0%
7440-56-4 germanium	1.0%

4 First-aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
 Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.

(Contd. on page 4)

US



Page 4/12

Safety Data Sheet acc. to OSHA HCS

Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: Germanium 10,000 µg/mL in 10% HNO3 + 2% HF

	(Contd. of page 3
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
• PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7664-39-3 hydrogen fluoride	1.0 ppm
7440-56-4 germanium	3.2 mg/m ³
· PAC-2:	
7697-37-2 nitric acid	24 ppm
7664-39-3 hydrogen fluoride	24 ppm
7440-56-4 germanium	35 mg/m ³
· PAC-3:	
7697-37-2 nitric acid	92 ppm
7664-39-3 hydrogen fluoride	44 ppm
7440-56-4 germanium	170 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm

(Contd. on page 5)

US -



Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: Germanium 10,000 µg/mL in 10% HNO3 + 2% HF

TLV	(Contd. of page 4)
	Short-term value: 4 ppm
	Long-term value: 2 ppm
	39-3 hydrogen fluoride
	Long-term value: 1* mg/m³, 3 ppm as F, *sulfuric acid
(Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm *15-min, as F
(Long-term value: 0.5 ppm Ceiling limit value: 2 ppm as F; Skin, BEI
Ingrea	dients with biological limit values:
7664	39-3 hydrogen fluoride
Л 7	B mg/g creatinine Medium: urine Fime: prior to shift Parameter: Fluorides (background, nonspecific)
Л	0 mg/g creatinine Medium: urine Fime: end of shift
	Parameter: Fluorides (background, nonspecific) Jonal information: The lists that were valid during the creation were used as basis.
Person Gener Keep a Immea Wash Store p Avoid Avoid	sure controls nal protective equipment: cal protective and hygienic measures: away from foodstuffs, beverages and feed. diately remove all soiled and contaminated clothing. hands before breaks and at the end of work. protective clothing separately. contact with the eyes. contact with the eyes and skin. hing equipment: e of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)



Printing date 08/04/2022

Reviewed on 08/04/2022

(Contd. of page 5)

Trade name: Germanium 10,000 µg/mL in 10% HNO3 + 2% HF

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information Appearance:		
Form:	Liquid	
Color:	According to product specification	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.07359 g/cm³ (8.95911 lbs/gal)	
Bulk density:	1,074 kg/m ³	
Relative density	Not determined.	
Vapor density	Not determined.	

Page 6/12



Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: Germanium 10,000 µg/mL in 10% HNO3 + 2% HF

		(Contd. of page
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octan	ol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	87.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	1.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7664-39-3 hydrogen fluoride

Oral LD50 1,276 mg/kg (rat)

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Toxic

(Contd. on page 8)

US

Page 7/12



Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: Germanium 10,000 µg/mL in 10% HNO3 + 2% HF

Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

• Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

(Contd. on page 9)

(Contd. of page 7)

Page 8/12



Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: Germanium 10,000 µg/mL in 10% HNO3 + 2% HF

(Contd. of page 8)

UN-Number	
DOT, ADR, IMDG, IATA	UN2922
UN proper shipping name	
DOT	Corrosive liquids, toxic, n.o.s. (Nitric acid, Hydrogen fluoride)
ADR	2922 CORROSIVE LIQUID, TOXIC, N.O.S. (NITRIC ACII
IMDG, IATA	HYDROGEN FLUORIDE) CORROSIVE LIQUID, TOXIC, N.O.S. (NITRIC ACII
	HYDROGEN FLUORIDE)
Transport hazard class(es)	
DOT	
CORRESIVE TOXIC	
8 6	
Class	8 Corrosive substances
Label	8, 6.1
ADR	
8 6	
Class	8 (CT1) Corrosive substances
Label	8+6.1
IMDG	
Class	8 Corrosive substances
Label	8/6.1
IATA	
Class	8 Corrosive substances
Class Label	8 Corrosive substances 8 (6.1)

Page 9/12



Page 10/12

Safety Data Sheet acc. to OSHA HCS

Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: Germanium 10,000 µg/mL in 10% HNO3 + 2% HF

	(Contd. of page
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code)	: 86
EMS Number:	F-A,S-B
Segregation groups	Strong acids
Stowage Category	В
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
	On cargo aircraft only: 30 L
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 2922 CORROSIVE LIQUID, TOXIC, N.O.S. (NITRIC ACI
	HYDROGEN FLUORIDE), 8 (6.1), II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely	hazardous substances):
--------------------------	------------------------

7697-37-2 nitric acid

7664-39-3 hydrogen fluoride

· Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

7664-39-3 hydrogen fluoride

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

(Contd. on page 11)

⁻ US



Page 11/12

Safety Data Sheet acc. to OSHA HCS

Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: Germanium 10,000 µg/mL in 10% HNO3 + 2% HF

(Contd. of page 10)

· Hazardous Air Pollutants

7664-39-3 hydrogen fluoride

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: nitric acid hydrogen fluoride
Hazard statements H290 May be corrosive to metals. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage.
Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 12)

[–] US



Page 12/12

Safety Data Sheet acc. to OSHA HCS

Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: Germanium 10,000 µg/mL in 10% HNO3 + 2% HF

(Contd. of page 11)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off immediately all contaminated clothing and wash it before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906 · Date of preparation / last revision 08/04/2022 / -• Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Met. Corr.1: Corrosive to metals – Category 1 Acute Tox. 3: Acute toxicity - Category 3 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1