

Page 1/10

# Safety Data Sheet acc. to OSHA HCS

#### Printing date 06/17/2022

Reviewed on 06/17/2022

| Product identifier  |          |
|---|----------|
| Trade name: <u>Boron 10,000 μg/mL in 2% NH4OH</u>   |          |
| Article number: 10M7-7  |          |
| Details of the supplier of the safety data sheet<br>Manufacturer/Supplier:<br><u>High-Purity Standards</u><br>7221 Investment Drive, North Charleston, SC 29418 Unite<br>Telephone: +1-843-767-7900<br>Fax: +1-843-767-7906<br>highpuritystandards.com<br>Email: info@highpuritystandards.com | d States |
| Information department: Product safety department<br>Emergency telephone number:<br>INFOTRAC<br>Emergency telephone numbers1-800-535-5053<br>Other emergency telephone numbers 1-352-323-3500   |          |

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



Signal word Warning
Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.
Precautionary statements
Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
If on skin: Wash with plenty of water.
Specific treatment (see on this label).

(Contd. on page 2)

<sup>–</sup> ÚS



Printing date 06/17/2022

Reviewed on 06/17/2022

Trade name: Boron 10,000 µg/mL in 2% NH4OH

(Contd. of page 1) If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.

If eye irritation persists: Get medical advice/attention.

- · Classification system:
- · NFPA ratings (scale 0 4)



HMIS-ratings (scale 0 - 4)

HEALTH\*2Health = \*2FIRE0Fire = 0REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

· vPvB: Not applicable.

#### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components:                                |   |      |  |
|--|---|------|--|
| 1336-21-6  | Ammonium hydroxide  | 2.0% |  |
| 10043-35-3   | boric acid  | 1.0% |  |
| · Chemical identification of the substance/preparation |   |      |  |
| 7732-18-5  | 7732-18-5 water, distilled, conductivity or of similar purity 97.0% |      |  |

#### 4 First-aid measures

- Description of first aid measures
- *General information: Immediately remove any clothing soiled by the product.*
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)





Printing date 06/17/2022

Reviewed on 06/17/2022

Trade name: Boron 10,000 µg/mL in 2% NH4OH

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

#### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

| · PAC-1:   |                    |                       |
|------------|--------------------|-----------------------|
| 1336-21-6  | Ammonium hydroxide | 61 ppm                |
| 10043-35-3 | boric acid         | 6 mg/m <sup>3</sup>   |
| · PAC-2:   |                    |                       |
| 1336-21-6  | Ammonium hydroxide | 330 ppm               |
| 10043-35-3 | boric acid         | 23 mg/m <sup>3</sup>  |
| • PAC-3:   |                    |                       |
|            | Ammonium hydroxide | 2,300 ppm             |
| 10043-35-3 | boric acid         | 830 mg/m <sup>3</sup> |

#### 7 Handling and storage

· Handling:

- *Precautions for safe handling* No special precautions are necessary if used correctly.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

Page 3/10

(Contd. of page 2)

US



Printing date 06/17/2022

Reviewed on 06/17/2022

Trade name: Boron 10,000 µg/mL in 2% NH4OH

(Contd. of page 3)

• Further information about storage conditions: Keep receptacle tightly sealed. • Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

10043-35-3 boric acid

TLV Short-term value: 6\* mg/m<sup>3</sup> Long-term value: 2\* mg/m<sup>3</sup> \*as inhalable fraction, A4

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes and skin.
- **Breathing equipment:** Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Penetration time of glove material** 

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Page 4/10



Printing date 06/17/2022

Reviewed on 06/17/2022

Trade name: Boron 10,000 µg/mL in 2% NH4OH

• Eye protection:

Tightly sealed goggles

# 9 Physical and chemical properties

| · Information on basic physical and c   | enemical properties                           |  |
|---|---|--|
| General Information                     |   |  |
| Appearance:                             | 1::1  |  |
| Form:                                   | Liquid  |  |
| Color:                                  | According to product specification            |  |
| · Odor:                                 | Characteristic                                |  |
| · Odor threshold:                       | Not determined.                               |  |
| · pH-value:                             | Not determined.                               |  |
| · Change in condition                   |   |  |
| Melting point/Melting range:            | Undetermined.                                 |  |
| <b>Boiling point/Boiling range:</b>     | 100 °C (212 °F)                               |  |
| · Flash point:                          | Not applicable.                               |  |
| · Flammability (solid, gaseous):        | Not applicable.                               |  |
| • Decomposition temperature:            | Not determined.                               |  |
| · Auto igniting:                        | Product is not selfigniting.                  |  |
| Danger of explosion:                    | Product does not present an explosion hazard. |  |
| • Explosion limits:                     |   |  |
| Lower:                                  | Not determined.                               |  |
| Upper:                                  | Not determined.                               |  |
| · Vapor pressure at 20 °C (68 °F):      | 23 hPa (17.3 mm Hg)                           |  |
| · Density at 20 °C (68 °F):             | 1.00215 g/cm³ (8.36294 lbs/gal)               |  |
| · Bulk density:                         | 993 kg/m <sup>3</sup>                         |  |
| · Relative density                      | Not determined.                               |  |
| · Vapor density                         | Not determined.                               |  |
| · Evaporation rate                      | Not determined.                               |  |
| · Solubility in / Miscibility with      |   |  |
| Water:                                  | Not miscible or difficult to mix.             |  |
| · Partition coefficient (n-octanol/wate | <b>r):</b> Not determined.                    |  |
| · Viscosity:                            |   |  |
| Dynamic:                                | Not determined.                               |  |

(Contd. of page 4)

Page 5/10

\_\_\_\_\_US



Printing date 06/17/2022

Reviewed on 06/17/2022

#### Trade name: Boron 10,000 µg/mL in 2% NH4OH

|                     |  | (Contd. of page 5 |
|---------------------|--|-------------------|
| Kinematic:          | Not determined.                            |                   |
| · Solvent content:  |  |                   |
| Water:              | 97.0 %                                     |                   |
| VOC content:        | 0.00 %                                     |                   |
|                     | 0.0 g/l / 0.00 lb/gal                      |                   |
| Solids content:     | 1.0 %                                      |                   |
| • Other information | No further relevant information available. |                   |

#### 10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

10043-35-3 boric acid

Oral LD50 2,660 mg/kg (rat)

Primary irritant effect:

• on the skin: Irritant to skin and mucous membranes.

• on the eye: Irritating effect.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

### ·NTP (National Toxicology Program)

None of the ingredients is listed.

(Contd. on page 7)



Page 7/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/17/2022

Reviewed on 06/17/2022

(Contd. of page 6)

Trade name: Boron 10,000 µg/mL in 2% NH4OH

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.

| UN-Number                  |               |  |
|----------------------------|---------------|--|
| DOT, ADR, IMDG, IATA       | not regulated |  |
| UN proper shipping name    |               |  |
| DOT, ÂDR, IMDG, IATA       | not regulated |  |
| Transport hazard class(es) |               |  |
| DOT, ADR, ADN, IMDG, IATA  |               |  |
| Class                      | not regulated |  |
| Packing group              |               |  |
| DOT, ĂĎR, ÎMDG, IATA       | not regulated |  |



Page 8/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/17/2022

Reviewed on 06/17/2022

Trade name: Boron 10,000 µg/mL in 2% NH4OH

|  |                 | (Contd. of page 7) |
|--|-----------------|--------------------|
| · Environmental hazards:   | Not applicable. |                    |
| · Special precautions for user   | Not applicable. |                    |
| • Transport in bulk according to Annex II of<br>MARPOL73/78 and the IBC Code Not applicable. |                 |                    |
| • UN "Model Regulation":   | not regulated   |                    |

## **15 Regulatory information**

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

1336-21-6 Ammonium hydroxide

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

10043-35-3 boric acid

• TLV (Threshold Limit Value)

10043-35-3 boric acid

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 9)

- US

I (oral)

A4



Printing date 06/17/2022

Reviewed on 06/17/2022

(Contd. of page 8)

#### Trade name: Boron 10,000 µg/mL in 2% NH4OH

· Hazard pictograms



GHS07 • Signal word Warning • Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. • Precautionary statements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. Specific treatment (see on this label). If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention. • Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

· Contact: High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906 · Date of preparation / last revision 06/17/2022 / -· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative (Contd. on page 10)

Page 9/10

Contd. on page 10)



Printing date 06/17/2022

Page 10/10

Reviewed on 06/17/2022

Trade name: Boron 10,000 µg/mL in 2% NH4OH

NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A (Contd. of page 9)

US