Printing date 12/02/2019

Reviewed on 12/02/2019

1 Identification

- · Product identifier
- · Trade name: Stock Standard

GH-PURIT

· Article number: CLP-CAL-1-A

Details of the supplier of the safety data sheet
Manufacturer/Supplier: High-Purity Standards
7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900
Fax: +1-843-767-7906
highpuritystandards.com
Email: info@highpuritystandards.com

 Information department: Product safety department
 Emergency telephone number: INFOTRAC
 Emergency telephone numbers1-800-535-5053
 Other emergency telephone numbers 1-352-323-3500

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Met. Corr.1H290 May be corrosive to metals.Skin Corr. 1AH314 Causes severe skin burns and eye damage.Eye Dam. 1H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: nitric acid
Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.
Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting.

(Contd. on page 2)

US

Printing date 12/02/2019

Reviewed on 12/02/2019

Trade name: Stock Standard

IIGH-PURITY STANDARDS

(Con If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	td. of page 1)
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and e	easy to do.
Continue rinsing.	2
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Wash contaminated clothing before reuse.	
Absorb spillage to prevent material damage. Store locked up.	
Store in corrosive resistant container with a resistant inner liner.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
· Classification system:	
· NFPA ratings (scale 0 - 4)	
Health = 3	
Fire = 0	
3 0 Reactivity = 0	
· HMIS-ratings (scale 0 - 4)	
HEALTH 3 $Health = 3$	
FIRE 0 $Fire = 0$	
REACTIVITY 0 Reactivity = 0	
 Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. 	
3 Composition/information on ingredients	
• Chemical characterization: Mixtures • Description: Mixture of the substances listed below with nonhazardous additions.	
Dangerous components:	
7697-37-2 nitric acid	4.0%
· Chemical identification of the substance/preparation	
7439-95-4 magnesium	0.5%
7440-09-7 potassium	0.5%
7440-23-5 sodium	0.5%
7440-70-2 calcium	0.5%
7429-90-5 aluminium	0.2%
7440-39-3 barium	0.2%
7439-89-6 iron	0.1%
7440-66-6 zinc	0.05%
7439-96-5 manganese	0.05%
7440-02-0 nickel	0.05%
7440-48-4 cobalt	0.05%

(Contd. on page 3)

Printing date 12/02/2019

Reviewed on 12/02/2019

Trade name: Stock Standard

	(Cont	td. of page 2)
	vanadium	0.05%
7440-50-8		0.025%
	chromium	0.02%
7440-41-7	beryllium	0.005%
7732-18-5	water, distilled, conductivity or of similar purity	93.2%

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

0

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

<i>Personal precautions, protective equipment and emergency procedures</i> <i>Mount respiratory protective device.</i>	
Wear protective equipment. Keep unprotected persons away.	
Environmental precautions: Do not allow to enter sewers/ surface or ground water.	
Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdus	t).
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
PAC-1:	
7697-37-2 nitric acid	0.16 ppm

Printing date 12/02/2019

Reviewed on 12/02/2019

Trade n	ame:	Stock	Standard	
---------	------	-------	----------	--

7439_05_1	magnesium	(Contd. of page 18 mg/m ³
7440-09-7		2.3 mg/m ³
7440-23-5	*	13 mg/m ³
7440-23-3		1.5 mg/m ³
7439-89-6		3.2 mg/m ³
7440-66-6		
	zinc manganese	$6 mg/m^3$
7439-96-3	0	$3 mg/m^3$
7440-02-0		$4.5 mg/m^3$
		0.18 mg/m^3
7440-62-2		$3 mg/m^3$
7440-50-8	**	3 mg/m ³
7440-47-3		1.5 mg/m ³
7440-41-7	beryllium	0.0023 mg/m
PAC-2:		
7697-37-2	nitric acid	24 ppm
7439-95-4	magnesium	200 mg/m ³
7440-09-7	potassium	25 mg/m ³
7440-23-5	sodium	140 mg/m ³
7440-39-3	barium	180 mg/m ³
7439-89-6	iron	35 mg/m ³
7440-66-6	zinc	21 mg/m ³
7439-96-5	manganese	$5 mg/m^3$
7440-02-0	nickel	50 mg/m^3
7440-48-4	cobalt	$2 mg/m^3$
7440-62-2	vanadium	5.8 mg/m ³
7440-50-8	copper	33 mg/m ³
7440-47-3	chromium	17 mg/m ³
7440-41-7	beryllium	0.025 mg/m
PAC-3:		
	nitric acid	92 ppm
	magnesium	1,200 mg/m
	potassium	150 mg/m ³
7440-23-5	*	870 mg/m ³
7440-39-3		1,100 mg/m
7439-89-6		1,100 mg/m ³
7440-66-6		120 mg/m ³
	manganese	1,800 mg/m
7440-02-0	0	99 mg/m ³
7440-48-4		20 mg/m ³
7440-62-2		35 mg/m ³
440-02-2	vunuututti	(Contd. on page



Printing date 12/02/2019

Reviewed on 12/02/2019

Trade name: Stock Standard

		(Contd. of page 4)
7440-50-8	copper	200 mg/m ³
7440-47-3	chromium	99 mg/m ³
7440-41-7	beryllium	0.1 mg/m³

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

• Storage:

- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

- PEL Long-term value: 5 mg/m³, 2 ppm
- REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.

Avoid contact with the eves.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 6)

US

Printing date 12/02/2019

Reviewed on 12/02/2019

Trade name: Stock Standard

(Contd. of page 5)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and	chemical properties	
General Information Appearance:		
Form:	Liquid	
Color:	colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	

Printing date 12/02/2019

Reviewed on 12/02/2019

Trade name: Stock Standard

IIGH-PURITY

	(Contd	. of page
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.06101 g/cm ³ (8.85413 lbs/gal)	
Bulk density:	1,046 kg/m ³	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	e r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	93.2 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	2.8 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- \cdot on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

(Contd. on page 8)

US

Printing date 12/02/2019

Reviewed on 12/02/2019

Trade name: Stock Standard

(Contd. of page 7)

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (Inte	ernational Agency for Research on Cancer)	
7440-02-0	nickel	28
7440-48-4	cobalt	28
7440-47-3	chromium	3
7440-41-7	beryllium	1
· NTP (Natio	onal Toxicology Program)	
7440-02-0	nickel	R
7440-48-4	cobalt	R
7440-41-7	beryllium	K
	(Occupational Safety & Health Administration)	
None of the	e ingredients is listed.	

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

(Contd. on page 9)

Printing date 12/02/2019

Reviewed on 12/02/2019

Trade name: Stock Standard

(Contd. of page 8)

US

UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.C (NITRIC ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NIT
	ACID)
Transport hazard class(es)	
DOT	
\wedge	
CORROSIVE	
8	
Class	8 Corrosive substances
Label	8
ADR, IMDG, IATA	
\wedge	
8	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler): EMS Number:	80 F-A,S-B
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex MARPOL 73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml





Printing date 12/02/2019

Reviewed on 12/02/2019

Trade name: Stock Standard

· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

7697-37-2	nitric acid
Section 31	3 (Specific toxic chemical listings):
	nitric acid
7429-90-5	aluminium
7440-39-3	barium
7440-66-6	zinc
7439-96-5	manganese
7440-02-0	nickel
7440-48-4	cobalt
	vanadium
7440-50-8	
	chromium
7440-41-7	beryllium
TSCA (To.	xic Substances Control Act):
All compo	nents have the value ACTIVE.
Hazardou	s Air Pollutants
7439-96-5	manganese
7440-48-4	
Propositio	n 65
	known to cause cancer:
7440-02-0	
7440-48-4	
7440-41-7	beryllium
	known to cause reproductive toxicity for females:
None of th	e ingredients is listed.
Chemicals	known to cause reproductive toxicity for males:
None of th	e ingredients is listed.


Printing date 12/02/2019

Reviewed on 12/02/2019

Trade name: Stock Standard

GH-PURIT

None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
7440-39-3 barium	D, CBD(inh), NL(oral)
7440-66-6 zinc	D, I, II
7439-96-5 manganese	D
7440-50-8 copper	D
7440-47-3 chromium	D
7440-41-7 beryllium	B1, K/L(inh), CBD(oral
TLV (Threshold Limit Value established by ACGIH)	
7429-90-5 aluminium	A
7440-39-3 barium	A
7440-02-0 nickel	A.
7440-48-4 cobalt	А.
7440-47-3 chromium	A
7440-41-7 beryllium	A
NIOSH-Ca (National Institute for Occupational Safety	and Health)
7440-02-0 nickel	
7440-41-7 beryllium	



GHS05

· Signal word Danger

- Hazard-determining components of labeling: nitric acid
 Hazard statements
- Hazara statements H290 May be corrosive to metals.
- H314 Causes severe skin burns and eye damage.
- · Precautionary statements

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

- Wear protective gloves/protective clothing/eye protection/face protection.
- If swallowed: Rinse mouth. Do NOT induce vomiting.
- If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

(Contd. on page 12)

US

Printing date 12/02/2019

Reviewed on 12/02/2019

Trade name: Stock Standard

GH-PURI

(Contd. of page 11)

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906 · Date of preparation / last revision 12/02/2019 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Met. Corr.1: Corrosive to metals - Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

HIGH-PURITY STANDARDS

Safety Data Sheet acc. to OSHA HCS

Printing date 04/09/2019

Reviewed on 04/09/2019

1 Identification

- · Product identifier
- Trade name: CLP Calibration Standard 1
- · Article number: CLP-CAL-1-B
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: High-Purity Standards
 P.O. Box 41727
 Charleston, SC 29423
 Telephone: (843) 767-7900
 FAX: (843) 767-7906
- Information department: Product safety department
 Emergency telephone number: INFOTRAC
 Emergency telephone numbers1-800-535-5053
 Other emergency telephone numbers 1-352-323-3500

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*




· Signal word Danger

Hazard-determining components of labeling: nitric acid
Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.
Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: CLP Calibration Standard 1



• Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:			
7697-37-2 nitric acid	4.0%		
· Chemical identification of the substance/preparation			
7440-22-4 silver	0.025%		
7732-18-5 water, distilled, conductivity or of similar purity	95.975%		

4 First-aid measures

• Description of first aid measures

• General information: Immediately remove any clothing soiled by the product.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: CLP Calibration Standard 1

GH-PURITY

(Contd. of page 2)

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions: Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust)	
Use neutralizing agent.	•
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
• PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7440-22-4 silver	$0.3 mg/m^3$
· PAC-2:	
7697-37-2 nitric acid	24 ppm
7440-22-4 silver	170 mg/m³
· PAC-3:	
7697-37-2 nitric acid	92 ppm
7440-22-4 silver	990 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 4)

US

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: CLP Calibration Standard 1

(Contd. of page 3)

- Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

- REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
- *TLV* Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

• Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

HIGH-PURITY STANDARDS

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: CLP Calibration Standard 1

3H-PURITY ANDARDS

(Contd. of page 4)

• Eye protection:

Tightly sealed goggles

Information on basic physical and	chemical properties	
General Information		
Appearance:	T · · · 1	
Form: Color:	Liquid Colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.0225 g/cm ³ (8.53276 lbs/gal)	
Bulk density:	1,022 kg/m ³	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wat	er): Not determined.	
Viscosity:		
Dynamic: Kinematic:	Not determined. Not determined.	

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: CLP Calibration Standard 1

		(Contd. of page 5
· Solvent content:	96.0 %	
Water: VOC content:	90.0 %	
voc coment.	0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)
None of the ingredients is listed.
·NTP (National Toxicology Program)
None of the ingredients is listed.
· OSHA-Ca (Occupational Safety & Health Administration)
None of the ingredients is listed.

(Contd. on page 7)

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: CLP Calibration Standard 1

(Contd. of page 6)

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name DOT ADR IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRI ACID)
Transport hazard class(es)	
DOT	
· Class	8 Corrosive substances



Page 8/10

Printing date 04/09/2019

Reviewed on 04/09/2019

ade name: CLP Calibration Standard 1	
	(Contd. of page 7
· Label	8
· ADR, IMDG, IATA	
· Class · Label	8 Corrosive substances 8
· Packing group · DOT, ADR, IMDG, IATA	111
Environmental hazards:	Not applicable.
· Special precautions for user · Danger code (Kemler): · EMS Number: · Segregation groups	Warning: Corrosive substances 80 F-A,S-B Acids
· Stowage Category · Stowage Code	A SW2 Clear of living quarters.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

(NITRIC ACID), 8, III

· Section 355 (extremely hazardous substances):

7697-37-2 nitric acid

(Contd. on page 9)

US

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: CLP Calibration Standard 1

(Contd.	of	page	8)

• Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

7440-22-4 silver

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency) (Substances not listed)

7697-37-2 nitric acid

7732-18-5 water, distilled, conductivity or of similar purity

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: nitric acid
Hazard statements
H290 May be corrosive to metals.
H314 Causes severe skin burns and eye damage.
Precautionary statements
Keep only in original container.
Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 10)

US

Printing date 04/09/2019

Reviewed on 04/09/2019

Trade name: CLP Calibration Standard 1

(Contd. of page 9)

IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- *Contact: High-Purity Standards*

Tel: 843-767-7900 *Fax:* 843-767-7906

· Date of preparation / last revision 04/09/2019 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

