

Page 1/17

Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2022 Reviewed on 05/24/2022

1 Identification

- · Product identifier
- · Trade name: Certifed Waste Water Trace Metals Solution H
- · Article number: CWW-TM-H
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

High-Purity Standards

7221 Investment Drive, North Charleston, SC 29418 United States

Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com

Email: info@highpuritystandards.com

- · Information department: Product safety department
- · Emergency telephone number:

INFOTRAC

Emergency telephone numbers 1-800-535-5053 Other emergency telephone numbers 1-352-323-3500

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling: nitric acid

(Contd. on page 2)



Page 2/17

Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

(Contd. of page 1)

hydrogen fluoride

· Hazard statements

H290 May be corrosive to metals.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3Fire = 0

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)





Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

	(Contd. of pag
Dangerous components:	
7697-37-2 nitric acid	10.0
7664-39-3 hydrogen fluoride	0.49
Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	89.4576
7439-92-1 lead	0.005%
7440-02-0 nickel	0.005%
7440-47-3 chromium	0.005%
7440-48-4 cobalt	0.005%
7440-50-8 copper	0.005%
7440-62-2 vanadium	0.005%
7440-66-6 zinc	0.005%
7439-89-6 iron	0.00259
7440-28-0 thallium	0.00259
7440-42-8 boron	0.00259
7440-36-0 antimony	0.002%
7429-90-5 aluminium	0.001%
7439-96-5 manganese	0.001%
7439-98-7 molybdenum	0.001%
7440-24-6 strontium	0.001%
7440-38-2 arsenic	0.001%
7440-39-3 barium	0.001%
7440-43-9 cadmium	0.001%
7782-49-2 selenium	0.00059
7440-22-4 silver	0.00029
7440-41-7 beryllium	0.00029

4 First-aid measures

- Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 4)





Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

(Contd. of page 3)

- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7664-39-3 hydrogen fluoride	1.0 ppm
7439-92-1 lead	0.15 mg/m^3
7440-02-0 nickel	$4.5 mg/m^3$
7440-47-3 chromium	1.5 mg/m^3
7440-48-4 cobalt	$0.18 \ mg/m^3$
7440-50-8 copper	$3 mg/m^3$
7440-62-2 vanadium	$3 mg/m^3$
7440-66-6 zinc	6 mg/m ³
7439-89-6 iron	3.2 mg/m^3
7440-28-0 thallium	0.06 mg/m^3
	(Contd. on p

- U





Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

7440-42-8 boron	(Contd. of page 1.9 mg/m ³
7440-36-0 antimony	1.5 mg/m^3
7439-96-5 manganese	$3 mg/m^3$
7439-98-7 molybdenum	30 mg/m^3
7440-24-6 strontium	30 mg/m^3
7440-38-2 arsenic	1.5 mg/m^3
7440-39-3 barium	1.5 mg/m^3
7440-43-9 cadmium	0.10 mg/m^{3}
7782-49-2 selenium	0.6 mg/m^3
7440-22-4 silver	0.3 mg/m^3
7440-41-7 beryllium	0.0023 mg/m
7439-97-6 mercury	0.15 mg/m^3
PAC-2:	
7697-37-2 nitric acid	24 ppm
7664-39-3 hydrogen fluoride	24 ppm
7439-92-1 lead	120 mg/m^3
7440-02-0 nickel	50 mg/m^3
7440-47-3 chromium	17 mg/m^3
7440-48-4 cobalt	$2 mg/m^3$
7440-50-8 copper	33 mg/m^3
7440-62-2 vanadium	5.8 mg/m^3
7440-66-6 zinc	21 mg/m^3
7439-89-6 iron	35 mg/m^3
7440-28-0 thallium	3.3 mg/m^3
7440-42-8 boron	21 mg/m^3
7440-36-0 antimony	$\frac{13 \text{ mg/m}^3}{\text{mg}}$
7439-96-5 manganese	5 mg/m^3
7439-98-7 molybdenum	$\frac{330 \text{ mg/m}^3}{300 \text{ mg/m}^3}$
7440-24-6 strontium	330 mg/m^3
7440-38-2 arsenic	17 mg/m^3
7440-39-3 barium	180 mg/m^3
7440-43-9 cadmium	0.76 mg/m^3
7782-49-2 selenium	6.6 mg/m^3
7440-22-4 silver	170 mg/m^3
7440-41-7 beryllium	0.025 mg/m
7439-97-6 mercury	1.7 mg/m^3





Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

	(Contd. of page
PAC-3:	
7697-37-2 nitric acid	92 ppm
7664-39-3 hydrogen fluoride	44 ppm
7439-92-1 lead	700 mg/m^3
7440-02-0 nickel	99 mg/m³
7440-47-3 chromium	99 mg/m³
7440-48-4 cobalt	20 mg/m^3
7440-50-8 copper	200 mg/m^3
7440-62-2 vanadium	35 mg/m^3
7440-66-6 zinc	120 mg/m^3
7439-89-6 iron	150 mg/m^3
7440-28-0 thallium	20 mg/m^3
7440-42-8 boron	130 mg/m^3
7440-36-0 antimony	80 mg/m^3
7439-96-5 manganese	1,800 mg/m
7439-98-7 molybdenum	2,000 mg/m
7440-24-6 strontium	2,000 mg/m
7440-38-2 arsenic	100 mg/m^3
7440-39-3 barium	1,100 mg/m
7440-43-9 cadmium	4.7 mg/m^3
7782-49-2 selenium	40 mg/m^3
7440-22-4 silver	990 mg/m³
7440-41-7 beryllium	0.1 mg/m^3
7439-97-6 mercury	8.9 mg/m^3

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 7)



Page 7/17

Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

(Contd. of page 6)

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

- PEL Long-term value: 5 mg/m³, 2 ppm
- REL Short-term value: 10 mg/m³, 4 ppm
 - Long-term value: 5 mg/m³, 2 ppm
- TLV Short-term value: 4 ppm Long-term value: 2 ppm

7664-39-3 hydrogen fluoride

- PEL Long-term value: 1* mg/m³, 3 ppm
 - as F, *sulfuric acid
- REL Long-term value: 2.5 mg/m³, 3 ppm

Ceiling limit value: 5* mg/m³, 6* ppm

*15-min, as F

TLV Long-term value: 0.5 ppm

Ceiling limit value: 2 ppm

as F; Skin, BEI

· Ingredients with biological limit values:

7664-39-3 hydrogen fluoride

BEI 3 mg/g creatinine

Medium: urine Time: prior to shift

Parameter: Fluorides (background, nonspecific)

10 mg/g creatinine Medium: urine Time: end of shift

Parameter: Fluorides (background, nonspecific)

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

(Contd. on page 8)



Page 8/17

Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

(Contd. of page 7)

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: colorless
Odor: Characteristic
Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 83 °C (181.4 °F)

· Flash point: Not applicable.

· Flammability (solid, gaseous): Not applicable.

· **Decomposition temperature:** Not determined.

(Contd. on page 9)



Page 9/17

Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

	(Contd. of pag
· Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
· Vapor density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	e r): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Water:	89.5 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.1 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

LIS



Page 10/17

Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

(Contd. of page 9)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:

7664-39-3 hydrogen fluoride

Oral LD50 1,276 mg/kg (rat)

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

7440-38-2 arsenic

7439-92-1 lead		2.
7440-02-0 nickel		2.
7440-47-3 chromium		3
7440-48-4 cobalt		2.
7440-38-2 arsenic		1
7440-43-9 cadmium		1
7782-49-2 selenium		3
7440-41-7 beryllium		1
7439-97-6 mercury		3
NTP (National Toxico	logy Program)	
7439-92-1 lead		
7440-02-0 nickel		
7440-48-4 cobalt		
7440-38-2 arsenic		
7440-43-9 cadmium		
7440-41-7 beryllium		

(Contd. on page 11)



Page 11/17

Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

(Contd. of page 10)

7440-43-9 cadmium

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
$\cdot DOT$	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid, Hydroge fluoride)
· ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O., (NITRIC ACID, HYDROGEN FLUORIDE)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRI ACID, HYDROGEN FLUORIDE)

(Contd. on page 12)



Page 12/17

Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

(Contd. of page 11)

· Transport hazard class(es)

 $\cdot DOT$



· Class 8 Corrosive substances

· Label

 $\cdot ADR$



· Class 8 (C1) Corrosive substances

· Label

· IMDG, IATA



· Class 8 Corrosive substances

· Label

· Packing group

· DOT, ADR, IMDG, IATA

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Corrosive substances

Hazard identification number (Kemler code): 80
 EMS Number: F-A,S-B
 Segregation groups Acids
 Stowage Category B

• Stowage Code SW2 Clear of living quarters.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 $\cdot DOT$

• Quantity limitations On passenger aircraft/rail: 1 L

On cargo aircraft only: 30 L

(Contd. on page 13)





Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

	(Contd.	of '	page	12
--	---------	------	------	----

ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
· IMDG	
Limited quantities (LQ)	IL
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (NITRIC ACID, HYDROGEN FLUORIDE), 8, II

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara

7697-37-2	nitric acid
7664-39-3	nydrogen fluoride
Section 313	(Specific toxic chemical listings):
7697-37-2 n	nitric acid
7664-39-3	nydrogen fluoride
7439-92-1 l	ead
7440-02-0 r	nickel
7440-47-3	chromium
7440-48-4	cobalt
7440-50-8	copper
7440-62-2 1	vanadium
7440-66-6 z	zinc
7440-28-0 t	hallium
7440-36-0 d	untimony
7429-90-5 d	ıluminium
7439-96-5 1	nanganese
7440-38-2 d	ursenic
7440-39-3 l	barium
7440-43-9	cadmium
7782-49-2 s	relenium

(Contd. on page 14)





Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

		(Contd. of pag
7440-22-4		
7440-41-7	•	
7439-97-6	mercury	
TSCA (Tox	ic Substances Control Act):	
All compon	ents have the value ACTIVE.	
Hazardous	Air Pollutants	
7664-39-3	hydrogen fluoride	
7439-92-1	lead	
7440-48-4	cobalt	
7439-96-5	manganese	
Proposition	65	
Chemicals	known to cause cancer:	
7439-92-1	lead	
7440-02-0	nickel	
7440-48-4	cobalt	
7440-38-2	arsenic	
7440-43-9	cadmium	
7440-41-7	beryllium	
Chemicals	known to cause reproductive toxicity for females.	
7439-92-1		
Chemicals	known to cause reproductive toxicity for males:	
7439-92-1	- · · · · · · · · · · · · · · · · · · ·	
7440-43-9	cadmium	
	known to cause developmental toxicity:	
7439-92-1	- · · · · · · · · · · · · · · · · · · ·	
7440-43-9	cadmium	
7439-97-6	mercury	
	ic categories	
	conmental Protection Agency)	
7439-92-1		B2
7440-47-3		D
7440-50-8		D
7440-56-6		D, I, II
7440-00-0		I (oral)
7439-96-5		D D
7440-38-2	-	A
7440-39-3		D, CBD(inh), NL(ora

-US



Page 15/17



Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

5 / / 0 / 10 0		(Contd. of pag	ge 14)
7440-43-9		B1	
7782-49-2	selenium	D	
7440-22-4	silver	D	
7440-41-7	beryllium	B1, K/L(inh), CBD(or	ral)
7439-97-6	mercury	D	
· TLV (Thre	eshold Limit Value)	•	
7439-92-1	lead		<i>A3</i>
7440-02-0	nickel		A5
7440-47-3	chromium		A4
7440-48-4	cobalt		A3
7429-90-5	aluminium		A4
7439-98-7	molybdenum		A3
7440-38-2	arsenic		AI
7440-39-3	barium		A4
7440-43-9	cadmium		A2
7440-41-7	beryllium		AI
7439-97-6	mercury		A4
· NIOSH-C	a (National Institute for Occupational Safety and Health)		
7440-02-0	nickel		
7440-38-2	arsenic		
7440-43-9	cadmium		
7440-41-7	beryllium		

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid

hydrogen fluoride

· Hazard statements

H290 May be corrosive to metals.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

Keep only in original container.

Do not breathe dusts or mists.

(Contd. on page 16)



Page 16/17

Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

(Contd. of page 15)

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906

- · Date of preparation / last revision 05/24/2022 / -
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - Category 4

(Contd. on page 17)



Page 17/17

Safety Data Sheet acc. to OSHA HCS

Printing date 05/24/2022 Reviewed on 05/24/2022

Trade name: Certifed Waste Water - Trace Metals Solution H

(Contd. of page 16)

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

US ·