

# IC-4

# **High-Purity Standards**

Chemwatch Hazard Alert Code: 0

Catalogue number: IC-4

Issue Date: **08/27/2016**Print Date: **08/27/2016**S.GHS.USA.EN

Version No: 2.2 Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

# **SECTION 1 IDENTIFICATION**

#### **Product Identifier**

Product name	IC-4
Synonyms	100μg/mL Ammonium, Calcium, Magnesium, Potassium, Sodium in H2O
Other means of identification	IC-4

#### Recommended use of the chemical and restrictions on use

Relevant identified uses	Use according to manufacturer's directions.
--------------------------	---

## Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	High-Purity Standards
Address	PO Box 41727 SC 29423 United States
Telephone	843-767-7900
Fax	843-767-7906
Website	highpuritystandards.com
Email	Not Available

## **Emergency phone number**

Association / Organisation	INFOTRAC
Emergency telephone numbers	1-800-535-5053
Other emergency telephone numbers	1-352-323-3500

# **SECTION 2 HAZARD(S) IDENTIFICATION**

# Classification of the substance or mixture

ot Applicable
ĺ

# Label elements

Label elements	
GHS label elements	Not Applicable
SIGNAL WORD	NOT APPLICABLE

#### Hazard statement(s)

Not Applicable

# Hazard(s) not otherwise specified

Not Applicable

## Precautionary statement(s) Prevention

Not Applicable

## Precautionary statement(s) Response

Not Applicable

# Precautionary statement(s) Storage

Not Applicable

IC-4

Issue Date: **08/27/2016**Print Date: **08/27/2016** 

## Precautionary statement(s) Disposal

Not Applicable

## **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### Substances

See section below for composition of Mixtures

#### Mixtures

CAS No	%[weight]	Name
12125-02-9	0.01	ammonium chloride
22691-02-7	0.01	calcium chloride, hydrated
7791-18-6	0.01	magnesium chloride
7447-40-7	0.01	potassium chloride
7647-14-5	0.01	sodium chloride
7732-18-5	balance	water

#### **SECTION 4 FIRST-AID MEASURES**

#### Description of first aid measures

Eye Contact    If this product comes in contact with eyes:	
Skin Contact	If skin or hair contact occurs:  ► Flush skin and hair with running water (and soap if available).  ► Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

# Most important symptoms and effects, both acute and delayed

See Section 11

## Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5 FIRE-FIGHTING MEASURES**

## Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

# Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.

# Special protective equipment and precautions for fire-fighters

Fire Fighting	► Use water delivered as a fine spray to control fire and cool adjacent area.
Fire/Explosion Hazard	► Non combustible.

#### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

See section 8

## **Environmental precautions**

See section 12

## Methods and material for containment and cleaning up

Minor Spills	► Clean up all spills immediately.
Major Spills	► Clear area of personnel and move upwind.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

#### **SECTION 7 HANDLING AND STORAGE**

# Precautions for safe handling

Safe handling	► Limit all unnecessary personal contact.
Other information	

## Conditions for safe storage, including any incompatibilities

Suitable container	▶ Polyethylene or polypropylene container.
Storage incompatibility	Avoid contamination of water, foodstuffs, feed or seed. None known

## **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

## **Control parameters**

# OCCUPATIONAL EXPOSURE LIMITS (OEL)

## INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US ACGIH Threshold Limit Values (TLV)	ammonium chloride	Ammonium chloride, fume	10 mg/m3	20 mg/m3	Not Available	TLV® Basis: Eye & URT irr
US NIOSH Recommended Exposure Limits (RELs)	ammonium chloride	Ammonium chloride, Ammonium muriate fume, Sal ammoniac fume	10 mg/m3	20 mg/m3	Not Available	Not Available

## EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
ammonium chloride	Ammonium chloride	20 mg/m3	41 mg/m3	330 mg/m3
calcium chloride, hydrated	Calcium chloride dihydrate	7.4 mg/m3	81 mg/m3	490 mg/m3
calcium chloride, hydrated	Calcium chloride	3 mg/m3	33 mg/m3	200 mg/m3
calcium chloride, hydrated	Calcium chloride hydrate	4.9 mg/m3	54 mg/m3	330 mg/m3
calcium chloride, hydrated	Calcium chloride hexahydrate	5 mg/m3	55 mg/m3	330 mg/m3
magnesium chloride	Magnesium chloride	4.1 mg/m3	45 mg/m3	550 mg/m3
magnesium chloride	Magnesium chloride hexahydrate	12 mg/m3	130 mg/m3	1600 mg/m3
potassium chloride	Potassium chloride	1.1 mg/m3	12 mg/m3	22 mg/m3
sodium chloride	Chloride; (Chloride(1-); Chloride ions)	1 ppm	2.52 ppm	30 ppm
sodium chloride	Sodium chloride	11 mg/m3	120 mg/m3	1100 mg/m3

Ingredient	Original IDLH	Revised IDLH
ammonium chloride	Not Available	Not Available
calcium chloride, hydrated	Not Available	Not Available
magnesium chloride	Not Available	Not Available
potassium chloride	Not Available	Not Available
sodium chloride	Not Available	Not Available
water	Not Available	Not Available

# Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	<ul> <li>▶ Safety glasses with side shields</li> <li>▶ Chemical goggles.</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer.
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities.
Thermal hazards	Not Available

# SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information	on hasic n	hveical and	chemical	nronerties

Appearance	colorless

IC-4

Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 TOXICOLOGICAL INFORMATION**

## Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).					
Ingestion	The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion".					
Skin Contact	The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models).					
Eye	Although the liquid is not thought to be an irritant (as classified by EC Directives by tearing or conjunctival redness (as with windburn).	Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).				
Chronic	Long-term exposure to the product is not thought to produce chronic effects advertheless exposure by all routes should be minimised as a matter of course.	verse to the health (as classifi	ed by EC Directives using animal models);			
	TOXICITY	IRRITATION				
IC-4	Not Available	Not Available				
	TOXICITY	IRRITATION				
ammonium chloride	dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Eye (rabbit): 100 mg SEVERE				
	Oral (rat) LD50: 1410 mg/kg <sup>[1]</sup>	Eye (rabbit): 500 mg/24h SEVERE				
	TOXICITY		IRRITATION			
calcium chloride, hydrated	Oral (rat) LD50: 1000 mg/kg <sup>[2]</sup> Nil I		Nil reported			
	TOXICITY		IRRITATION			
magnesium chloride	dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>		Nil reported			
	Oral (rat) LD50: 2800 mg/kg <sup>[2]</sup>					
	TOXICITY	IRRITATION				
potassium chloride	Oral (rat) LD50: 2600 mg/kg <sup>[2]</sup>	Eye (rabbit): 500 mg/24h - r	nild			

	TOXICITY	RRITATION		
sodium chloride	Dermal (rabbit) LD50: >10000 mg/kg <sup>[1]</sup>	ye (rabbit): 10 mg - mode	erate	
Social Silonia	Oral (rat) LD50: 3000 mg/kg <sup>[2]</sup>	ye (rabbit):100 mg/24h -	moderate	
	S	Skin (rabbit): 500 mg/24h - mild		
	TOXICITY		IRRITATION	
water	Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup>		Not Available	
Legend:	Nalue obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value extracted from RTECS - Register of Toxic Effect of chemical Substances	e obtained from manufact	urer's SDS. Unless otherwise specified data	
AMMONIUM CHLORIDE	The material may produce severe irritation to the eye causing pronounced inflammation	The material may produce severe irritation to the eye causing pronounced inflammation.		
POTASSIUM CHLORIDE	The material may be irritating to the eye, with prolonged contact causing inflammation.			
SODIUM CHLORIDE	The material may produce moderate eye irritation leading to inflammation.  The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.			
WATER	No significant acute toxicological data identified in literature search.			
CALCIUM CHLORIDE, HYDRATED & MAGNESIUM CHLORIDE & SODIUM CHLORIDE	Asthma-like symptoms may continue for months or even years after exposure to the mai	terial ceases.		
Acute Toxicity	○ Carcino	genicity		
Skin Irritation/Corrosion	○ Reprod	luctivity 🛇		
Serious Eye Damage/Irritation	○ STOT - Single E:	xposure 🛇		
Respiratory or Skin sensitisation	STOT - Repeated Ex	xposure 🛇		
Mutagenicity	○ Aspiration	Hazard 🛇		

Legend:

X − Data available but does not fill the criteria for classification
 ✓ − Data required to make classification available

On - Data Not Available to make classification

# **SECTION 12 ECOLOGICAL INFORMATION**

# Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
ammonium chloride	LC50	96	Fish	0.08mg/L	4
ammonium chloride	EC50	48	Crustacea	0.261mg/L	4
ammonium chloride	EC50	72	Algae or other aquatic plants	166.5mg/L	4
ammonium chloride	EC0	168	Crustacea	=0.025mg/L	1
ammonium chloride	NOEC	0.25	Fish	0.0049000mg/L	4
calcium chloride, hydrated	LC50	96	Fish	=3mg/L	1
calcium chloride, hydrated	EC50	48	Crustacea	52mg/L	4
calcium chloride, hydrated	EC50	72	Algae or other aquatic plants	2900mg/L	2
calcium chloride, hydrated	BCFD	48	Crustacea	0.0832425mg/L	4
calcium chloride, hydrated	EC50	48	Crustacea	=52mg/L	1
calcium chloride, hydrated	NOEC	336	Algae or other aquatic plants	5.5495000mg/L	4
magnesium chloride	LC50	96	Fish	428.733mg/L	3
magnesium chloride	EC50	48	Crustacea	140mg/L	4
magnesium chloride	EC50	72	Algae or other aquatic plants	>100mg/L	2
magnesium chloride	EC50	384	Crustacea	98.330mg/L	3
magnesium chloride	NOEC	72	Algae or other aquatic plants	100mg/L	2
potassium chloride	LC50	96	Fish	29.8000mg/L	4
potassium chloride	EC50	48	Crustacea	83mg/L	4
potassium chloride	EC50	72	Algae or other aquatic plants	>100mg/L	2
potassium chloride	EC50	24	Crustacea	7.35mg/L	4
potassium chloride	NOEC	72	Algae or other aquatic plants	>=100mg/L	2
sodium chloride	LC50	96	Fish	620.199mg/L	3
sodium chloride	EC50	48	Crustacea	402.6mg/L	4
sodium chloride	EC50	96	Algae or other aquatic plants	2430mg/L	4

IC-4

sodium chloride	EC50	384	Crustacea	140.582mg/L	3
sodium chloride	NOEC	6	Fish	0.001mg/L	4
water	LC50	96	Fish	897.520mg/L	3
water	EC50	96	Algae or other aquatic plants	8768.874mg/L	3
water	EC50	384	Crustacea	199.179mg/L	3
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) -				

Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

#### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
magnesium chloride	HIGH	HIGH
potassium chloride	HIGH	HIGH
sodium chloride	LOW	LOW
water	LOW	LOW

#### **Bioaccumulative potential**

Ingredient	Bioaccumulation
magnesium chloride	LOW (LogKOW = 0.0494)
potassium chloride	LOW (LogKOW = -0.4608)
sodium chloride	LOW (LogKOW = 0.5392)
water	LOW (LogKOW = -1.38)

#### Mobility in soil

Ingredient	Mobility
magnesium chloride	LOW (KOC = 23.74)
potassium chloride	LOW (KOC = 14.3)
sodium chloride	LOW (KOC = 14.3)
water	LOW (KOC = 14.3)

## **SECTION 13 DISPOSAL CONSIDERATIONS**

## Waste treatment methods

Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory.

▶ DO NOT allow wash water from cleaning or process equipment to enter drains.

Recycle wherever possible.

# **SECTION 14 TRANSPORT INFORMATION**

#### **Labels Required**

Marine Pollutant NC

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

# **SECTION 15 REGULATORY INFORMATION**

Safety, health and environmental regulations / legislation specific for the substance or mixture

# US - Alaska Limits for Air Contaminants US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air US - Hawaii Air Contaminant Limits US - Michigan Exposure Limits for Air Contaminants US - Michigan Exposure Limits for Air Contaminants US - Washington Permissible exposure limits of air contaminants US - Minnesota Permissible Exposure Limits (PELs) US - Oregon Permissible Exposure Limits (Z-1) US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants US - Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

Issue Date: 08/27/2016

Print Date: 08/27/2016

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### MAGNESIUM CHLORIDE(7791-18-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### POTASSIUM CHLORIDE(7447-40-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### SODIUM CHLORIDE(7647-14-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### **Federal Regulations**

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

#### SECTION 311/312 HAZARD CATEGORIES

Immediate (acute) health hazard	No
Delayed (chronic) health hazard	No
Fire hazard	No
Pressure hazard	No
Reactivity hazard	No

#### US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
Ammonium chloride	5000	2270

#### State Regulations

#### US. CALIFORNIA PROPOSITION 65

None Reported

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (magnesium chloride; ammonium chloride; calcium chloride, hydrated; potassium chloride; water; sodium chloride)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (water)
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	Y
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

#### **SECTION 16 OTHER INFORMATION**

#### Other information

#### Ingredients with multiple cas numbers

Name	CAS No
ammonium chloride	12125-02-9, 152128-19-3
calcium chloride, hydrated	10035-04-8, 7774-34-7, 22691-02-7
magnesium chloride	7786-30-3, 7791-18-6, 14989-29-8
sodium chloride	7647-14-5, 14762-51-7, 16887-00-6

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

#### **Definitions and abbreviations**

PC – TWA: Permissible Concentration-Time Weighted Average

PC – STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

Page 8 of 8

Issue Date: 08/27/2016 Print Date: 08/27/2016

IDLH: Immediately Dangerous to Life or Health Concentrations
OSF: Odour Safety Factor
NOAEL: No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.