

High-Purity Standards

Chemwatch Hazard Alert Code: 0

Catalogue number: IC-AN6-1 Version No: 1.1

Issue Date: 08/27/2016 Print Date: 08/27/2016

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

S.GHS.USA.EN

SECTION 1 IDENTIFICATION

Product Identifier

Product name	IC-AN6-1
Synonyms	400μg/mL Bromide, Nitrate, Sulfate, 200μg/mL Chloride, 100μg/mL Fluoride, 600μg/mL Phosphate
Other means of identification	IC-AN6-1

Recommended use of the chemical and restrictions on use

Relevant identified uses	Use according to manufacturer's directions.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	High-Purity Standards
Address	PO Box 41727 SC 29423 United States
Telephone	843-767-7900
Fax	843-767-7906
Website	highpuritystandards.com
Email	Not Available

Emergency phone number

Association / Organisation	INFOTRAC
Emergency telephone numbers	1-800-535-5053
Other emergency telephone numbers	1-352-323-3500

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

Classification	Not Applicable

Label elements

Laber elements	
GHS label elements	Not Applicable
SIGNAL WORD	NOT APPLICABLE

Hazard statement(s)

Not Applicable

Hazard(s) not otherwise specified

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Issue Date: **08/27/2016**Print Date: **08/27/2016**

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
7647-15-6	0.04	sodium bromide
7647-14-5	0.02	sodium chloride
7681-49-4	0.01	sodium fluoride
10042-76-9	0.04	strontium nitrate
7722-76-1	0.06	ammonium phosphate, monobasic
7757-82-6	0.04	sodium sulfate
7732-18-5	balance	water

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

Eye Contact	► Generally not applicable.
Skin Contact	If skin or hair contact occurs: ▶ Flush skin and hair with running water (and soap if available). ▶ Seek medical attention in event of irritation.
Inhalation	 If furnes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Fire Incompatibility None known.

Special hazards arising from the substrate or mixture

Special protective equipm	ent and precautions for fire-fighters
Fire Fighting	Slight hazard when exposed to heat, flame and oxidisers.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

▶ Non combustible.

See section 8

Environmental precautions

Fire/Explosion Hazard

See section 12

Methods and material for containment and cleaning up

Minor Spills	► Clean up all spills immediately.
Major Spills	► Minor hazard.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Issue Date: **08/27/2016**Print Date: **08/27/2016**

Precautions for safe handling

Safe handling	► Limit all unnecessary personal contact.
Other information	► Store away from incompatible materials.

Conditions for safe storage, including any incompatibilities

Suitable container	▶ Polyethylene or polypropylene container.
Storage incompatibility	Avoid contamination of water, foodstuffs, feed or seed. None known

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Levels (PELs) - Table Z1	sodium fluoride	Fluorides	2.5 mg/m3	Not Available	Not Available	as F)
US OSHA Permissible Exposure Levels (PELs) - Table Z2	sodium fluoride	Fluoride as dust	2.5 mg/m3	Not Available	Not Available	(Z37.28–1969)
US ACGIH Threshold Limit Values (TLV)	sodium fluoride	Fluorides, as F	2.5 mg/m3	Not Available	Not Available	TLV® Basis: Bone dam; fluorosis; BEI
US NIOSH Recommended Exposure Limits (RELs)	sodium fluoride	Floridine, Sodium monofluoride	2.5 mg/m3	Not Available	Not Available	[*Note: The REL also applies to other inorganic, solid fluorides (as F).]

| EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
sodium bromide	Sodium bromide	0.3 mg/m3	3.3 mg/m3	690 mg/m3
sodium chloride	Chloride; (Chloride(1-); Chloride ions)	1 ppm	2.52 ppm	30 ppm
sodium chloride	Sodium chloride	11 mg/m3	120 mg/m3	1100 mg/m3
sodium fluoride	Sodium fluoride	5.5 mg/m3	5.5 mg/m3	1100 mg/m3
strontium nitrate	Strontium nitrate	0.2 mg/m3	2.2 mg/m3	370 mg/m3
ammonium phosphate, monobasic	Ammonium dihydrogen phosphate; (Monoammonium phosphate)	12 mg/m3	130 mg/m3	790 mg/m3
sodium sulfate	Sodium sulfate, anhydrous	11 mg/m3	130 mg/m3	650 mg/m3

Ingredient	Original IDLH	Revised IDLH
sodium bromide	Not Available	Not Available
sodium chloride	Not Available	Not Available
sodium fluoride	500 mg/m3	250 mg/m3
strontium nitrate	Not Available	Not Available
ammonium phosphate, monobasic	Not Available	Not Available
sodium sulfate	Not Available	Not Available
water	Not Available	Not Available

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	 ▶ Safety glasses. No special equipment for minor exposure i.e. when handling small quantities. ▶ Safety glasses with side shields ▶ Chemical goggles. No special equipment required due to the physical form of the product.
Skin protection	See Hand protection below
Hands/feet protection	Wear general protective gloves, eg. light weight rubber gloves. No special equipment required due to the physical form of the product.
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities. No special equipment required due to the physical form of the product.

Thormal	hazards
HIIEHHIAI	Hazarus

Not Available

Respiratory protection

- Respirators may be necessary when engineering and administrative controls do not adequately prevent exposures.
- The decision to use respiratory protection should be based on professional judgment that takes into account toxicity information, exposure measurement data, and frequency and likelihood of the worker's exposure ensure users are not subject to high thermal loads which may result in heat stress or distress due to personal protective equipment (powered, positive flow, full face apparatus may be an option).
- Published occupational exposure limits, where they exist, will assist in determining the adequacy of the selected respiratory protection. These may be government mandated or vendor recommended.
- Certified respirators will be useful for protecting workers from inhalation of particulates when properly selected and fit tested as part of a complete respiratory protection program.
- ▶ Use approved positive flow mask if significant quantities of dust becomes airborne.
- ▶ Try to avoid creating dust conditions.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	colorless		
Physical state	article	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).		
Ingestion	The material has NOT been classified by EC Directives or other classification s	systems as "harmful by ingestion".	
Skin Contact	The material is not thought to produce adverse health effects or skin irritation for	ollowing contact (as classified by EC	Directives using animal models).
Eye	Although the material is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).		
Chronic	Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.		
	1		
10.410.4	TOXICITY	IRRITATION	
IC-AN6-1	Not Available	Not Available	
sodium bromide	TOXICITY		IRRITATION

Issue Date: 08/27/2016 Print Date: 08/27/2016

IC-AN6-1

	Dermal (rabbit) LD50: >2000 mg/kg ^[1]		Nil reported
	Oral (rat) LD50: 2500 mg/kg ^[2]		
	TOXICITY	IRRITATION	
sodium chloride	, , , , ,	Eye (rabbit): 10 mg - mg	oderate
	Oral (rat) LD50: 3000 mg/kg ^[2]	Eye (rabbit):100 mg/24h	- moderate
		Skin (rabbit): 500 mg/24	h - mild
	TOXICITY	IRRITATION	
sodium fluoride	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye (rabbit): 20 mg/24l	n-moderate
	Oral (rat) LD50: >25-<2000 mg/kg> ^[1]		
	TOXICITY		IRRITATION
strontium nitrate	Oral (rat) LD50: 1892 mg/kg ^[2]		Nil reported
	Oral (rat) LD50: 1892 mg/kg ^{- y}		Типтеропец
	TOXICITY		IRRITATION
ammonium phosphate,	dermal (rat) LD50: >5000 mg/kg ^[1]		Not Available
monobasic	Oral (rat) LD50: >1000 mg/kg ^[1]		
	TOXICITY		IRRITATION
sodium sulfate	Oral (rat) LD50: >2000 mg/kg ^[1]		Nil reported
	TOXICITY IRRITATION		
water	Oral (rat) LD50: >90000 mg/kg ^[2]		Not Available
Legend:	Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances		
SODIUM CHLORIDE	The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.		
SODIUM FLUORIDE	The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans.		
	for sodium sulfate: Sulfate (and sodium) ions are important constituents of the mammalian body and of name	atural foodstuffs and the	e is a considerable daily turnover of both ions
SODIUM SULFATE	(several grams/day expressed as sodium sulfate). Equivocal Tumorigen by RTECS criteria. Reproductive effector in mice.	atara roodstans and the	c is a considerable daily different of bourfors
SODIUM BROMIDE &			
SODIUM CHLORIDE & SODIUM FLUORIDE &			
STRONTIUM NITRATE & AMMONIUM PHOSPHATE,	Asthma-like symptoms may continue for months or even years after exposure to the m	aterial ceases.	
MONOBASIC & SODIUM SULFATE			
SODIUM CHLORIDE & SODIUM FLUORIDE	The material may produce moderate eye irritation leading to inflammation.		
AMMONIUM PHOSPHATE, MONOBASIC & WATER	No significant acute toxicological data identified in literature search.		
Apple Testals	○ Carcin	aganisit.	
Acute Toxicity Skin Irritation/Corrosion		oductivity	
Serious Eye	STOT - Single		
Damage/Irritation Respiratory or Skin			
sensitisation	STOT - Repeated		
Mutagenicity	O Aspiration	on Hazard	

Legend:

X − Data available but does not fill the criteria for classification
 ✓ − Data required to make classification available

O – Data Not Available to make classification

Version No: 1.1

IC-AN6-1

Issue Date: **08/27/2016**Print Date: **08/27/2016**

Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
sodium bromide	LC50	96	Fish	0.19mg/L	4
sodium bromide	EC50	48	Crustacea	0.0000067mg/L	5
sodium bromide	EC50	72	Algae or other aquatic plants	>400mg/L	2
sodium bromide	BCF	144	Crustacea	53.11mg/L	4
sodium bromide	EC50	48	Crustacea	0.0000076mg/L	5
sodium bromide	NOEC	384	Crustacea	2.8mg/L	2
sodium chloride	LC50	96	Fish	620.199mg/L	3
sodium chloride	EC50	48	Crustacea	402.6mg/L	4
sodium chloride	EC50	96	Algae or other aquatic plants	2430mg/L	4
sodium chloride	EC50	384	Crustacea	140.582mg/L	3
sodium chloride	NOEC	6	Fish	0.001mg/L	4
sodium fluoride	LC50	96	Fish	51mg/L	2
sodium fluoride	EC50	48	Crustacea	58mg/L	4
sodium fluoride	EC50	96	Algae or other aquatic plants	43mg/L	2
sodium fluoride	BCF	240	Fish	5mg/L	4
sodium fluoride	EC10	24	Crustacea	0.2921000mg/L	4
sodium fluoride	NOEC	504	Crustacea	3.7mg/L	2
strontium nitrate	LC50	96	Fish	>40.3mg/L	2
strontium nitrate	EC50	48	Crustacea	94mg/L	2
strontium nitrate	EC50	72	Algae or other aquatic plants	>43.3mg/L	2
strontium nitrate	EC50	72	Algae or other aquatic plants	>43.3mg/L	2
strontium nitrate	NOEC	480	Algae or other aquatic plants	15mg/L	2
ammonium phosphate, monobasic	LC50	96	Fish	>85.9mg/L	2
ammonium phosphate, monobasic	EC50	72	Algae or other aquatic plants	>97.1mg/L	2
ammonium phosphate, monobasic	EC50	72	Algae or other aquatic plants	>97.1mg/L	2
ammonium phosphate, monobasic	NOEC	72	Algae or other aquatic plants	3.57mg/L	2
sodium sulfate	LC50	96	Fish	ca.56mg/L	2
sodium sulfate	EC50	48	Crustacea	2564mg/L	2
sodium sulfate	EC50	96	Algae or other aquatic plants	105.72278mg/L	3
sodium sulfate	EC0	360	Algae or other aquatic plants	4mg/L	1
sodium sulfate	NOEC	168	Fish	<220mg/L	4
water	LC50	96	Fish	897.520mg/L	3
water	EC50	96	Algae or other aquatic plants	8768.874mg/L	3
water	EC50	384	Crustacea	199.179mg/L	3

For Fluorides: Small amounts of fluoride have beneficial effects however; excessive intake over long periods may cause dental and/or skeletal fluorosis.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium bromide	HIGH	HIGH
sodium chloride	LOW	LOW
sodium fluoride	LOW	LOW
ammonium phosphate, monobasic	нівн	HIGH
sodium sulfate	HIGH	HIGH
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
sodium bromide	LOW (LogKOW = -0.3713)
sodium chloride	LOW (LogKOW = 0.5392)
sodium fluoride	LOW (BCF = 6.4)

Issue Date: **08/27/2016**Print Date: **08/27/2016**

ammonium phosphate, monobasic	LOW (LogKOW = -0.7699)
sodium sulfate	LOW (LogKOW = -2.2002)
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
sodium bromide	LOW (KOC = 14.3)
sodium chloride	LOW (KOC = 14.3)
sodium fluoride	LOW (KOC = 14.3)
ammonium phosphate, monobasic	HIGH (KOC = 1)
sodium sulfate	LOW (KOC = 6.124)
water	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

▶ Recycle wherever possible or consult manufacturer for recycling options.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant NC

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

SODIUM BROMIDE(7647-15-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

SODIUM CHLORIDE(7647-14-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

SODIUM FLUORIDE(7681-49-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
US - Alaska Limits for Air Contaminants	US - Washington Permissible exposure limits of air contaminants
US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)	US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
(CRELs)	US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration,
US - California Permissible Exposure Limits for Chemical Contaminants	Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift
US - Hawaii Air Contaminant Limits	US ACGIH Threshold Limit Values (TLV)
US - Idaho - Limits for Air Contaminants	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - Michigan Exposure Limits for Air Contaminants	US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)
US - Minnesota Permissible Exposure Limits (PELs)	US NIOSH Recommended Exposure Limits (RELs)
US - Oregon Permissible Exposure Limits (Z-1)	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Oregon Permissible Exposure Limits (Z-2)	US OSHA Permissible Exposure Levels (PELs) - Table Z2

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants STRONTIUM NITRATE(10042-76-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US EPCRA Section 313 Chemical List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

AMMONIUM PHOSPHATE, MONOBASIC(7722-76-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

SODIUM SULFATE(7757-82-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Version No: 1.1

IC-AN6-1

Issue Date: 08/27/2016 Print Date: 08/27/2016

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD CATEGORIES

Immediate (acute) health hazard	No
Delayed (chronic) health hazard	No
Fire hazard	No
Pressure hazard	No
Reactivity hazard	No

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
Sodium fluoride	1000	454

State Regulations

US. CALIFORNIA PROPOSITION 65

None Reported

National Inventory	Status
Australia - AICS	Υ
Canada - DSL	Υ
Canada - NDSL	N (sodium bromide; strontium nitrate; ammonium phosphate, monobasic; water; sodium fluoride; sodium sulfate; sodium chloride)
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (water)
Korea - KECI	Υ
New Zealand - NZIoC	Υ
Philippines - PICCS	Υ
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

Name	CAS No
sodium chloride	7647-14-5, 14762-51-7, 16887-00-6
strontium nitrate	10042-76-9, 13470-05-8
sodium sulfate	7757-82-6, 15124-09-1, 1337-28-6

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL: No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

Catalogue number: IC-AN6-1 Version No: 1.1 Page 9 of 9

IC-AN6-1

Issue Date: **08/27/2016** Print Date: **08/27/2016**

This document is copyright.