

IC-S2O3-M Thiosulfate (1000µg/mL in H2O)

High-Purity Standards

Chemwatch Hazard Alert Code: 0

Catalogue number: IC-S2O3 Version No: 1.1 Issue Date: **08/24/2016** Print Date: **08/24/2016**

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

t Date: **08/24/2016** S GHS USA EN

SECTION 1 IDENTIFICATION

Product Identifier

| Product name | IC-S2O3-M Thiosulfate (1000μg/mL in H2O) |
|-------------------------------|--|
| Synonyms | 1000μg/mL Thiosulfate in H2O |
| Other means of identification | IC-S2O3 |

Recommended use of the chemical and restrictions on use

| Relevant identified uses | Use according to manufacturer's directions. |
|--------------------------|---|
| | |

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

| Registered company name | High-Purity Standards |
|-------------------------|-------------------------------------|
| Address | PO Box 41727 SC 29423 United States |
| Telephone | 843-767-7900 |
| Fax | 843-767-7906 |
| Website | highpuritystandards.com |
| Email | Not Available |

Emergency phone number

| Association / Organisation | INFOTRAC |
|-----------------------------------|----------------|
| Emergency telephone numbers | 1-800-535-5053 |
| Other emergency telephone numbers | 1-352-323-3500 |

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

| Classification | Not Applicable |
|----------------|----------------|
| | |

Label elements

| GHS label elements | Not Applicable |
|--------------------|----------------|
| | |
| SIGNAL WORD | NOT APPLICABLE |
| | |

Hazard statement(s)

Not Applicable

Hazard(s) not otherwise specified

Not Applicable

Precautionary statement(s) Prevention

Not Applicable

Precautionary statement(s) Response

Not Applicable

Precautionary statement(s) Storage

Not Applicable

Version No: 1.1

IC-S2O3-M Thiosulfate (1000µg/mL in H2O)

Issue Date: **08/24/2016**Print Date: **08/24/2016**

Precautionary statement(s) Disposal

Not Applicable

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|-----------|-----------|--------------------|
| 7772-98-7 | 0.1 | sodium thiosulfate |
| 7732-18-5 | balance | water |

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

| Eye Contact | If this product comes in contact with eyes: • Wash out immediately with water. • If irritation continues, seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|--|
| Skin Contact | If skin contact occurs: ► Immediately remove all contaminated clothing, including footwear. ► Flush skin and hair with running water (and soap if available). ► Seek medical attention in event of irritation. |
| Inhalation | If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary. |
| Ingestion | Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor. |

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Fire Incompatibility None known.

Special hazards arising from the substrate or mixture

| Special protective equipment and precautions for fire-fighters | |
|--|---|
| Fire Fighting | ▶ Alert Fire Brigade and tell them location and nature of hazard. |
| Fire/Explosion Hazard | ► Non combustible. |

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

May emit corrosive fumes.

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| Minor Spills | ► Clean up all spills immediately. |
|--------------|------------------------------------|
| Major Spills | Moderate hazard. |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling

► Avoid all personal contact, including inhalation.

Version No: **1.1**

Page 3 of 6 IC-S2O3-M Thiosulfate (1000µg/mL in H2O)

Issue Date: **08/24/2016**Print Date: **08/24/2016**

| | ▶ DO NOT allow clothing wet with material to stay in contact with skin |
|--|--|
| Other information | |
| Conditions for safe storage, including any incompatibilities | |

Conditions for safe storage, including any incompatibilities

| Suitable container | ▶ Polyethylene or polypropylene container. |
|-------------------------|--|
| Storage incompatibility | None known |

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

EMERGENCY LIMITS

| ingredient | Waterial Harrie | | | TEEL-Z | TEEL-3 |
|--------------------|---------------------------------|--|---------------|------------|------------|
| sodium thiosulfate | Sodium thiosulfate pentahydrate | Sodium thiosulfate pentahydrate 0.85 mg/m3 | | 9.4 mg/m3 | 1200 mg/m3 |
| sodium thiosulfate | Sodium thiosulfate 3 mg/m3 : | | 33 mg/m3 | 1100 mg/m3 | |
| | | | | | |
| Ingredient | Original IDLH | | Revised IDLH | | |
| sodium thiosulfate | Not Available | | Not Available | | |
| water | Not Available | | Not Available | | |

Exposure controls

| _xp | |
|----------------------------------|---|
| Appropriate engineering controls | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. |
| Personal protection | |
| Eye and face protection | ► Safety glasses with side shields. |
| Skin protection | See Hand protection below |
| Hands/feet protection | Wear chemical protective gloves, e.g. PVC. NOTE: The material may produce skin sensitisation in predisposed individuals. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. |
| Body protection | See Other protection below |
| Other protection | ► Overalls. |
| Thermal hazards | Not Available |

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Appearance | colorless | | |
|--|---------------|---|---------------|
| - | | 5 1 1 1 1 0 0 1 1 | |
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | Not Available | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Available |
| Flash point (°C) | Not Available | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Available | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water (g/L) | Miscible | pH as a solution (1%) | Not Available |

Issue Date: 08/24/2016 Print Date: 08/24/2016

Vapour density (Air = 1) Not Available VOC g/L Not Available

SECTION 10 STABILITY AND REACTIVITY

| Reactivity | See section 7 |
|------------------------------------|---|
| Chemical stability | ► Unstable in the presence of incompatible materials. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

| Inhaled | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models). |
|--------------|--|
| Ingestion | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". |
| Skin Contact | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). |
| Eye | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn). |
| Chronic | Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population. |
| | |

| IC-S2O3-M Thiosulfate | TOXICITY | IRRITATION | | |
|-----------------------|--|---------------|---------------|--|
| (1000μg/mL in H2O) | Not Available | Not Available | | |
| | | | | |
| | TOXICITY | | IRRITATION | |
| sodium thiosulfate | Dermal (rabbit) LD50: >2000 mg/kg ^[1] | | [Hach] | |
| | Oral (rat) LD50: >2000 mg/kg ^[1] | | Nil reported | |
| | | | | |
| | TOXICITY | | IRRITATION | |
| water | Oral (rat) LD50: >90000 mg/kg ^[2] | | Not Available | |
| | | | | |

| 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data |
|---|
| extracted from RTECS - Register of Toxic Effect of chemical Substances |

| IC-S2O3-M Thiosulfate (1000μg/mL in H2O) | The following information refers to contact allergens as a group and may not be specific to this product. | | | |
|---|---|---|-----|--|
| SODIUM THIOSULFATE | Asthma-like symptoms may continue for months or even years | Asthma-like symptoms may continue for months or even years after exposure to the material ceases. | | |
| WATER | No significant acute toxicological data identified in literature s | search. | | |
| Acute Toxicity | 0 | Carcinogenicity | 0 | |
| Acute Toxicity | O | Carcinogenicity | O . | |
| Skin Irritation/Corrosion | 0 | Reproductivity | 0 | |
| Serious Eye Damage/Irritation | 0 | STOT - Single Exposure | 0 | |
| Respiratory or Skin sensitisation | 0 | STOT - Repeated Exposure | 0 | |
| Mutagenicity | 0 | Aspiration Hazard | 0 | |

Legend:

- X − Data available but does not fill the criteria for classification
 ✓ − Data required to make classification available
- O Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

IC-S2O3-M Thiosulfate

Toxicity

| Ingredient | Endpoint | Test Duration (hr) | Species | Value | Source |
|--------------------|----------|--------------------|-------------------------------|--------------|--------|
| sodium thiosulfate | LC50 | 96 | Fish | 16.88742mg/L | 3 |
| sodium thiosulfate | EC50 | 24 | Crustacea | 360mg/L | 2 |
| sodium thiosulfate | EC50 | 48 | Crustacea | 230mg/L | 2 |
| sodium thiosulfate | NOEC | 504 | Crustacea | >10mg/L | 2 |
| sodium thiosulfate | EC50 | 72 | Algae or other aquatic plants | >100mg/L | 2 |

Page 5 of 6

Version No: 1.1

IC-S2O3-M Thiosulfate (1000µg/mL in H2O)

Issue Date: **08/24/2016**Print Date: **08/24/2016**

| water | EC50 | 384 | Crustacea | 199.179mg/L | 3 |
|-------|---|-----|-------------------------------|--------------|---|
| water | EC50 | 96 | Algae or other aquatic plants | 8768.874mg/L | 3 |
| water | LC50 | 96 | Fish | 897.520mg/L | 3 |
| | Fotograded from 4, III OLID Toxisity, Data 2, Europa FOLIA Posisitated Cylectropean, Fostograded Information, Accustic Toxisity, 2, EDIMIN Cylin, V2 42 | | | | |

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|--------------------|-------------------------|------------------|
| sodium thiosulfate | HIGH | HIGH |
| water | LOW | LOW |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|--------------------|-----------------------|
| sodium thiosulfate | LOW (LogKOW = -1.529) |
| water | LOW (LogKOW = -1.38) |

Mobility in soil

| Ingredient | Mobility |
|--------------------|-------------------|
| sodium thiosulfate | LOW (KOC = 6.124) |
| water | LOW (KOC = 14.3) |

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

- ► Containers may still present a chemical hazard/ danger when empty.
- Legislation addressing waste disposal requirements may differ by country, state and/ or territory.
- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- ▶ Recycle wherever possible.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant NC

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

SODIUM THIOSULFATE(7772-98-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD CATEGORIES

| Immediate (acute) health hazard | No |
|---------------------------------|----|
| Delayed (chronic) health hazard | No |
| Fire hazard | No |
| Pressure hazard | No |
| Reactivity hazard | No |

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

None Reported

Version No: 1.1

IC-S2O3-M Thiosulfate (1000µg/mL in H2O)

Issue Date: 08/24/2016 Print Date: 08/24/2016

State Regulations

US. CALIFORNIA PROPOSITION 65

None Reported

| National Inventory | Status |
|----------------------------------|---|
| Australia - AICS | Υ |
| Canada - DSL | Υ |
| Canada - NDSL | N (sodium thiosulfate; water) |
| China - IECSC | Υ |
| Europe - EINEC / ELINCS / NLP | Υ |
| Japan - ENCS | N (water) |
| Korea - KECI | Υ |
| New Zealand - NZIoC | Y |
| Philippines - PICCS | Y |
| USA - TSCA | Υ |
| Legend: | Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

| Name | CAS No |
|--------------------|-----------------------|
| sodium thiosulfate | 7772-98-7, 10102-17-7 |

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

 ${\sf PC-STEL} : {\sf Permissible\ Concentration-Short\ Term\ Exposure\ Limit}$

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。
IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index This document is copyright.