

Printing date 05/22/2020

Reviewed on 05/22/2020

Page 1/13

## **1** Identification · Product identifier · Trade name: ICP Standard · Article number: ICP-MCS-1 • Details of the supplier of the safety data sheet · Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States *Telephone:* +1-843-767-7900 *Fax:* +1-843-767-7906 highpuritystandards.com Email: info@highpuritystandards.com · Information department: Product safety department • Emergency telephone number: **INFOTRAC** Emergency telephone numbers 1-800-535-5053 Other emergency telephone numbers 1-352-323-3500

### 2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Met. Corr.1H290May be corrosive to metals.Skin Corr. 1AH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

• *Hazard-determining components of labeling: nitric acid* 

• *Hazard statements* H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.

• **Precautionary statements** Keep only in original container.

(Contd. on page 2)



### Printing date 05/22/2020

#### Trade name: ICP Standard

Do not breathe dusts or mists.

Reviewed on 05/22/2020 (Contd. of page 1)

Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. *IF INHALED: Remove person to fresh air and keep comfortable for breathing.* If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. *Immediately call a poison center/doctor.* Specific treatment (see on this label). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3



· HMIS-ratings (scale 0 - 4)

HEALTH3Health = 3FIRE0Fire = 0REACTIVITY0Reactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.

### 3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerou	components:	
7697-37-2	nitric acid	2.0%
7439-92-1	lead	0.05%
· Chemical	dentification of the substance/preparation	
7732-18-5	water, distilled, conductivity or of similar purity	97.835%
7440-38-2	arsenic	0.05%
7782-49-2	selenium	0.02%
7439-96-5	manganese	0.01%
	(Conto	l. on page 3)

Page 2/13



Printing date 05/22/2020

Reviewed on 05/22/2020

Page 3/13

Trade name: ICP Standard

	(Cor	ntd. of page 2)
7440-42-8	boron	0.01%
7440-43-9	cadmium	0.01%
7440-66-6	zinc	0.01%
7440-41-7	beryllium	0.005%

### 4 First-aid measures

• Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
- Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 4)

US



Printing date 05/22/2020

Trade name: ICP Standard

Reviewed on 05/22/2020

Protective Action Criteria for Chemicals	(Contd. of page
PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7439-92-1 lead	0.15 mg/m <sup>3</sup>
7440-38-2 arsenic	1.5 mg/m <sup>3</sup>
7782-49-2 selenium	$0.6 \ mg/m^3$
7439-96-5 manganese	3 mg/m <sup>3</sup>
7440-42-8 boron	1.9 mg/m <sup>3</sup>
7440-43-9 cadmium	0.10 mg/m <sup>3</sup>
7440-66-6 zinc	6 mg/m <sup>3</sup>
7440-41-7 beryllium	0.0023 mg/n
PAC-2:	
7697-37-2 nitric acid	24 ppm
7439-92-1 lead	120 mg/m <sup>3</sup>
7440-38-2 arsenic	17 mg/m <sup>3</sup>
7782-49-2 selenium	6.6 mg/m <sup>3</sup>
7439-96-5 manganese	$5 mg/m^3$
7440-42-8 boron	21 mg/m <sup>3</sup>
7440-43-9 cadmium	0.76 mg/m <sup>3</sup>
7440-66-6 zinc	21 mg/m <sup>3</sup>
7440-41-7 beryllium	0.025 mg/n
PAC-3:	I
7697-37-2 nitric acid	92 ppm
7439-92-1 lead	700 mg/m <sup>3</sup>
7440-38-2 arsenic	100 mg/m <sup>3</sup>
7782-49-2 selenium	$40 \text{ mg/m}^3$
7439-96-5 manganese	1,800 mg/n
7440-42-8 boron	130 mg/m <sup>3</sup>
7440-43-9 cadmium	4.7 mg/m <sup>3</sup>
7440-66-6 zinc	120 mg/m <sup>3</sup>
7440-41-7 beryllium	$0.1 \text{ mg/m}^3$

## 7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 5)

Page 4/13

US



Printing date 05/22/2020

Reviewed on 05/22/2020

#### Trade name: ICP Standard

#### (Contd. of page 4)

Page 5/13

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

### 7697-37-2 nitric acid

PEL Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

REL Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5 mg/m<sup>3</sup>, 2 ppm

*TLV* Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

#### · Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 6)



#### Printing date 05/22/2020

Reviewed on 05/22/2020

### Trade name: ICP Standard

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

General Information Appearance:		
Form:	Liquid	
Color:	colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	

## Page 6/13

(Contd. of page 5)



Printing date 05/22/2020

Reviewed on 05/22/2020

Page 7/13

Trade name: ICP Standard

	(0	Contd. of page
Solubility in / Miscibility with	a de la constante de	
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	97.8 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.2 %	
Other information	No further relevant information available.	

### **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)



Page 8/13

## Safety Data Sheet acc. to OSHA HCS

Printing date 05/22/2020

Reviewed on 05/22/2020

Trade name: ICP Standard

(Contd. of page 7)

· Carcinoger	ic categories	
· IARC (Inte	rnational Agency for Research on Cancer)	
7439-92-1	lead	2B
7440-38-2	arsenic	1
7782-49-2	selenium	3
7440-43-9	cadmium	1
7440-41-7	beryllium	1
· NTP (Natio	onal Toxicology Program)	
7439-92-1	lead	R
7440-38-2	arsenic	K
7440-43-9	cadmium	K
7440-41-7	beryllium	K
· OSHA-Ca	Occupational Safety & Health Administration)	
7440-38-2	arsenic	
7440-43-9	cadmium	

## **12 Ecological information**

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

## **13 Disposal considerations**

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)



Printing date 05/22/2020

Reviewed on 05/22/2020

(Contd. of page 8)

Trade name: ICP Standard

· Uncleaned packagings:

• *Recommendation:* Disposal must be made according to official regulations.

UN-Number	
DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
IMDG, IATA	(NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRI
	ACID)
Transport hazard class(es)	
DOT	
$\wedge$	
J. J	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8
ADR	
W.Z.	
8	
Class	8 (C1) Corrosive substances
Label	8
IMDG, IATA	
8	
Class	8 Corrosive substances
Label	8
Packing group DOT, ADR, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances

Page 9/13



Printing date 05/22/2020

Trade name: ICP Standard

e): 80	
<i>F-A,S-B</i>	
Acids	
A	
SW2 Clear of living quarters.	
·	
Not applicable.	
On passenger aircraft/rail: 5 L	
On cargo aircraft only: 60 L	
Code: El	
Maximum net quantity per inner packaging: 30 ml	
Maximum net quantity per outer packaging: 1000 ml	
5L	
Code: E1	
Maximum net quantity per inner packaging: 30 ml	
Maximum net quantity per outer packaging: 1000 ml	
UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (NITRIC ACID), 8, III	

# **15 Regulatory information**

Section 35.	5 (extremely hazardous substances):	
7697-37-2	nitric acid	
Section 31.	3 (Specific toxic chemical listings):	
7697-37-2	nitric acid	
7439-92-1	lead	
7440-38-2	arsenic	
7782-49-2	selenium	
7439-96-5	manganese	
7440-43-9	cadmium	
7440-66-6	zinc	
7440-41-7	beryllium	

Page 10/13

US

Reviewed on 05/22/2020



Page 11/13

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/22/2020

Reviewed on 05/22/2020

Trade name: ICP Standard

TSCA (Toxic Substances Control Act):	(Contd. of page
All components have the value ACTIVE.	
Hazardous Air Pollutants	
7439-92-1 lead	
7439-96-5 manganese	
Proposition 65	
Chemicals known to cause cancer:	
7439-92-1 lead	
7440-38-2 arsenic	
7440-43-9 cadmium	
7440-41-7 beryllium	
Chemicals known to cause reproductive toxicity for females:	
7439-92-1 lead	
Chemicals known to cause reproductive toxicity for males:	
7439-92-1 lead	
7440-43-9 cadmium	
Chemicals known to cause developmental toxicity:	
7439-92-1 lead	
7440-43-9 cadmium	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
7439-92-1 lead	B2
7440-38-2 arsenic	A
7782-49-2 selenium	D
7439-96-5 manganese	 D
7440-42-8 boron	I (oral)
7440-43-9 cadmium	B1
7440-66-6 zinc	D, I, II
7440-41-7 beryllium	B1, K/L(inh), CBD(ora
TLV (Threshold Limit Value established by ACGIH)	
7439-92-1 lead	A
7440-38-2 arsenic	A
7440-43-9 cadmium	A
7440-41-7 beryllium	A
NIOSH-Ca (National Institute for Occupational Safety and Hed	alth)
7440-38-2 arsenic	· ·
7440-43-9 cadmium	



Page 12/13

## Safety Data Sheet acc. to OSHA HCS

Printing date 05/22/2020

Reviewed on 05/22/2020

Trade name: ICP Standard

(Contd. of page 11) 7440-41-7 beryllium • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labeling: nitric acid · Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. · Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

Contact: High-Purity Standards Tel: 843-767-7900
Fax: 843-767-7906
Date of preparation / last revision 05/22/2020 / -

(Contd. on page 13)

US



Printing date 05/22/2020

Trade name: ICP Standard

Reviewed on 05/22/2020

#### (Contd. of page 12) • Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Met. Corr.1: Corrosive to metals – Category 1 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Page 13/13

US -