

Printing date 08/04/2022

Reviewed on 08/04/2022

Page 1/12

Trade name: <u>ICP Multielement Calibration Standard 3</u> Article number: ICP-MCS-3		
Details of the supplier of the safety data sheet		
Manufacturer/Supplier: High-Purity Standards		
7221 Investment Drive, North Charleston, SC 29418 Uni	ted States	
<i>Telephone:</i> +1-843-767-7900	eu states	
Fax: +1-843-767-7906		
highpuritystandards.com		
Email: info@highpuritystandards.com		
Information department: Product safety department		
Emergency telephone number:		
INFOTRAC		
Emergency telephone numbers1-800-535-5053		
Other emergency telephone numbers 1-352-323-3500		

GHS05 Corrosion

Skin Corr. 1AH314 Causes severe skin burns and eye damage.Eye Dam. 1H318 Causes serious eye damage.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling: hydrochloric acid*

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting.

(Contd. on page 2)

US



Printing date 08/04/2022

Safety Data Sheet acc. to OSHA HCS

Page 2/12

Reviewed on 08/04/2022

Trade name: ICP Multielement Calibration Standard 3

(Contd. of page 1) If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. *IF INHALED: Remove person to fresh air and keep comfortable for breathing.* If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. *Immediately call a poison center/doctor.* Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) *Health* = 3 Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *3 *Health* = *3FIRE Fire = 00 **REACTIVITY O** Reactivity = 0• Other hazards · Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous components:	
7647-01-0 hydrochloric acid	5.0%
Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	94.888%
7757-79-1 potassium nitrate	0.04%
497-19-8 sodium carbonate	0.02%
7429-90-5 aluminium	0.02%
7440-36-0 antimony	0.02%
7439-98-7 molybdenum	0.01%
7440-47-3 chromium	0.002%

(Contd. on page 3)



Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: ICP Multielement Calibration Standard 3

(Contd. of page 2)

Page 3/12

4 First-aid measures

· Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.
- *After skin contact: Immediately wash with water and soap and rinse thoroughly.*
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures	
Mount respiratory protective device.	
Wear protective equipment. Keep unprotected persons away.	
• Environmental precautions: Do not allow to enter sewers/ surface or ground water.	
• Methods and material for containment and cleaning up:	
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
• PAC-1:	
7647-01-0 hydrochloric acid	1.8 ppm
7757-79-1 potassium nitrate	9 mg/m ³
497-19-8 sodium carbonate	7.6 mg/m ³
7440-36-0 antimony	1.5 mg/m ³
	(Contd. on page 4)
	US -



Page 4/12

Safety Data Sheet acc. to OSHA HCS

Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: ICP Multielement Calibration Standard 3

		(Contd. of page 3)
7439-98-7	molybdenum	30 mg/m^3
7440-47-3	chromium	$1.5 mg/m^3$
· PAC-2:		
7647-01-0	hydrochloric acid	22 ppm
7757-79-1	potassium nitrate	100 mg/m ³
497-19-8	sodium carbonate	83 mg/m ³
7440-36-0	antimony	13 mg/m ³
7439-98-7	molybdenum	330 mg/m ³
7440-47-3	chromium	17 mg/m ³
· PAC-3:		
7647-01-0	hydrochloric acid	100 ppm
7757-79-1	potassium nitrate	600 mg/m ³
497-19-8	sodium carbonate	500 mg/m ³
7440-36-0	antimony	80 mg/m ³
7439-98-7	molybdenum	2,000 mg/m ³
7440-47-3	chromium	99 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7647-01-0 hydrochloric acid

PEL Ceiling limit value: 7 mg/m³, 5 ppm

(Contd. on page 5)

[•] US



Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: ICP Multielement Calibration Standard 3

REL Ceiling limit value: 7 mg/m³, 5 ppm

TLV Ceiling limit value: 2 ppm A4

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

• General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- · Appearance:

Form:

Liquid

(Contd. on page 6)

US

Page 5/12

(Contd. of page 4)



Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: ICP Multielement Calibration Standard 3

		(Contd. of page
Color:	According to product specification	
Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not determined.	
• Auto igniting:	Product is not selfigniting.	
• Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1.01077 g/cm³ (8.43488 lbs/gal)	
· Bulk density: · Relative density · Vapor density · Evaporation rate	1,010 kg/m³ Not determined. Not determined. Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	er): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
Solvent content: Water: VOC content:	94.9 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

(Contd. on page 7) US

Page 6/12



Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: ICP Multielement Calibration Standard 3

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- *Possibility of hazardous reactions* No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7647-01-0 hydrochloric acid	3
7440-47-3 chromium	3
· NTP (National Toxicology Program)	
None of the ingredients is listed.	
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

Page 7/12

(Contd. of page 6)



Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: ICP Multielement Calibration Standard 3

• *Mobility in soil* No further relevant information available.

Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- *PBT*: Not applicable.
- **vPvB:** Not applicable.

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation: Disposal must be made according to official regulations.*

UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Hydrochloric acid)
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
	(HYDROCHLORIC ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
	(HYDROCHLORIC ACID)
Transport hazard class(es)	
DOT	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8

(Contd. of page 7)

Page 8/12



Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: ICP Multielement Calibration Standard 3

	(Contd. of page)
ADR	
\wedge	
8	
Class	8 (C1) Corrosive substances
Label	8
IMDG, IATA	
\wedge	
the second se	
8	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	80
EMS Number:	F-A,S-B
Segregation groups	Acids
Stowage Category	B CHARLES CHAR
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 1 L
~ `	On cargo aircraft only: 30 L
ADR	
Excepted quantities (EQ)	Code: E2
1	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
	(Contd. on page

Page 9/12



Page 10/12

(Contd. of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: ICP Multielement Calibration Standard 3

· UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID), 8, II

15 Regulatory information

Sara Section 355 (extremely hazardous substances):	
7647-01-0 hydrochloric acid	
· ·	
Section 313 (Specific toxic chemical listings): 7647-01-0 hydrochloric acid	
757-79-1 potassium nitrate	
7429-90-5 aluminium	
7440-36-0 antimony	
7440-47-3 chromium	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
Hazardous Air Pollutants	
Hazaraous Air Poliutants 7647-01-0 hydrochloric acid	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity: None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
7440-47-3 chromium	
TLV (Threshold Limit Value)	
7647-01-0 hydrochloric acid 7429-90-5 aluminium	

US



Page 11/12

US

Safety Data Sheet acc. to OSHA HCS

Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: ICP Multielement Calibration Standard 3

440-47-3 chromium	(Contd. of page 10)
NIOSH-Ca (National Institute for Occupational Safety an	d Health)
None of the ingredients is listed.	
GHS label elements The product is classified and labeled a Jazard pictograms	ccording to the Globally Harmonized System (GHS).
GHS05	
011505	
S ignal word Danger	
Hazard-determining components of labeling:	
ydrochloric acid	
Hazard statements	
1314 Causes severe skin burns and eye damage.	
Precautionary statements	
Do not breathe dusts or mists.	
Vash thoroughly after handling.	
Vear protective gloves/protective clothing/eye protection/fa	ce protection.
f swallowed: Rinse mouth. Do NOT induce vomiting.	
f on skin (or hair): Take off immediately all contaminated of	clothing. Rinse skin with water/shower.
F INHALED: Remove person to fresh air and keep comfort	able for breathing.
f in eyes: Rinse cautiously with water for several minute	es. Remove contact lenses, if present and easy to do
Continue rinsing.	
mmediately call a poison center/doctor.	
Specific treatment (see on this label).	
Vash contaminated clothing before reuse.	
tore locked up.	
Dispose of contents/container in accordance with local/regi	onal/national/international regulations.
Chemical safety assessment: A Chemical Safety Assessmen	t has not been carried out

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

 Contact: High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906
 Date of preparation / last revision 08/04/2022 / - Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
 (Contd. on page 12)



Printing date 08/04/2022

Reviewed on 08/04/2022

Trade name: ICP Multielement Calibration Standard 3

DOT: US Department of Transportation IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1

(Contd. of page 11)

Page 12/12

US