

Printing date 07/13/2021

Reviewed on 07/13/2021

Page 1/13

1 Identification
· Product identifier
Trade name: <u>ICP-MS-B</u>
· Article number: ICP-MS-B
 Details of the supplier of the safety data sheet Manufacturer/Supplier: <u>High-Purity Standards</u> 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com Email: info@highpuritystandards.com
• Information department: Product safety department • Emergency telephone number: INFOTRAC Emergency telephone numbers1-800-535-5053 Other emergency telephone numbers 1-352-323-3500

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Met. Corr. 1H290May be corrosive to metals.Skin Corr. 1AH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• *Hazard-determining components of labeling: nitric acid*

• *Hazard statements* H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.

• **Precautionary statements** Keep only in original container.


(Contd. on page 2)

US



Printing date 07/13/2021

Trade name: ICP-MS-B



• **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous components:	
7697-37-2 nitric acid	2.0%
Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	97.982%
12060-58-1 samarium (III) oxide	0.002%
1306-38-3 cerium dioxide	0.001%
1308-87-8 didysprosium trioxide	0.001%
1308-96-9 europium(III) oxide	0.001%
	(Contd. on page

Page 2/13

Reviewed on 07/13/2021



Page 3/13

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: ICP-MS-B

1212 01 0	lanthanum oxide	(Contd. of page 2) 0.001%
	neodymium oxide	0.001%
	thorium dioxide	0.001%
1314-36-9	yttrium oxide	0.001%
	ytterbium (III) oxide	0.001%
7440-27-9		0.001%
7440-52-0	erbium	0.001%
12032-20-1	lutetium oxide	0.001%
	thulium oxide	0.001%
12037-29-5	Praseodymium(III,IV) oxide	0.001%
	holmium oxide	0.001%
12060-08-1	scandium oxide	0.001%
12064-62-9	Gadolinium	0.001%

4 First-aid measures

· Description of first aid measures

- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*

(Contd. on page 4)

US



Printing date 07/13/2021

Trade name: ICP-MS-B

		(Contd. of page
	tal precautions: No special measures required.	
	d material for containment and cleaning up: liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
Use neutrali		
	taminated material as waste according to item 13.	
Ensure adeq	uate ventilation.	
	o other sections	
	7 for information on safe handling. 8 for information on personal protection equipment.	
	13 for disposal information.	
	ction Criteria for Chemicals	
PAC-1:		
7697-37-2	nitric acid	0.16 ppm
12060-58-1	samarium (III) oxide	15 mg/m ⁻
1306-38-3	cerium dioxide	3 mg/m ³
1308-87-8	didysprosium trioxide	15 mg/m
1308-96-9	europium(III) oxide	15 mg/m ⁻
1312-81-8	lanthanum oxide	4 mg/m ³
1313-97-9	neodymium oxide	15 mg/m ⁻
1314-20-1	thorium dioxide	30 mg/m ²
1314-36-9	yttrium oxide	3.8 mg/m
1314-37-0	ytterbium (III) oxide	30 mg/m ⁻
7440-27-9	terbium	1.2 mg/m
12032-20-1	lutetium oxide	30 mg/m ⁻
12036-44-1	thulium oxide	30 mg/m
12037-29-5	Praseodymium(III,IV) oxide	15 mg/m ⁻
12055-62-8	holmium oxide	30 mg/m
12060-08-1	scandium oxide	30 mg/m
12064-62-9	Gadolinium	15 mg/m
PAC-2:		
7697-37-2	nitric acid	24 ppm
12060-58-1	samarium (III) oxide	170 mg/m
1306-38-3	cerium dioxide	33 mg/m ³
1308-87-8	didysprosium trioxide	170 mg/m
1308-96-9	europium(III) oxide	170 mg/m
1312-81-8	lanthanum oxide	44 mg/m ³
1313-97-9	neodymium oxide	170 mg/m
1314-20-1	thorium dioxide	330 mg/m
1314-36-9	yttrium oxide	43 mg/m ³

Reviewed on 07/13/2021

(Contd. on page 5) US



Page 5/13

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Trade name: ICP-MS-B

Reviewed on 07/13/2021

101/07	1. (111) . 1	(Contd. of page
	ytterbium (III) oxide	330 mg/m ⁻
7440-27-9		13 mg/m ³
12032-20-1	lutetium oxide	330 mg/m
12036-44-1	thulium oxide	330 mg/m ²
	Praseodymium(III,IV) oxide	170 mg/m ²
12055-62-8	holmium oxide	330 mg/m ²
12060-08-1	scandium oxide	330 mg/m ⁻
12064-62-9	Gadolinium	170 mg/m ⁻
PAC-3:		
7697-37-2	nitric acid	92 ppm
12060-58-1	samarium (III) oxide	990 mg/m ³
1306-38-3	cerium dioxide	200 mg/m ³
1308-87-8	didysprosium trioxide	990 mg/m ³
1308-96-9	europium(III) oxide	990 mg/m ³
1312-81-8	lanthanum oxide	270 mg/m ³
1313-97-9	neodymium oxide	990 mg/m ³
1314-20-1	thorium dioxide	2,000 mg/m ⁻
1314-36-9	yttrium oxide	260 mg/m ³
1314-37-0	ytterbium (III) oxide	2,000 mg/m ⁻
7440-27-9	terbium	79 mg/m ³
12032-20-1	lutetium oxide	2,000 mg/m
12036-44-1	thulium oxide	2,000 mg/m
12037-29-5	Praseodymium(III,IV) oxide	990 mg/m ³
12055-62-8	holmium oxide	2,000 mg/m ⁻
12060-08-1	scandium oxide	2,000 mg/m
	Gadolinium	990 mg/m ³

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

• Storage:

• Requirements to be met by storerooms and receptacles: No special requirements.

· Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 6)



Printing date 07/13/2021

Trade name: ICP-MS-B

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 7)

US

Page 6/13

(Contd. of page 5)

Reviewed on 07/13/2021



Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: ICP-MS-B

• Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and c	hemical properties	
· General Information		
· Appearance:		
Form:	Liquid	
Color:	colorless	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
• Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density:	Not determined.	
Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
	(Co	ontd. on page

Page 7/13

(Contd. of page 6)

US



Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: ICP-MS-B

		(Contd. of page 7)
· Solvent content: Water:	98.0 %	
VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content: • Other information	0.0 % No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

Carcinogenic categories

(International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

1314-20-1 thorium dioxide

(Contd. on page 9)

US

Κ



Page 9/13

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Reviewed on 07/13/2021

(Contd. of page 8)

Trade name: ICP-MS-B

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
	(NITRIC ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRI
	ACID)



Printing date 07/13/2021

Trade name: ICP-MS-B

Reviewed on 07/13/2021

Page 10/13

Transport hazard class(es)		
DOT		
<u>^</u>		
53		
CORROSIVE		
8		
Class	8 Corrosive substances	
Label	8	
ADR		
$\hat{\sim}$		
<u>s</u>		
\checkmark		
Class	8 (C1) Corrosive substances	
Label	8	
IMDG, IATA		
\wedge		
<u>ser</u>		
3		
\bullet		
Class	8 Corrosive substances	
Label	8	
Packing group		
DOT, ADR, IMDG, IATA	III	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Corrosive substances	
Hazard identification number (Kemler o		
EMS Number:	F-A,S-B	
Segregation groups	Acids	
Stowage Category	A characteristic characteristic	
Stowage Code	SW2 Clear of living quarters.	
Transport in bulk according to Annex L		
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 5 L	
Entry months	On cargo aircraft only: 60 L	

US



Page 11/13

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: ICP-MS-B

(Contd. of page 10)
Code: El
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
5L
Code: El
Maximum net quantity per inner packaging: 30 ml
Maximum net quantity per outer packaging: 1000 ml
UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

7697-37-2 nitric acid

Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

1314-20-1 thorium dioxide

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

1314-20-1 thorium dioxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

1306-38-3 cerium dioxide

II

(Contd. on page 12)

US



Page 12/13

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: ICP-MS-B

(Contd. of page 11)

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: nitric acid · Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. · Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

(Contd. on page 13)

[–] US



Printing date 07/13/2021

Reviewed on 07/13/2021

Page 13/13

Trade name: ICP-MS-B

	(Contd. of page 12)
Contact:	
High-Purity Standards	
Tel: 843-767-7900	
Fax: 843-767-7906	
Date of preparation / last revision 07/13/2021 / -	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europ	pean Agreement concerning the International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Met. Corr.1: Corrosive to metals – Category 1	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	