

Page 1/14

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022 Reviewed on 04/28/2022

### 1 Identification

· Product identifier

· Trade name: ICP-MS-D-M
· Article number: ICP-MS-D-M

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

High-Purity Standards

7221 Investment Drive, North Charleston, SC 29418 United States

Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com

Email: info@highpuritystandards.com

· Information department: Product safety department

Emergency telephone number:

*INFOTRAC* 

Emergency telephone numbers 1-800-535-5053 Other emergency telephone numbers 1-352-323-3500

### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms





GHS05

GHS07

- · Signal word Danger
- · Hazard-determining components of labeling: nitric acid

(Contd. on page 2)



Page 2/14

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022 Reviewed on 04/28/2022

Trade name: ICP-MS-D-M

(Contd. of page 1)

hydrogen fluoride

· Hazard statements

H290 May be corrosive to metals.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



3 Health = 3

Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)



Page 3/14

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022 Reviewed on 04/28/2022

Trade name: ICP-MS-D-M

		(Contd. of page
Dangerous components:		
7697-37-2 nitric acid		2.0%
7664-39-3 hydrogen fluoride		0.499
Chemical identification of the substance/preparati	on	<u>'</u>
7732-18-5 water, distilled, conductivity or of simi	lar purity	97.4999
7439-98-7 molybdenum		0.001%
7440-03-1 niobium		0.001%
7440-15-5 rhenium		0.001%
7440-25-7 tantalum		0.001%
7440-32-6 titanium		0.001%
7440-33-7 tungsten		0.001%
7440-67-7 zirconium		0.001%
7664-93-9 sulphuric acid		0.001%
7722-76-1 Ammonium dihydrogenphosphate		0.001%
10043-35-3 boric acid		0.001%
16919-19-0 ammonium hexafluorosilicate		0.001%

### 4 First-aid measures

- · Description of first aid measures
- · General information:

*Immediately remove any clothing soiled by the product.* 

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

(Contd. on page 4)





Printing date 04/28/2022 Reviewed on 04/28/2022

Trade name: ICP-MS-D-M

(Contd. of page 3)

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

7697-37-2 nitric acid	0.16 ppm
7664-39-3 hydrogen fluoride	1.0 ppm
7439-98-7 molybdenum	$30 \text{ mg/m}^3$
7440-03-1 niobium	30 mg/m <sup>3</sup>
7440-25-7 tantalum	10 mg/m³
7440-32-6 titanium	30 mg/m <sup>3</sup>
7440-33-7 tungsten	10 mg/m³
7440-67-7 zirconium	10 mg/m³
7664-93-9 sulphuric acid	0.20 mg/m
7722-76-1 Ammonium dihydrogenphosphate	$17 \text{ mg/m}^3$
10043-35-3 boric acid	6 mg/m <sup>3</sup>
16919-19-0 ammonium hexafluorosilicate	12 mg/m³
PAC-2:	
7697-37-2 nitric acid	24 ppm
7664-39-3 hydrogen fluoride	24 ppm
7439-98-7 molybdenum	330 mg/m
7440-03-1 niobium	330 mg/m
7440-25-7 tantalum	11 mg/m³
7440-32-6 titanium	330 mg/m
7440-33-7 tungsten	330 mg/m





Printing date 04/28/2022 Reviewed on 04/28/2022

Trade name: ICP-MS-D-M

7440-67-7 zirconium	(Contd. of pa 83 mg/n
7664-93-9 sulphuric acid	8.7 mg/r
7722-76-1 Ammonium dihydrogenphosphate	190 mg/
10043-35-3 boric acid	23 mg/m
16919-19-0 ammonium hexafluorosilicate	130 mg/
PAC-3:	•
7697-37-2 nitric acid	92 ppm
7664-39-3 hydrogen fluoride	44 ppm
7439-98-7 molybdenum	2,000 mg/
7440-03-1 niobium	2,000 mg/
7440-25-7 tantalum	$64 \text{ mg/m}^3$
7440-32-6 titanium	2,000 mg/
7440-33-7 tungsten	2,000 mg/
7440-67-7 zirconium	500 mg/m
7664-93-9 sulphuric acid	160 mg/m
7722-76-1 Ammonium dihydrogenphosphate	1,100 mg/
10043-35-3 boric acid	830 mg/m
16919-19-0 ammonium hexafluorosilicate	780 mg/m

### 7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

(Contd. on page 6)



Page 6/14

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022 Reviewed on 04/28/2022

Trade name: ICP-MS-D-M

(Contd. of page 5)

#### · Control parameters

## · Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 4 ppm Long-term value: 2 ppm

#### 7664-39-3 hydrogen fluoride

PEL Long-term value: 1\* mg/m³, 3 ppm

as F, \*sulfuric acid

REL Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5\* mg/m³, 6\* ppm

\*15-min, as F

TLV Long-term value: 0.5 ppm Ceiling limit value: 2 ppm

as F; Skin, BEI

### · Ingredients with biological limit values:

### 7664-39-3 hydrogen fluoride

BEI 3 mg/g creatinine

Medium: urine Time: prior to shift

Parameter: Fluorides (background, nonspecific)

10 mg/g creatinine Medium: urine Time: end of shift

Parameter: Fluorides (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

#### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 7)



Page 7/14

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022 Reviewed on 04/28/2022

Trade name: ICP-MS-D-M

(Contd. of page 6)

#### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eve protection:



Tightly sealed goggles

## 9 Physical and chemical properties

·Inf	cormation	on basi	c physica	l and c	hemical	prop	erties

· General Information

· Appearance:

Form: Liquid

According to product specification Color:

Characteristic Odor: · Odor threshold: Not determined.

· pH-value: Not determined.

· Change in condition

· Decomposition temperature:

Melting point/Melting range: Undetermined. 100 °C (212 °F) Boiling point/Boiling range:

· Flash point: Not applicable.

Not applicable. · Flammability (solid, gaseous): Not determined.

· Auto igniting: Product is not selfigniting.

Danger of explosion: Product does not present an explosion hazard.

(Contd. on page 8)



Page 8/14

# Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022 Reviewed on 04/28/2022

Trade name: ICP-MS-D-M

	(Contd. of pa
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.00598 g/cm³ (8.3949 lbs/gal)
Bulk density:	$\sim 1,006  kg/m^3$
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	97.5 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

JS -

(Contd. on page 9)



Page 9/14

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022 Reviewed on 04/28/2022

Trade name: ICP-MS-D-M

(Contd. of page 8)

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7664-39-3 hydrogen fluoride

Oral LD50 1,276 mg/kg (rat)

- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7664-93-9 sulphuric acid	1
· NTP (National Toxicology Program)	
7664-93-9 sulphuric acid	K
· OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients is listed.	

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

(Contd. on page 10)



Page 10/14

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022 Reviewed on 04/28/2022

Trade name: ICP-MS-D-M

(Contd. of page 9)

- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4	-				C	
14	-7/	rans	nort	TIN	forma	ITION
			$\boldsymbol{\nu}$	$\omega$		

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid, Hydrogen fluoride)
· ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, HYDROGEN FLUORIDE)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, HYDROGEN FLUORIDE)

- · Transport hazard class(es)
- $\cdot$  **DOT**



· Class· Label8 Corrosive substances8

 $\cdot$  ADR



Class 8 (C1) Corrosive substances

(Contd. on page 11)





Printing date 04/28/2022 Reviewed on 04/28/2022

Trade name: ICP-MS-D-M

	(Contd. of page
Label	8
IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group	
DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code)	
EMS Number:	F- $A$ , $S$ - $B$
Segregation groups	Acids
Stowage Category	A and a second a seco
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
<b>G</b>	(NITRIC ACID, HYDROGEN FLUORIDE), 8, III

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

(Contd. on page 12)





Printing date 04/28/2022 Reviewed on 04/28/2022

Trade name: ICP-MS-D-M

· Sara	(Contd. of page
Section 355 (extremely hazardous substances):	
7697-37-2 nitric acid	
7664-39-3 hydrogen fluoride	
7664-93-9 sulphuric acid	
Section 313 (Specific toxic chemical listings):	
7697-37-2 nitric acid	
7664-39-3 hydrogen fluoride	
7664-93-9 sulphuric acid	
TSCA (Toxic Substances Control Act):	
All components have the value ACTIVE.	
Hazardous Air Pollutants	
7664-39-3 hydrogen fluoride	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenic categories	
EPA (Environmental Protection Agency)	
10043-35-3 boric acid	I (ora
TLV (Threshold Limit Value)	
7439-98-7 molybdenum	
7440-67-7 zirconium	A
7664-93-9 sulphuric acid	A
10043-35-3 boric acid	A
NIOSH-Ca (National Institute for Occupational Safety and Health)	<u>'</u>
None of the ingredients is listed.	

(Contd. on page 13)



Page 13/14

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022 Reviewed on 04/28/2022

Trade name: ICP-MS-D-M

(Contd. of page 12)

#### · Hazard pictograms





GHS05 GHS0

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid

hydrogen fluoride

· Hazard statements

H290 May be corrosive to metals.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906

· Date of preparation / last revision 04/28/2022 / -

(Contd. on page 14)



Page 14/14

## Safety Data Sheet acc. to OSHA HCS

Printing date 04/28/2022 Reviewed on 04/28/2022

Trade name: ICP-MS-D-M

(Contd. of page 13)

#### · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity - Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Čategory 1