

Printing date 04/08/2019 Reviewed on 04/08/2019

1 Identification

· Product identifier

· Trade name: ICP-MS Interfernence Check Standard 2

· Article number: ICP-MS-ICS-2-A

Details of the supplier of the safety data sheet

· Manufacturer/Supplier: High-Purity Standards

P.O. Box 41727

Charleston, SC 29423

Telephone: (843) 767-7900 FAX: (843) 767-7906

· Information department: Product safety department

Emergency telephone number:

INFOTRAC

Emergency telephone numbers 1-800-535-5053

Other emergency telephone numbers 1-352-323-3500

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05

GHS07

HS07 GHS0

- · Signal word Danger
- · Hazard-determining components of labeling: nitric acid

(Contd. on page 2)



Printing date 04/08/2019 Reviewed on 04/08/2019

Trade name: ICP-MS Interfernence Check Standard 2

(Contd. of page 1)

Hydrofluoric acid

sulphuric acid

· Hazard statements

H290 May be corrosive to metals.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H350 May cause cancer.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *3Fire = 0REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 04/08/2019 Reviewed on 04/08/2019

Trade name: ICP-MS Interfernence Check Standard 2

	(Contd. of page
Dangerous components:	
7697-37-2 nitric acid	5.0%
7664-93-9 sulphuric acid	0.1%
Chemical identification of the substance/preparation	·
7647-14-5 sodium chloride	2.0%
7664-39-3 Hydrofluoric acid	0.49%
471-34-1 calcium carbonate	0.3%
497-19-8 sodium carbonate	0.25%
7439-89-6 iron	0.25%
631-61-8 ammonium acetate	0.2%
7757-79-1 potassium nitrate	0.1%
7722-76-1 Ammonium dihydrogenphosphate	0.1%
13446-18-9 magnesium nitrate hexahydrate	0.1%
7429-90-5 aluminium	0.1%
7440-32-6 titanium	0.002%
13106-76-8 ammonium molybdate(VI)	0.002%
7732-18-5 water, distilled, conductivity or of similar purity	91.006%

4 First-aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.



Printing date 04/08/2019 Reviewed on 04/08/2019

Trade name: ICP-MS Interfernence Check Standard 2

(Contd. of page 3)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

7697-37-2	nitric acid	0.16 ppm
7664-39-3	Hydrofluoric acid	1.0 ppm
471-34-1	calcium carbonate	45 mg/m^3
497-19-8	sodium carbonate	7.6 mg/m^3
7439-89-6	iron	3.2 mg/m ³
631-61-8	ammonium acetate	3.8 mg/m ³
7757-79-1	potassium nitrate	9 mg/m³
7722-76-1	Ammonium dihydrogenphosphate	17 mg/m³
7664-93-9	sulphuric acid	0.20 mg/n
13446-18-9	magnesium nitrate hexahydrate	16 mg/m³
7440-32-6	titanium	30 mg/m^3
13106-76-8	ammonium molybdate(VI)	3.1 mg/m ³
PAC-2:		
7697-37-2	nitric acid	24 ppm
7664-39-3	Hydrofluoric acid	24 ppm
471-34-1	calcium carbonate	210 mg/n
497-19-8	sodium carbonate	83 mg/m ²
7439-89-6	iron	35 mg/m ³
631-61-8	ammonium acetate	42 mg/m ³
7757-79-1	potassium nitrate	100 mg/n
7722-76-1	Ammonium dihydrogenphosphate	190 mg/n
7664-93-9	sulphuric acid	8.7 mg/m
13446-18-9	magnesium nitrate hexahydrate	180 mg/n
7440-32-6	titanium	330 mg/n
13106-76-8	ammonium molybdate(VI)	22 mg/m ³



Printing date 04/08/2019 Reviewed on 04/08/2019

Trade name: ICP-MS Interfernence Check Standard 2

PAC-3:	(Contd. of page
7697-37-2 nitric acid	92 ppm
7664-39-3 Hydrofluoric acid	44 ppm
471-34-1 calcium carbonate	1,300 mg/n
497-19-8 sodium carbonate	500 mg/m³
7439-89-6 iron	150 mg/m³
631-61-8 ammonium acetate	250 mg/m³
7757-79-1 potassium nitrate	600 mg/m³
7722-76-1 Ammonium dihydrogenphosphate	1,100 mg/n
7664-93-9 sulphuric acid	160 mg/m³
13446-18-9 magnesium nitrate hexahydrate	1,100 mg/n
7440-32-6 titanium	2,000 mg/n
13106-76-8 ammonium molybdate(VI)	130 mg/m^3

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Com	· Components with limit values that require monitoring at the workplace:		
7697	7697-37-2 nitric acid		
PEL	Long-term value: 5 mg/m³, 2 ppm		
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm		
TLV	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm		
7664	7664-93-9 sulphuric acid		
PEL	PEL Long-term value: 1 mg/m ³		

(Contd. on page 6)



Printing date 04/08/2019 Reviewed on 04/08/2019

Trade name: ICP-MS Interfernence Check Standard 2

(Contd. of page 5)

REL Long-term value: 1 mg/m³
TLV Long-term value: 0.2* mg/m³
*as thoracic fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Colorless
Odor: Characteristic
Odor threshold: Not determined.

(Contd. on page 7)



Printing date 04/08/2019 Reviewed on 04/08/2019

Trade name: ICP-MS Interfernence Check Standard 2

		(Contd. of page
· pH-value:	Not determined.	
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 83 °C (181.4 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits: Lower: Upper:	Not determined. Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not determined. Not determined.	
· Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity: Dynamic: Kinematic:	Not determined. Not determined.	
· Solvent content: Water: VOC content:	91.0 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content: Other information	3.3 % No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.



Printing date 04/08/2019 Reviewed on 04/08/2019

Trade name: ICP-MS Interfernence Check Standard 2

(Contd. of page 7)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

7664-39-3 Hydrofluoric acid

Oral LD50 1,276 mg/kg (rat)

- · Primary irritant effect:
- · on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7664-93-9 sulphuric acid	1
· NTP (National Toxicology Program)	

· NTP (National Toxicology Program)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

7664-93-9 sulphuric acid

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

(Contd. on page 9)

K



Printing date 04/08/2019 Reviewed on 04/08/2019

Trade name: ICP-MS Interfernence Check Standard 2

(Contd. of page 8)

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid, Hydro fluoride)
ADR	3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric a Hydrogen fluoride)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NIT. ACID, HYDROGEN FLUORIDE)
Transport hazard class(es)	
DOT	
Class Label	8 Corrosive substances 8
ADR, IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Danger code (Kemler):	80
EMS Number:	F-A,S-B



Printing date 04/08/2019 Reviewed on 04/08/2019

Trade name: ICP-MS Interfernence Check Standard 2

	(Contd. of page
· Stowage Category	A
· Stowage Code	SW2 Clear of living quarters.
· Transport in bulk according to Annex II of	r
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
_ ,	On cargo aircraft only: 60 L
· ADR	
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O. (NITRIC ACID, HYDROGEN FLUORIDE), 8, III

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

7697-37-2	nitric acid	
7664-39-3	Hydrofluoric acid	
7664-93-9	sulphuric acid	
Section 313	3 (Specific toxic chemical listings):	
7697-37-2	nitric acid	
7664-39-3	Hydrofluoric acid	
7757-79-1	potassium nitrate	
7664-93-9	sulphuric acid	
13446-18-9	magnesium nitrate hexahydrate	
7429-90-5	aluminium	
TSCA (Tox	cic Substances Control Act):	
7697-37-2	nitric acid	
7647-14-5	sodium chloride	
7664-39-3	Hydrofluoric acid	
471-34-1	calcium carbonate	
497-19-8	sodium carbonate	



Printing date 04/08/2019 Reviewed on 04/08/2019

Trade name: ICP-MS Interfernence Check Standard 2

	(Contd. of page
7439-89-6 iron	
631-61-8 ammonium acetate	
7757-79-1 potassium nitrate	
7722-76-1 Ammonium dihydrogenphosphate	
7664-93-9 sulphuric acid	
7429-90-5 aluminium	
7440-32-6 titanium	
13106-76-8 ammonium molybdate(VI)	
7732-18-5 water, distilled, conductivity or of similar purity	
· Proposition 65	
· Chemicals known to cause cancer:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
· Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency) (Substances not listed)	
7697-37-2 nitric acid	
7647-14-5 sodium chloride	
7664-39-3 Hydrofluoric acid	
471-34-1 calcium carbonate	
497-19-8 sodium carbonate	
7439-89-6 iron	
7757-79-1 potassium nitrate	
7722-76-1 Ammonium dihydrogenphosphate	
7664-93-9 sulphuric acid	
13446-18-9 magnesium nitrate hexahydrate	
7429-90-5 aluminium	
7440-32-6 titanium	
13106-76-8 ammonium molybdate(VI)	
7732-18-5 water, distilled, conductivity or of similar purity	
TLV (Threshold Limit Value established by ACGIH)	
TLV (Threshold Limit Value established by ACGIH) 7664-93-9 sulphuric acid	A
7664-93-9 sulphuric acid	
7664-93-9 sulphuric acid 7429-90-5 aluminium	A A A A
7664-93-9 sulphuric acid	A



Printing date 04/08/2019 Reviewed on 04/08/2019

Trade name: ICP-MS Interfernence Check Standard 2

(Contd. of page 11)

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms







GHS05 GHS07

· Signal word Danger

- _____
- · Hazard-determining components of labeling:

nitric acid

Hydrofluoric acid

sulphuric acid

· Hazard statements

H290 May be corrosive to metals.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H350 May cause cancer.

· Precautionary statements

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.



Printing date 04/08/2019 Reviewed on 04/08/2019

Trade name: ICP-MS Interfernence Check Standard 2

(Contd. of page 12)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906

· Date of preparation / last revision 04/08/2019 / -

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Met. Corr.1: Corrosive to metals - Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

 $\label{eq:condition} \textit{Eye Dam. 1: Serious eye damage/eye irritation} - \textit{Category 1}$

Carc. 1A: Carcinogenicity - Category 1A

US



Printing date 11/26/2018 Reviewed on 11/26/2018

1 Identification

· Product identifier

· Trade name: ICP-MS Interference Check Standard 2 Solution B

· Article number: ICP-MS-ICS-2-B

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

High-Purity Standards

P.O. Box 41727

Charleston, SC 29423

Telephone: (843) 767-7900 FAX: (843) 767-7906

· Information department: Product safety department

Emergency telephone number:

INFOTRAC

Emergency telephone numbers 1-800-535-5053

Other emergency telephone numbers 1-352-323-3500

2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · **Signal word** Danger
- Hazard-determining components of labeling:

nitric acid

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)



Printing date 11/26/2018 Reviewed on 11/26/2018

Trade name: ICP-MS Interference Check Standard 2 Solution B

(Contd. of page 1)

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of the substances listed below with nonhazardous additions.

7697-37-2	nitric acid		2.0%
· Chemical identification of the substance/preparation			
7440-47-3	chromium	0.0	002%
7440-48-4	cobalt	0.0	002%
7440-50-8	copper	0.0	002%
6156-78-1	Manganese(II) acetate tetrahydrate	0.0	002%
7440-02-0	nickel	0.0	002%
7803-55-6	Ammonium Vanadate	0.0	002%
7782-49-2	selenium	0.0	001%
7440-66-6	zinc	0.0	001%
7440-43-9	cadmium (non-pyrophoric)	0.0	001%
7440-38-2	arsenic	0.0	001%
7440-22-4	silver	0.0	005%

-US



Printing date 11/26/2018 Reviewed on 11/26/2018

Trade name: ICP-MS Interference Check Standard 2 Solution B

(Contd. of page 2)

7732-18-5 water, distilled, conductivity or of similar purity

97.9835%

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

PAC-1:		
7697-37-2 nitric o	acid	0.16 ppm
7440-47-3 chrom	ium	1.5 mg/m^3
7440-48-4 cobalt		0.18 mg/m
7440-50-8 coppe		$3 mg/m^3$
6156-78-1 Manga	nnese(II) acetate tetrahydrate	13 mg/m³
		(Contd. on page

II puge 1)



Printing date 11/26/2018 Reviewed on 11/26/2018

Trade name: ICP-MS Interference Check Standard 2 Solution B

7440 02 0	nistal	(Contd. of p
7440-02-0		4.5 mg/
	Ammonium Vanadate	0.01 mg
7782-49-2		0.6 mg/
7440-66-6		6 mg/m
	cadmium (non-pyrophoric)	0.10 mg
7440-38-2	arsenic	1.5 mg/
7440-22-4	silver	0.3 mg/
PAC-2:		
7697-37-2	nitric acid	24 ppm
7440-47-3	chromium	17 mg/r
7440-48-4	cobalt	2 mg/m
7440-50-8	copper	33 mg/n
6156-78-1	Manganese(II) acetate tetrahydrate	22 mg/r
7440-02-0	nickel	50 mg/n
7803-55-6	Ammonium Vanadate	0.11 mg
7782-49-2	selenium	6.6 mg/
7440-66-6	zinc	21 mg/r
7440-43-9	cadmium (non-pyrophoric)	0.76 mg
7440-38-2	arsenic	17 mg/r
7440-22-4	silver	170 mg.
<i>PAC-3</i> :		-
7697-37-2	nitric acid	92 ppn
7440-47-3	chromium	99 mg/
7440-48-4	cobalt	20 mg/
7440-50-8	copper	200 mg
	Manganese(II) acetate tetrahydrate	740 mg
7440-02-0	•	99 mg/
7803-55-6	Ammonium Vanadate	80 mg/
7782-49-2	selenium	40 mg/
7440-66-6	zinc	120 mg
	cadmium (non-pyrophoric)	4.7 mg
7440-38-2	\ 1, 1 /	100 mg
7440-22-4		990 mg

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

(Contd. on page 5)



Printing date 11/26/2018 Reviewed on 11/26/2018

Trade name: ICP-MS Interference Check Standard 2 Solution B

(Contd. of page 4)

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm
REL Short-term value: 10 mg/m³, 4 ppm
Long-term value: 5 mg/m³, 2 ppm
TLV Short-term value: 10 mg/m³, 4 ppm
Long-term value: 5.2 mg/m³, 2 ppm

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)



Printing date 11/26/2018 Reviewed on 11/26/2018

Trade name: ICP-MS Interference Check Standard 2 Solution B

(Contd. of page 5)

· Eye protection:



Tightly sealed goggles

Information on basic physical and of	chemical properties	
General Information Appearance:		
Appearance. Form:	Liquid	
Color:	Colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density:	Not determined.	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	

(Contd. on page 7)



Printing date 11/26/2018 Reviewed on 11/26/2018

Trade name: ICP-MS Interference Check Standard 2 Solution B

(Contd. of page 6)

VOC content:	0.00 % 0.0 g/l / 0.00 lb/gal
Solids content: Other information	0.0% No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- · on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

1 ..

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (Inte	ernational Agency for Research on Cancer)	
7440-47-3	chromium	3
7440-48-4	cobalt	2B
7440-02-0	nickel	2B
7782-49-2	selenium	3
7440-43-9	cadmium (non-pyrophoric)	1
7440-38-2	arsenic	1
· NTP (Nati	onal Toxicology Program)	
7440-48-4	cobalt	R
7440-02-0	nickel	R
7440-43-9	cadmium (non-pyrophoric)	K
7440-38-2	arsenic	K
	(Contd. on	page 8)



Printing date 11/26/2018 Reviewed on 11/26/2018

Trade name: ICP-MS Interference Check Standard 2 Solution B

(Contd. of page 7)

· OSHA-Ca	(Occupational	Safety &	Health	Administration)

7440-43-9 cadmium (non-pyrophoric)

7440-38-2 arsenic

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Generally not hazardous for water

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

1 / /			C	. •
I A I	VAINCE	OPT IN	formai	สภาท
<i>17 1</i>	עכטוש ו	עוט טוטי	UI III III	uvu

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name · DOT · ADR · IMDG, IATA	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)

(Contd. on page 9)



Printing date 11/26/2018 Reviewed on 11/26/2018

Trade name: ICP-MS Interference Check Standard 2 Solution B

(Contd. of page 8)

•	Transport	hazard	class	(es)	,
---	-----------	--------	-------	------	---

 $\cdot DOT$



· Class 8 Corrosive substances

· Label 8

· ADR, IMDG, IATA



· Label

· Class 8 Corrosive substances

· Packing group

· DOT, ADR, IMDG, IATA III

• Environmental hazards: Not applicable.

· Special precautions for user Warning: Corrosive substances

Danger code (Kemler):
EMS Number:
Segregation groups
Stowage Category

• Stowage Code SW2 Clear of living quarters.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

 \cdot **DOT**

• Quantity limitations On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

 \cdot ADR

· Excepted quantities (EQ) Code: El

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

 \cdot IMDG

· Limited quantities (LQ) 5L

· Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

· UN "Model Regulation": UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

(NITRIC ACID), 8, III



Printing date 11/26/2018 Reviewed on 11/26/2018

Trade name: ICP-MS Interference Check Standard 2 Solution B

(Contd. of page 9)

Sajety, neatta Sara	and environmental regulations/legislation specific for the substance or mixture	
Section 355 (extremely hazardous substances):	
7697-37-2 ni	tric acid	
Section 313 (Specific toxic chemical listings):	
7697-37-2 ni	tric acid	
7440-47-3 ch	romium	
7440-48-4 co	balt	
7440-50-8 cd	pper	
7440-02-0 ni	ckel	
7803-55-6 Ai	mmonium Vanadate	
7782-49-2 se	lenium	
7440-66-6 zii	nc	
7440-43-9 ca	idmium (non-pyrophoric)	
7440-38-2 ar	rsenic	
7440-22-4 si	lver	
TSCA (Toxic	Substances Control Act):	
7697-37-2 ni	tric acid	
7440-47-3 ch	uromium	
7440-48-4 cd	balt	
7440-50-8 cd	pper	
7440-02-0 ni	ckel	
7803-55-6 Ai	mmonium Vanadate	
7782-49-2 se	lenium	
7440-66-6 zii	nc	
7440-43-9 ca	ıdmium (non-pyrophoric)	
7440-38-2 ar	rsenic	
7440-22-4 si	lver	
7732-18-5 w	ater, distilled, conductivity or of similar purity	
Proposition 6	5	
	own to cause cancer:	
7440-48-4 co		
7440-02-0 ni		
	admium (non-pyrophoric)	
7440-38-2 ar	senic	
Chemicals kn	own to cause reproductive toxicity for females:	
None of the in	gredients is listed.	
Chemicals kn	own to cause reproductive toxicity for males:	



Reviewed on 11/26/2018 Printing date 11/26/2018

Trade name: ICP-MS Interference Check Standard 2 Solution B

(Contd. of page 10)

		(conta. or page 10)
· Chemicals known to c	cause developmental toxicity:	
7440-43-9 cadmium (non-pyrophoric)	

7110 13 7	caamium (non-pyrophoric)	
· Carcinoge	nic categories	
· EPA (Envi	ironmental Protection Agency) (Substances not listed)	
7697-37-2	nitric acid	
7440-48-4	cobalt	
6156-78-1	Manganese(II) acetate tetrahydrate	
7440-02-0	nickel	
7803-55-6	Ammonium Vanadate	
7732-18-5	water, distilled, conductivity or of similar purity	
· TLV (Thre	eshold Limit Value established by ACGIH)	<u> </u>
7440-47-3	chromium	A4
7440-48-4	cobalt	A3
7440-02-0	nickel	A5
7440-43-9	cadmium (non-pyrophoric)	A2
7440-38-2	arsenic	AI
· NIOSH-C	a (National Institute for Occupational Safety and Health)	
7440-02-0	nickel	
7440-43-9	cadmium (non-pyrophoric)	

7440-38-2 arsenic

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

nitric acid

· Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

(Contd. on page 12)



Printing date 11/26/2018 Reviewed on 11/26/2018

Trade name: ICP-MS Interference Check Standard 2 Solution B

(Contd. of page 11)

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906

- · Date of preparation / last revision 11/26/2018 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Met. Corr.1: Corrosive to metals – Category 1

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

— IIS