Printing date 03/29/2019

Reviewed on 03/29/2019

- · Product identifier
- Trade name: ICP-MS Interference Check Solution A
- · Article number: ICP-MS-ICS-A

GH-PURI

- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: High-Purity Standards
 P.O. Box 41727
 Charleston, SC 29423
 Telephone: (843) 767-7900
 FAX: (843) 767-7906
- Information department: Product safety department
 Emergency telephone number: INFOTRAC
 Emergency telephone numbers1-800-535-5053
 Other emergency telephone numbers 1-352-323-3500

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Met. Corr. 1H290May be corrosive to metals.Skin Corr. 1AH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.

GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

Hazard-determining components of labeling: nitric acid
Hydrofluoric acid
Hazard statements
H290 May be corrosive to metals.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: ICP-MS Interference Check Solution A

(Contd. of page 1)

· Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) *Health* = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3FIRE 0 Fire = 0**REACTIVITY O** Reactivity = 0• Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients · Chemical characterization: Mixtures • **Description:** Mixture of the substances listed below with nonhazardous additions. · Dangerous components: 7697-37-2 nitric acid 2.0%

| • Chemical id | entification of the substance/preparation | |
|---------------|---|-----------------|
| 7664-39-3 | Hydrofluoric acid | 0.49% |
| 12125-02-9 | ammonium chloride | 0.36% |
| 631-61-8 | ammonium acetate | 0.1% |
| 471-34-1 | calcium carbonate | 0.052% |
| 7757-79-1 | potassium nitrate | 0.05% |
| | (Co | ntd. on page 3) |

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: ICP-MS Interference Check Solution A

| | | (Contd. of page 2) |
|--------------------|---|--------------------|
| 497-19-8 sodium | carbonate | 0.05% |
| 7664-93-9 sulphuri | c acid | 0.05% |
| 10377-60-3 magnesi | um nitrate | 0.05% |
| 7722-76-1 Ammoni | um dihydrogenphosphate | 0.05% |
| 7439-89-6 iron | | 0.05% |
| 7429-90-5 aluminit | ım | 0.05% |
| 7440-32-6 titanium | | 0.001% |
| 7439-98-7 molybde | | 0.001% |
| 7732-18-5 water, d | istilled, conductivity or of similar purity | 96.646% |

4 First-aid measures

• Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• *After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.*

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- *Protective equipment: Mouth respiratory protective device.*

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Emironmental precautions: Do not allow to enter sewers/ surface or group
- $\cdot \textit{Environmental precautions:} Do not allow to enter sewers/surface or ground water.$

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 4)

(Contd. of page 3)

Reviewed on 03/29/2019

| | | DARDS Safety Data Sheet acc. to OSHA HCS |
|-------|---|---|
| Prini | ting date 03. | /29/2019 |
| Trad | e name: IC | P-MS Interference Check Solution A |
| | See Section See Section See Section | o other sections 7 for information on safe handling. 8 for information on personal protection equipment. 13 for disposal information. Iction Criteria for Chemicals |
| ·] | PAC-1: | |
| | | nitric acid |
| | | Hydrofluoric acid |
| | 12125-02-9 | ammonium chloride |
| | 631-61-8 | ammonium acetate |
| | 471-34-1 | calcium carbonate |
| | 7757-79-1 | potassium nitrate |
| | 497-19-8 | sodium carbonate |
| | 7664-93-9 | sulphuric acid |
| | 10377-60-3 | magnesium nitrate |
| | 7722-76-1 | Ammonium dihydrogenphosphate |
| | 7439-89-6 | iron |
| | 7440-32-6 | titanium |
| | 7439-98-7 | molybdenum |
| •] | PAC-2: | |
| | 7697-37-2 | nitric acid |
| | 7664-39-3 | Hydrofluoric acid |
| | 12125-02-9 | ammonium chloride |
| | 631-61-8 | ammonium acetate |

| 7697-37-2 | nitric acid | 0.16 ppm |
|------------|------------------------------|-----------------------|
| 7664-39-3 | Hydrofluoric acid | 1.0 ppm |
| 12125-02-9 | ammonium chloride | 20 mg/m ³ |
| 631-61-8 | ammonium acetate | 3.8 mg/m ³ |
| 471-34-1 | calcium carbonate | 45 mg/m ³ |
| 7757-79-1 | potassium nitrate | 9 mg/m ³ |
| 497-19-8 | sodium carbonate | 7.6 mg/m ³ |
| 7664-93-9 | sulphuric acid | 0.20 mg/m |
| 10377-60-3 | magnesium nitrate | 30 mg/m ³ |
| 7722-76-1 | Ammonium dihydrogenphosphate | 17 mg/m ³ |
| 7439-89-6 | | 3.2 mg/m ³ |
| 7440-32-6 | | 30 mg/m ³ |
| 7439-98-7 | molybdenum | 30 mg/m ³ |
| PAC-2: | | · · · |
| 7697-37-2 | nitric acid | 24 ppm |
| | Hydrofluoric acid | 24 ppm |
| 12125-02-9 | ammonium chloride | $54 mg/m^3$ |
| 631-61-8 | ammonium acetate | 42 mg/m ³ |
| 471-34-1 | calcium carbonate | 210 mg/m |
| 7757-79-1 | potassium nitrate | 100 mg/m |
| 497-19-8 | sodium carbonate | 83 mg/m ³ |
| 7664-93-9 | sulphuric acid | 8.7 mg/m ³ |
| 10377-60-3 | magnesium nitrate | 330 mg/m |
| 7722-76-1 | Ammonium dihydrogenphosphate | 190 mg/m |
| 7439-89-6 | iron | 35 mg/m ³ |
| 7440-32-6 | titanium | 330 mg/m |
| 7439-98-7 | molybdenum | 330 mg/m |
| PAC-3: | | |
| 7697-37-2 | nitric acid | 92 ppm |
| | Hydrofluoric acid | 44 ppm |
| 12125-02-9 | ammonium chloride | 330 mg/m ³ |
| 631-61-8 | ammonium acetate | 250 mg/m ³ |
| 471-34-1 | calcium carbonate | 1,300 mg/m |
| 7757-79-1 | potassium nitrate | 600 mg/m ³ |
| 107 10 0 | sodium carbonate | 500 mg/m^3 |

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: ICP-MS Interference Check Solution A

| 7664-93-9 | sulphuric acid | (Contd. of page 4) $160 mg/m^3$ |
|-----------|------------------------------|---------------------------------|
| | magnesium nitrate | 2,000 mg/m ³ |
| 7722-76-1 | Ammonium dihydrogenphosphate | 1,100 mg/m ³ |
| 7439-89-6 | iron | 150 mg/m ³ |
| 7440-32-6 | titanium | $2,000 \text{ mg/m}^3$ |
| 7439-98-7 | molybdenum | $2,000 \text{ mg/m}^3$ |

7 Handling and storage

· Handling:

- Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

- PEL Long-term value: 5 mg/m³, 2 ppm
- REL Short-term value: 10 mg/m³, 4 ppm
- Long-term value: 5 mg/m³, 2 ppm
- *TLV* Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

• *Additional information:* The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 6)

⁻ US

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: ICP-MS Interference Check Solution A

Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Material of gloves
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Penetration time of glove material
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
Eye protection:

Tightly sealed goggles

| Information on basic physical and | chemical properties | |
|-------------------------------------|---|--|
| General Information | | |
| Appearance: | · | |
| Form: | Liquid | |
| Color: | Yellow | |
| Odor: | Characteristic | |
| Odor threshold: | Not determined. | |
| pH-value: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 100 °C (212 °F) | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |



Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: ICP-MS Interference Check Solution A

| | (Contd. of | f page |
|---------------------------------------|--|--------|
| Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) | |
| Density: | Not determined. | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Not miscible or difficult to mix. | |
| Partition coefficient (n-octanol/wate | e r): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: | | |
| Water: | 96.6 % | |
| VOC content: | 0.00 % | |
| | 0.0 g/l / 0.00 lb/gal | |
| Solids content: | 0.8 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- *Incompatible materials:* No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7664-39-3 Hydrofluoric acid

Oral LD50 1,276 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

(Contd. on page 8)

US

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: ICP-MS Interference Check Solution A

(Contd. of page 7)

1

Κ

Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7664-93-9 sulphuric acid

· NTP (National Toxicology Program)

7664-93-9 sulphuric acid

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA

UN3264

(Contd. on page 9)





Printing date 03/29/2019

IGH-PURITY

Reviewed on 03/29/2019

| | (Contd. of pag |
|--|---|
| UN proper shipping name | |
| DOT | Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid, Hydrog |
| | fluoride) |
| ADR | 3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric act |
| IMDG, IATA | Hydrogen fluoride) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITR |
| | ACID, HYDROGEN FLUORIDE) |
| Transport hazard class(es) | |
| DOT | |
| \wedge | |
| | |
| 8 | |
| | |
| Class Label | 8 Corrosive substances 8 |
| | 0 |
| ADR, IMDG, IATA | |
| | |
| | |
| 8 | |
| Class | 8 Corrosive substances |
| Label | 8 |
| Packing group | |
| DOT, ÅDR, ÎMDG, IATA | III |
| Environmental hazards: | Not applicable. |
| Special precautions for user | Warning: Corrosive substances |
| Danger code (Kemler): | 80 |
| EMS Number: | F-A,S-B |
| Segregation groups | Acids |
| Stowage Category Stowage Code | A SW2 Clear of living quarters. |
| - | |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 5 L |
| ~ | On cargo aircraft only: 60 L |
| ADR | |
| Excepted quantities (EQ) | Code: El |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: ICP-MS Interference Check Solution A

| | (Contd. of page 9) |
|---|--|
| · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| · UN "Model Regulation": | UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID, HYDROGEN FLUORIDE), 8, III |

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

| · Section 355 (extremely hazardous substances): |
|---|
| 7697-37-2 nitric acid |
| 7664-39-3 Hydrofluoric acid |
| 7664-93-9 sulphuric acid |
| · Section 313 (Specific toxic chemical listings): |
| 7697-37-2 nitric acid |
| 7664-39-3 Hydrofluoric acid |
| 7757-79-1 potassium nitrate |
| 7664-93-9 sulphuric acid |
| 7429-90-5 aluminium |
| · TSCA (Toxic Substances Control Act): |
| All ingredients are listed. |
| · Proposition 65 |
| · Chemicals known to cause cancer: |
| None of the ingredients is listed. |
| · Chemicals known to cause reproductive toxicity for females: |
| None of the ingredients is listed. |
| · Chemicals known to cause reproductive toxicity for males: |
| None of the ingredients is listed. |
| · Chemicals known to cause developmental toxicity: |
| None of the ingredients is listed. |
| · Carcinogenic categories |
| · EPA (Environmental Protection Agency) (Substances not listed) |
| 7697-37-2 nitric acid |
| 7664-39-3 Hydrofluoric acid |
| 12125-02-9 ammonium chloride |
| 471-34-1 calcium carbonate |
| 7757-79-1 potassium nitrate |
| (Contd. on page 11) |

– US

Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: ICP-MS Interference Check Solution A

| | (Contd. of p | age 10) |
|--------------|---|----------|
| 497-19-8 | sodium carbonate | |
| 7664-93-9 | sulphuric acid | |
| 10377-60-3 | magnesium nitrate | |
| 7722-76-1 | Ammonium dihydrogenphosphate | |
| 7439-89-6 | iron | |
| 7429-90-5 | aluminium | |
| 7440-32-6 | titanium | |
| 7439-98-7 | molybdenum | |
| 7732-18-5 | water, distilled, conductivity or of similar purity | |
| • TLV (Thres | hold Limit Value established by ACGIH) | |
| 7664-93-9 | sulphuric acid | A2 |
| 7429-90-5 | aluminium | A4 |
| 7439-98-7 | molybdenum | A3 |
| · NIOSH-Ca | (National Institute for Occupational Safety and Health) | <u> </u> |

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: nitric acid Hydrofluoric acid · Hazard statements H290 May be corrosive to metals. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. · Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. (Contd. on page 12)



Printing date 03/29/2019

Reviewed on 03/29/2019

Trade name: ICP-MS Interference Check Solution A

(Contd. of page 11)

Page 12/12

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Department issuing SDS:** Environment protection department.

· Contact:

High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906 · Date of preparation / last revision 03/29/2019 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation - Category 1A Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Printing date 08/08/2019

3H-P

Reviewed on 08/08/2019

1 Identification

- · Product identifier
- · Trade name: ICP-MS Interference Check
- · Article number: ICP-MS-ICS-AB

Details of the supplier of the safety data sheet
Manufacturer/Supplier: High-Purity Standards
Address PO Box 41727 Charleston, SC 29423 United States
Telephone +1-843-767-7900
Fax +1-843-767-7906
Website highpuritystandards.com
Email info@highpuritystandards.com

 Information department: Product safety department
 Emergency telephone number: INFOTRAC
 Emergency telephone numbers1-800-535-5053
 Other emergency telephone numbers 1-352-323-3500

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Met. Corr.1H290May be corrosive to metals.Skin Corr. 1AH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.

GHS07

Acute Tox. 4 H312 Harmful in contact with skin.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: nitric acid
Hydrofluoric acid
Hazard statements
H290 May be corrosive to metals.
H312 Harmful in contact with skin.

(Contd. on page 2)

[•] US

Printing date 08/08/2019

Reviewed on 08/08/2019

Trade name: ICP-MS Interference Check

(Contd. of page 1) H314 Causes severe skin burns and eye damage. · Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. *IF INHALED: Remove person to fresh air and keep comfortable for breathing.* If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3FIRE 0 Fire = 0Reactivity = 0REACTIVITY 0 • Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

| 7697-37-2 nitric acid | 2.0% |
|---|----------|
| 7664-39-3 Hydrofluoric acid | 0.49% |
| · Chemical identification of the substance/preparation | |
| 7732-18-5 water, distilled, conductivity or of similar purity | 96.648% |
| 12125-02-9 ammonium chloride | 0.36% |
| 631-61-8 ammonium acetate | 0.1% |
| 7722-76-1 Ammonium dihydrogenphosphate | 0.05002% |

Printing date 08/08/2019

Reviewed on 08/08/2019

Trade name: ICP-MS Interference Check

| | | (Contd. of page 2) |
|------------|-------------------------------|--------------------|
| | calcium carbonate | 0.05% |
| 497-19-8 | sodium carbonate | 0.05% |
| 7429-90-5 | aluminium | 0.05% |
| 7439-89-6 | iron | 0.05% |
| 7664-93-9 | sulphuric acid | 0.05% |
| 7757-79-1 | potassium nitrate | 0.05% |
| 13446-18-9 | magnesium nitrate hexahydrate | 0.05% |
| 7439-98-7 | molybdenum | 0.001% |
| 7440-32-6 | titanium | 0.001% |

4 First-aid measures

• Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• *After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.*

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

· Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- *Protective equipment: Mouth respiratory protective device.*

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Emironmental precautions: Do not allow to enter sewers/ surface or group
- $\cdot \textit{Environmental precautions:} Do not allow to enter sewers/surface or ground water.$

• Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

(Contd. on page 4)

US

US

Safety Data Sheet acc. to OSHA HCS

Printing date 08/08/2019

Trade name: ICP-MS Interference Check

Reviewed on 08/08/2019

| | (Contd. of page |
|--|--------------------------------|
| Reference to other sections See Section 7 for information on safe handling. | |
| See Section 7 for information on safe numering. See Section 8 for information on personal protection eq | nuipment. |
| See Section 13 for disposal information. | r |
| Protective Action Criteria for Chemicals | |
| PAC-1: | |
| 7697-37-2 nitric acid | 0.16 ppm |
| 7664-39-3 Hydrofluoric acid | 1.0 ppm |
| 12125-02-9 ammonium chloride | 20 mg/m ³ |
| 631-61-8 ammonium acetate | 3.8 mg/m ³ |
| 7722-76-1 Ammonium dihydrogenphosphate | 17 mg/m ³ |
| 471-34-1 calcium carbonate | $45 mg/m^3$ |
| 497-19-8 sodium carbonate | 7.6 mg/m ³ |
| 7439-89-6 iron | $3.2 mg/m^3$ |
| 7664-93-9 sulphuric acid | 0.20 mg/m ² |
| 7757-79-1 potassium nitrate | $9 mg/m^3$ |
| 13446-18-9 magnesium nitrate hexahydrate | 16 mg/m ³ |
| 7439-98-7 molybdenum | 30 mg/m ³ |
| 7440-32-6 titanium | 30 mg/m ³ |
| 7440-02-0 nickel | $4.5 mg/m^3$ |
| 7440-48-4 cobalt | 0.18 mg/m ⁻ |
| 6156-78-1 Manganese(II) acetate tetrahydrate | 13 mg/m ³ |
| 7440-22-4 silver | $0.3 mg/m^3$ |
| 7440-38-2 arsenic | 1.5 mg/m ³ |
| 7440-43-9 cadmium (non-pyrophoric) | 0.10 mg/m ² |
| 7440-47-3 chromium | 1.5 mg/m ³ |
| 7440-50-8 copper | 3 mg/m ³ |
| 7440-66-6 zinc | $6 mg/m^3$ |
| 7782-49-2 selenium | 0.6 mg/m ³ |
| <i>PAC-2:</i> | I |
| 7697-37-2 <i>nitric acid</i> | 24 ppm |
| 7664-39-3 Hydrofluoric acid | 24 ppm |
| 12125-02-9 ammonium chloride | $\frac{11}{54 \text{ mg/m}^3}$ |
| 631-61-8 ammonium acetate | $\frac{3}{42 \text{ mg/m}^3}$ |
| 7722-76-1 Ammonium dihydrogenphosphate | |
| 471-34-1 calcium carbonate | 210 mg/m ³ |
| 497-19-8 sodium carbonate | 83 mg/m ³ |
| 7439-89-6 iron | 35 mg/m ³ |
| 7664-93-9 sulphuric acid | 8.7 mg/m ³ |
| 7757-79-1 potassium nitrate | 100 mg/m ³ |
| 13446-18-9 magnesium nitrate hexahydrate | 180 mg/m ³ |



HIGH-PURITY STANDARDS

Safety Data Sheet acc. to OSHA HCS

Printing date 08/08/2019

Reviewed on 08/08/2019

Trade name: ICP-MS Interference Check

| 7439-98-7 | molybdenum | (Contd. of pag 330 mg/m |
|------------|------------------------------------|----------------------------|
| 7440-32-6 | • | 330 mg/m |
| 7440-02-0 | nickel | 50 mg/m ³ |
| 7440-48-4 | cobalt | $2 mg/m^3$ |
| 6156-78-1 | Manganese(II) acetate tetrahydrate | 22 mg/m ³ |
| 7440-22-4 | | 170 mg/m |
| 7440-38-2 | arsenic | 17 mg/m ³ |
| 7440-43-9 | cadmium (non-pyrophoric) | 0.76 mg/m |
| 7440-47-3 | chromium | 17 mg/m ³ |
| 7440-50-8 | copper | 33 mg/m ³ |
| 7440-66-6 | | 21 mg/m ³ |
| 7782-49-2 | selenium | 6.6 mg/m |
| PAC-3: | | |
| 7697-37-2 | nitric acid | 92 ppm |
| 7664-39-3 | Hydrofluoric acid | 44 ppm |
| | ammonium chloride | 330 mg/m ³ |
| 631-61-8 | ammonium acetate | 250 mg/m ³ |
| 7722-76-1 | Ammonium dihydrogenphosphate | 1,100 mg/n |
| 471-34-1 | calcium carbonate | 1,300 mg/n |
| 497-19-8 | sodium carbonate | 500 mg/m ³ |
| 7439-89-6 | iron | 150 mg/m ³ |
| 7664-93-9 | sulphuric acid | 160 mg/m ³ |
| 7757-79-1 | potassium nitrate | 600 mg/m ³ |
| 13446-18-9 | magnesium nitrate hexahydrate | 1,100 mg/r |
| 7439-98-7 | molybdenum | 2,000 mg/n |
| 7440-32-6 | titanium | 2,000 mg/r |
| 7440-02-0 | nickel | 99 mg/m ³ |
| 7440-48-4 | | 20 mg/m ³ |
| 6156-78-1 | Manganese(II) acetate tetrahydrate | 740 mg/m ³ |
| 7440-22-4 | silver | 990 mg/m ³ |
| 7440-38-2 | arsenic | 100 mg/m ³ |
| 7440-43-9 | cadmium (non-pyrophoric) | 4.7 mg/m ³ |
| 7440-47-3 | chromium | 99 mg/m ³ |
| 7440-50-8 | copper | 200 mg/m ³ |
| 7440-66-6 | zinc | 120 mg/m ³ |
| 7782-49-2 | selenium | 40 mg/m^3 |

(Contd. on page 6)

Printing date 08/08/2019

Reviewed on 08/08/2019

Trade name: ICP-MS Interference Check

(Contd. of page 5)

7 Handling and storage

- · Handling:
- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

| · Com | ponents with limit values that require monitoring at the workplace: |
|---------|---|
| 7697 | -37-2 nitric acid |
| PEL | Long-term value: 5 mg/m ³ , 2 ppm |
| REL | Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm |
| TLV | Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm |
| 7664 | -39-3 Hydrofluoric acid |
| PEL | Long-term value: 3 ppm as F |
| REL | Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm *15-min, as F |
| TLV | Long-term value: 0.41 mg/m ³ , 0.5 ppm Ceiling limit value: 1.64 mg/m ³ , 2 ppm as F; Skin, BEI |
| · Ingre | edients with biological limit values: |
| 7664 | -39-3 Hydrofluoric acid |
| | 3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Fluorides (background, nonspecific) |
| | 10 mg/g creatinine Medium: urine Time: end of shift Parameter: Fluorides (background, nonspecific) |
| | (Contd. on page 7) |

• Additional information: The lists that were valid during the creation were used as basis.

Printing date 08/08/2019

Reviewed on 08/08/2019

Trade name: ICP-MS Interference Check

(Contd. of page 6)

US

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- Breathing equipment:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties · Information on basic physical and chemical properties · General Information · Appearance: Form: Liquid Color: colorless Odor: Characteristic · Odor threshold: Not determined. Not determined. · *pH-value*: · Change in condition Melting point/Melting range: Undetermined. (Contd. on page 8)



Printing date 08/08/2019

Reviewed on 08/08/2019

Trade name: ICP-MS Interference Check

| | (Contd. of pa |
|--|--|
| Boiling point/Boiling range: | 100 °C (212 °F) |
| Flash point: | Not applicable. |
| Flammability (solid, gaseous): | Not applicable. |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Explosion limits: Lower: Upper: | Not determined. Not determined. |
| Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) |
| Density at 20 °C (68 °F): | 1.01447 g/cm³ (8.46575 lbs/gal) |
| Bulk density: Relative density Vapor density Evaporation rate | ~1,006-~1,009 kg/m³ Not determined. Not determined. Not determined. |
| Solubility in / Miscibility with Water: | Not miscible or difficult to mix. |
| Partition coefficient (n-octanol/wate | e r): Not determined. |
| Viscosity: Dynamic: Kinematic: | Not determined. Not determined. |
| Solvent content: | |
| Water: | 96.6 % |
| VOC content: | 0.00 % 0.0 g/l / 0.00 lb/gal |
| Solids content: | 0.8 % |
| Other information | No further relevant information available. |

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 9)

Printing date 08/08/2019

Reviewed on 08/08/2019

Trade name: ICP-MS Interference Check

GH-PURITY

(Contd. of page 8)

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7664-39-3 Hydrofluoric acid

Oral LD50 1,276 mg/kg (rat)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

· on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus

| Carcinogenic | 5 | |
|---------------|--|---|
| IARC (Intern | utional Agency for Research on Cancer) | |
| 7664-93-9 su | phuric acid | |
| 7440-02-0 nic | kel | |
| 7440-48-4 со | balt | |
| 7440-38-2 ar: | senic | |
| 7440-43-9 са | dmium (non-pyrophoric) | |
| 7440-47-3 ch | romium | |
| 7782-49-2 sei | enium | |
| NTP (Nationa | l Toxicology Program) | t |
| 7664-93-9 su | phuric acid | |
| 7440-02-0 nic | kel | |
| 7440-48-4 со | balt | |
| 7440-38-2 ar: | senic | |
| 7440-43-9 са | dmium (non-pyrophoric) | |
| OSHA-Ca (Od | cupational Safety & Health Administration) | |
| 7440-38-2 ar: | senic | |
| 7440-43-9 са | dmium (non-pyrophoric) | |

12 Ecological information

· Toxicity

· Aquatic toxicity: No further relevant information available.

· Persistence and degradability No further relevant information available.

(Contd. on page 10)

Printing date 08/08/2019

Reviewed on 08/08/2019

Trade name: ICP-MS Interference Check

HIGH-PURIT

(Contd. of page 9)

- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.

| UN-Number DOT, ADR, IMDG, IATA | UN3264 |
|-----------------------------------|--|
| UN proper shipping name | |
| DOT | Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) |
| ADR | 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (NITRIC ACID) |
| IMDG, IATA | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRI ACID) |
| Transport hazard class(es) | |
| CORROSVE 8 | |
| Class | 8 Corrosive substances |
| Label | 8 |
| ADR, IMDG, IATA | |
| • | |



Printing date 08/08/2019

Reviewed on 08/08/2019

Trade name: ICP-MS Interference Check

| | (Contd. of page 1 |
|--|--|
| Label | 8 |
| Packing group | |
| DOT, ĂĎR, ÎMDG, IATA | III |
| Environmental hazards: | Not applicable. |
| Special precautions for user | Warning: Corrosive substances |
| Danger code (Kemler): | 80 |
| EMS Number: | F- A , S - B |
| Segregation groups | Acids |
| Stowage Category | A |
| Stowage Code | SW2 Clear of living quarters. |
| Transport in bulk according to Annex | II of |
| MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 5 L |
| | On cargo aircraft only: 60 L |
| ADR | |
| Excepted quantities (EQ) | Code: El |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| IMDG | |
| Limited quantities (LQ) | 5L |
| Excepted quantities $(\widetilde{E}Q)$ | Code: El |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 1000 ml |
| UN "Model Regulation": | UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S |
| ~ | (NITRIC ACID), 8, III |

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

| · Section 355 | 5 (extremely hazardous substances): |
|---------------|---------------------------------------|
| 7697-37-2 | nitric acid |
| 7664-39-3 | Hydrofluoric acid |
| 7664-93-9 | sulphuric acid |
| · Section 313 | 3 (Specific toxic chemical listings): |
| 7697-37-2 | nitric acid |
| | Hydrofluoric acid |
| 7429-90-5 | aluminium |
| | sulphuric acid |
| 7757-79-1 | potassium nitrate |
| | (Contd. on page 12) |
| | -08 |

Printing date 08/08/2019

Reviewed on 08/08/2019

Trade name: ICP-MS Interference Check

H-PURITY ANDARDS

| | | (Contd. of page |
|-------------|---|-----------------|
| | magnesium nitrate hexahydrate | |
| 7440-02-0 | | |
| 7440-48-4 | | |
| 7440-22-4 | | |
| 7440-38-2 | | |
| 7440-43-9 | cadmium (non-pyrophoric) | |
| 7440-47-3 | chromium | |
| 7440-50-8 | copper | |
| 7440-66-6 | zinc | |
| 7782-49-2 | selenium | |
| TSCA (Tox | ic Substances Control Act): | |
| 7732-18-5 | water, distilled, conductivity or of similar purity | ACTIV |
| 7697-37-2 | nitric acid | ACTIV |
| 7664-39-3 | Hydrofluoric acid | ACTIV |
| 12125-02-9 | ammonium chloride | ACTIV |
| 631-61-8 | ammonium acetate | ACTIV |
| 7722-76-1 | Ammonium dihydrogenphosphate | ACTIV |
| 471-34-1 | calcium carbonate | ACTIV |
| 497-19-8 | sodium carbonate | ACTIV |
| 7429-90-5 | aluminium | ACTIV |
| 7439-89-6 | iron | ACTIV |
| 7664-93-9 | sulphuric acid | ACTIV |
| 7757-79-1 | potassium nitrate | ACTIV |
| 7439-98-7 | molybdenum | ACTIV |
| 7440-32-6 | titanium | ACTIV |
| 7440-02-0 | nickel | ACTIV |
| 7440-48-4 | cobalt | ACTIV |
| 7440-22-4 | silver | ACTIV |
| 7440-38-2 | arsenic | ACTIV |
| 7440-43-9 | cadmium (non-pyrophoric) | ACTIV |
| 7440-47-3 | chromium | ACTIV |
| 7440-50-8 | copper | ACTIV |
| 7440-66-6 | zinc | ACTIV |
| 7782-49-2 | selenium | ACTIV |
| Hazardous. | Air Pollutants | |
| - | Hydrofluoric acid | |
| 7440-48-4 | | |
| Proposition | | |
| - | known to cause cancer: | |
| 7440-02-0 | nickel | |
| | | (Contd. on page |

Printing date 08/08/2019

Reviewed on 08/08/2019

Trade name: ICP-MS Interference Check

H-PURITY ANDARDS

| 7440-48-4 co | shalt | (Contd. of page |
|------------------------------|--|-----------------|
| 7440-48-4 Co 7440-38-2 ai | | |
| | senic udmium (non-pyrophoric) | |
| | | |
| | nown to cause reproductive toxicity for females: | |
| • | gredients is listed. | |
| | nown to cause reproductive toxicity for males: | |
| 7440-43-9 са | udmium (non-pyrophoric) | |
| Chemicals kr | nown to cause developmental toxicity: | |
| 7440-43-9 са | ıdmium (non-pyrophoric) | |
| Carcinogenia | categories | |
| - | nmental Protection Agency) | |
| , | nmonium acetate | D |
| 7440-22-4 si | | D |
| 7440-38-2 at | senic | A |
| 7440-43-9 са | ıdmium (non-pyrophoric) | B1 |
| 7440-47-3 cl | nromium | D |
| 7440-50-8 со | pper | D |
| 7440-66-6 zi | nc | D, I, I |
| 7782-49-2 se | lenium | D |
| TLV (Thresh | old Limit Value established by ACGIH) | _ |
| 7429-90-5 al | uminium | A |
| 7664-93-9 sı | Iphuric acid | A |
| 7439-98-7 m | olybdenum | A |
| 7440-02-0 m | ckel | A |
| 7440-48-4 со | obalt | A |
| 7440-38-2 ai | | A |
| | udmium (non-pyrophoric) | A |
| 7440-47-3 cl | aromium | A |
| NIOSH-Ca (| National Institute for Occupational Safety and Health) | |
| 7440-02-0 m | ckel | |
| 7440-38-2 ai | rsenic | |
| 7440-43-9 60 | ıdmium (non-pyrophoric) | |

· Hazard pictograms



· Signal word Danger

(Contd. on page 14) US

Printing date 08/08/2019

Reviewed on 08/08/2019

Trade name: ICP-MS Interference Check (Contd. of page 13) · Hazard-determining components of labeling: nitric acid *Hydrofluoric acid* · Hazard statements H290 May be corrosive to metals. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. · Precautionary statements *Keep only in original container.* Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact:

High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906 · Date of preparation / last revision 08/08/2019 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

(Contd. on page 15)

LD50: Lethal dose, 50 percent

Printing date 08/08/2019

Reviewed on 08/08/2019

Trade name: ICP-MS Interference Check

(Contd. of page 14)

US

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Met. Corr. 1: Corrosive to metals – Category 1 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1

