

Page 1/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/22/2020 Reviewed on 05/22/2020

### 1 Identification

· Product identifier

Trade name: <u>PE Tuning Solution 3</u>

· Article number: ICP-MS-TS-14

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

High-Purity Standards

7221 Investment Drive, North Charleston, SC 29418 United States

Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com

Email: info@highpuritystandards.com

· Information department: Product safety department

· Emergency telephone number:

**INFOTRAC** 

Emergency telephone numbers 1-800-535-5053 Other emergency telephone numbers 1-352-323-3500

## 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 0 Health = 0FIRE 0 Fire = 0REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

US



Page 2/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/22/2020 Reviewed on 05/22/2020

Trade name: PE Tuning Solution 3

(Contd. of page 1)

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components: Void

· Chemical id	lentification of the substance/preparation	
7732-18-5	water, distilled, conductivity or of similar purity	99.5%
7697-37-2	nitric acid	0.5%
513-77-9	barium carbonate	0.000001%
543-81-7	beryllium acetate	0.0000001%
1306-38-3	cerium dioxide	0.0000001%
7440-48-4	cobalt	0.0000001%
7439-89-6	iron	0.0000001%
7440-74-6	indium	0.0000001%
7439-95-4	magnesium	0.0000001%
7439-92-1	lead	0.0000001%
1314-20-1	thorium dioxide	0.0000001%
10102-06-4	Uranyl nitrate	0.0000001%

### 4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)





Printing date 05/22/2020 Reviewed on 05/22/2020

Trade name: PE Tuning Solution 3

(Contd. of page 2)

- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

7697-37-2	nitric acid	0.16 ppm
513-77-9	barium carbonate	$2.2 \text{ mg/m}^{2}$
1306-38-3	cerium dioxide	$3 mg/m^3$
1314-20-1	thorium dioxide	$30 \text{ mg/m}^3$
7439-89-6	iron	3.2 mg/m <sup>-</sup>
7439-92-1	lead	0.15 mg/n
7439-95-4	magnesium	18 mg/m³
7440-48-4	cobalt	0.18 mg/n
7440-74-6	indium	0.3 mg/m
10102-06-4	Uranyl nitrate	0.99 mg/r
PAC-2:		,
7697-37-2	nitric acid	24 ppm
513-77-9	barium carbonate	270 mg/n
1306-38-3	cerium dioxide	33 mg/m
1314-20-1	thorium dioxide	330 mg/r
7439-89-6	iron	35 mg/m
7439-92-1	lead	120 mg/r
7439-95-4	magnesium	200 mg/r
7440-48-4	cobalt	$2 mg/m^3$
7440-74-6	indium	3.3 mg/m
10102-06-4	Uranyl nitrate	5.5 mg/m
PAC-3:		,
7697-37-2	nitric acid	92 ppm
513-77-9	barium carbonate	1,600 mg/n





Printing date 05/22/2020 Reviewed on 05/22/2020

#### Trade name: PE Tuning Solution 3

		(Contd. of page 3)
	cerium dioxide	$200 \text{ mg/m}^3$
1314-20-1	thorium dioxide	$2,000 \text{ mg/m}^3$
7439-89-6	iron	150 mg/m³
7439-92-1		700 mg/m³
	magnesium	$1,200 \text{ mg/m}^3$
7440-48-4	cobalt	20 mg/m³
7440-74-6		20 mg/m³
10102-06-4	Uranyl nitrate	33 mg/m³

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)





Printing date 05/22/2020 Reviewed on 05/22/2020

Trade name: PE Tuning Solution 3

(Contd. of page 4)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

	T
Information on basic physical and c	chemical properties
General Information	
Appearance: Form:	Liquid
Color:	colorless
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.00252 g/cm³ (8.36603 lbs/gal)
Bulk density:	$1,003 \text{ kg/m}^3$
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	e <b>r):</b> Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.

(Contd. on page 6)





Printing date 05/22/2020 Reviewed on 05/22/2020

Trade name: PE Tuning Solution 3

	(Contd. of pag	ge 5
· Solvent content: Water: VOC content:	99.5 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content: Other information	0.0 % No further relevant information available.	

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (Inte	ernational Agency for Research on Cancer)	
543-81-7	beryllium acetate	1
7439-92-1	lead	2B
7440-48-4	cobalt	2B
· NTP (Nati	onal Toxicology Program)	
	beryllium acetate	K
1314-20-1	thorium dioxide	K
7439-92-1	lead	R
7440-48-4	cobalt	R
	(Contd. on p	age 7)



Page 7/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/22/2020 Reviewed on 05/22/2020

Trade name: PE Tuning Solution 3

(Contd. of page 6)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not hazardous for water.
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

## 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

### 14 Transport information

I J	
· UN-Number · DOT, ADR, IMDG, IATA	not regulated
· UN proper shipping name · DOT, ADR, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, ADR, IMDG, IATA	not regulated
· Environmental hazards:	Not applicable.

(Contd. on page 8)





Reviewed on 05/22/2020 Printing date 05/22/2020

Trade name: PE Tuning Solution 3

543-81-7 beryllium acetate

		(Contd. of page 7)
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex II MARPOL73/78 and the IBC Code	<b>of</b> Not applicable.	
· UN "Model Regulation":	not regulated	

· Safety, heal · Sara	th and environmental regulations/legislation specific for the substan	ice or mixture
~ ***	(extremely hazardous substances):	
7697-37-2	nitric acid	
Section 313	(Specific toxic chemical listings):	
7697-37-2	• • •	
513-77-9 l	parium carbonate	
543-81-7 l	peryllium acetate	
1314-20-1 1	horium dioxide	
7439-92-1 l	ead	
7440-48-4	obalt	
TSCA (Toxi	c Substances Control Act):	
7732-18-5	water, distilled, conductivity or of similar purity	ACTI
7697-37-2	nitric acid	ACTI
513-77-9	barium carbonate	ACTI
1306-38-3	cerium dioxide	ACTI
1314-20-1	thorium dioxide	ACTI
7439-89-6	iron	ACTI
7439-92-1		ACTI
	magnesium	ACTI
7440-48-4		ACTI
7440-74-6		ACTI
10102-06-4	Uranyl nitrate	ACTI
	Air Pollutants	

· Chemicals known to cause cancer: (Contd. on page 9)



Page 9/10



Safety Data Sheet acc. to OSHA HCS

Reviewed on 05/22/2020 Printing date 05/22/2020

Trade name: PE Tuning Solution 3

1214 20 1	.1 . 11			(Contd. of p	age
	thorium dioxide				
7439-92-1	lead				
7440-48-4	cobalt				
- Chemicals	s known to cause reprodu	active toxicity for femal	les:		
7439-92-1	lead				
· Chemicals	s known to cause reprodu	uctive toxicity for males	s:		
7439-92-1	lead				
· Chemicals	s known to cause develop	omental toxicity:			
7439-92-1	lead				
Canaina					
· Carcinoge	enic categories				
_	ironmental Protection Ag	gency)			
· EPA (Env	•	gency)		D, CBD(inh), NL(o	ora
• <b>EPA (Env</b> 513-77-9	ironmental Protection Ag	gency)		D, CBD(inh), NL(d	ra
• <b>EPA (Env</b> 513-77-9	ironmental Protection Ag barium carbonate cerium dioxide	gency)		, , , , ,	ra
513-77-9 1306-38-3 7439-92-1	ironmental Protection Ag barium carbonate cerium dioxide			II	ra
EPA (Env 513-77-9 1306-38-3 7439-92-1 TLV (Three	ironmental Protection Ag barium carbonate cerium dioxide lead			II	)ra
EPA (Env 513-77-9 1306-38-3 7439-92-1 TLV (Three	ironmental Protection As barium carbonate cerium dioxide lead eshold Limit Value establ			II	P.
513-77-9 1306-38-3 7439-92-1 • TLV (Three 513-77-9	ironmental Protection As barium carbonate cerium dioxide lead eshold Limit Value estable barium carbonate lead			II	A
513-77-9 1306-38-3 7439-92-1 • TLV (Three 513-77-9 7439-92-1 7440-48-4	ironmental Protection As barium carbonate cerium dioxide lead eshold Limit Value estable barium carbonate lead	lished by ACGIH)	nd Health)	II	A
513-77-9 1306-38-3 7439-92-1 • TLV (Thra 513-77-9 7439-92-1 7440-48-4 • NIOSH-C	ironmental Protection Ag barium carbonate cerium dioxide lead eshold Limit Value establ barium carbonate lead cobalt	lished by ACGIH)	nd Health)	II	

- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906

- · Date of preparation / last revision 05/22/2020 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 10)



Page 10/10

# Safety Data Sheet acc. to OSHA HCS

Printing date 05/22/2020 Reviewed on 05/22/2020

Trade name: PE Tuning Solution 3

(Contd. of page 9)

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

US ·