

Printing date 07/19/2022

Reviewed on 07/19/2022

Page 1/12

1 Identification	
· Product identifier	
Trade name: <u>ICP-MS-TS-17</u>	
· Article number: ICP-MS-TS-17	
 Details of the supplier of the safety data sheet Manufacturer/Supplier: <u>High-Purity Standards</u> 7221 Investment Drive, North Charleston, SC 29418 United Stat Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com Email: info@highpuritystandards.com 	'es
 Information department: Product safety department Emergency telephone number: INFOTRAC Emergency telephone numbers1-800-535-5053 Other emergency telephone numbers 1-352-323-3500 	

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Met. Corr.1H290 May be corrosive to metals.Skin Corr. 1AH314 Causes severe skin burns and eye damage.Eye Dam.1H318 Causes serious eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• *Hazard-determining components of labeling: nitric acid*

• *Hazard statements* H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.

• **Precautionary statements** Keep only in original container.

(Contd. on page 2)



Printing date 07/19/2022

Trade name: ICP-MS-TS-17

(Contd. of page 1) Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. *IF INHALED: Remove person to fresh air and keep comfortable for breathing.* If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. *Immediately call a poison center/doctor.* Specific treatment (see on this label). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3FIRE 0 Fire = 0**REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:	
7697-37-2 nitric acid	2.0%
· Chemical identification of the substance/preparation	
7732-18-5 water, distilled, conductivity or of similar purity	97.994%
554-13-2 lithium carbonate	0.001%
1314-36-9 yttrium oxide	0.001%
7439-95-4 magnesium	0.001%
7440-28-0 thallium	0.001%
	(Contd. on page 3)

Page 2/12

Reviewed on 07/19/2022



Page 3/12

Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2022

Reviewed on 07/19/2022

Trade name: ICP-MS-TS-17

		(Contd. of page 2)
7440-45-1	cerium	0.001%
7440-48-4	cobalt	0.001%

4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- *Protective equipment: Mouth respiratory protective device.*

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: No special measures required.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
 Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
 Reference to other sections See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:

7697-37-2 nitric acid

0.16 ppm

(Contd. on page 4)



Printing date 07/19/2022

Reviewed on 07/19/2022

Trade name: ICP-MS-TS-17

554-13-2 lithium carbonate	(Contd. of page 3.1 mg/m ³
1314-36-9 yttrium oxide	3.8 mg/m ³
7439-95-4 magnesium	18 mg/m ³
7440-28-0 thallium	0.06 mg/m
7440-45-1 cerium	30 mg/m ³
7440-48-4 cobalt	0.18 mg/m
PAC-2:	
7697-37-2 nitric acid	24 ppm
554-13-2 lithium carbonate	34 mg/m ³
1314-36-9 yttrium oxide	43 mg/m ³
7439-95-4 magnesium	200 mg/m
7440-28-0 thallium	3.3 mg/m
7440-45-1 cerium	330 mg/m
7440-48-4 cobalt	2 mg/m ³
PAC-3:	
7697-37-2 nitric acid	92 ppm
554-13-2 lithium carbonate	210 mg/m ³
1314-36-9 yttrium oxide	260 mg/m ³
7439-95-4 magnesium	1,200 mg/m
7440-28-0 thallium	20 mg/m ³
7440-45-1 cerium	2,000 mg/m
7440-48-4 cobalt	20 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Specific end use(s) No further relevant information available.*

(Contd. on page 5)

US

Page 4/12



Printing date 07/19/2022

Trade name: ICP-MS-TS-17

Reviewed on 07/19/2022

(Contd. of page 4)

Page 5/12

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

- REL Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
- *TLV* Short-term value: 4 ppm Long-term value: 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes. Avoid contact with the eyes and skin.
- · Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US



Printing date 07/19/2022

Reviewed on 07/19/2022

Trade name: ICP-MS-TS-17

• Eye protection:

Tig

Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and c General Information		
Appearance:		
Form:	Liquid	
Color:	According to product specification	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density at 20 °C (68 °F):	1.01036 g/cm ³ (8.43145 lbs/gal)	
· Bulk density:	1,010 kg/m³	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	

Page 6/12

(Contd. of page 5)

US



Printing date 07/19/2022

Reviewed on 07/19/2022

Trade name: ICP-MS-TS-17

		(Contd. of page 6)
Kinematic:	Not determined.	
· Solvent content:		
Water:	98.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7440-48-4 cobalt	28
· NTP (National Toxicology Program)	
7440-48-4 cobalt	R
	(Contd. on page 8)
	US -



Page 8/12

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2022

Reviewed on 07/19/2022

Trade name: ICP-MS-TS-17

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:

Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
	(NITRIC ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRI
	ACID)



Printing date 07/19/2022

Trade name: ICP-MS-TS-17

Reviewed on 07/19/2022

		(Contd. of pag
Transport hazard class(es)		
DOT		
CORROSIVE		
8		
Class	8 Corrosive substances	
Label	8	
ADR		
8		
Class	8 (C1) Corrosive substances	
Label	8	
IMDG, IATA		
No and Anna		
Class Label	8 Corrosive substances 8	
	0	
Packing group DOT, ADR, IMDG, IATA	III	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Corrosive substances	
Hazard identification number (Kemler code): EMS Number:	80 E 4 S B	
LMS Number: Segregation groups	F-A,S-B Acids	
Stowage Category	A	
Stowage Code	SW2 Clear of living quarters.	
Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 5 L	
	On cargo aircraft only: 60 L	

Page 9/12



Page 10/12

Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2022

Reviewed on 07/19/2022

Trade name: ICP-MS-TS-17

	(Contd. of page 9)
ADR Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

7697-37-2 nitric acid

· Section 313 (Specific toxic chemical listings):

7697-37-2 nitric acid

554-13-2 lithium carbonate

7440-28-0 thallium

7440-48-4 cobalt

• **TSCA (Toxic Substances Control Act):** All components have the value ACTIVE.

· Hazardous Air Pollutants

7440-48-4 cobalt

Proposition 65

• Chemicals known to cause cancer:

7440-48-4 cobalt

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

554-13-2 lithium carbonate

(Contd. on page 11)

US



Page 11/12

Safety Data Sheet acc. to OSHA HCS

Printing date 07/19/2022

Reviewed on 07/19/2022

Trade name: ICP-MS-TS-17

(Contd. of page 10)

AЗ

• Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value)

7440-48-4 cobalt

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: nitric acid · Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. · Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. *IF INHALED: Remove person to fresh air and keep comfortable for breathing.* If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

chemical sujely Assessment has not been carried but.

(Contd. on page 12)



Printing date 07/19/2022

Reviewed on 07/19/2022

Trade name: ICP-MS-TS-17

(Contd. of page 11)

Page 12/12

	mation is based on our present knowledge. However, this shall not constitute a guarantee for a oduct features and shall not establish a legally valid contractual relationship.
Departme	nt issuing SDS: Environment protection department.
Contact:	
High-Puri	ty Standards
Tel: 843-7	
Fax: $843-7$	••••••
1 0000 0 10 1	
	eparation / last revision 07/19/2022 / -
	ons and acronyms:
	l relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the Internation
	Dangerous Goods by Road)
	national Maritime Code for Dangerous Goods partment of Transportation
	ational Air Transport Association
	ropean Inventory of Existing Commercial Chemical Substances
	opean List of Notified Chemical Substances
	al Abstracts Service (division of the American Chemical Society)
	al Fire Protection Association (USA)
	dous Materials Identification System (USA)
VOC: Volatil	e Organic Compounds (USA, ÉU)
PBT: Persist	ent, Bioaccumulative and Toxic
	ersistent and very Bioaccumulative
	onal Institute for Occupational Safety
	pational Safety & Health
	old Limit Value
	sible Exposure Limit
	nended Exposure Limit
	Corrosive to metals – Category 1
	1: Skin corrosion/irritation – Category 1A Serious eve damage/eye irritation – Category 1
Eye Dum. 1.	serious eye uumugereye irritution – Cutegory i