

Printing date 07/13/2021

Reviewed on 07/13/2021

Page 1/14

٦

Proauct ta	lentifier
	ne: ICP-WS-1
	 mber: ICP-WS-1
Manufacta High-Purit 7221 Inves Telephone Fax: +1-8 highpurity.	the supplier of the safety data sheet wer/Supplier: ty <u>Standards</u> tment Drive, North Charleston, SC 29418 United States : +1-843-767-7900 43-767-7906 standards.com @Aighpuritystandards.com
<b>Emergenc</b> INFOTRA	on department: Product safety department y telephone number: C y telephone numbers1-800-535-5053
	rgency telephone numbers 1-352-323-3500
111/	s) identification
CiussijiCui	ion of the substance or mixture
LE	GHS05 Corrosion
Met. Corr.	GHS05 Corrosion 1 H290 May be corrosive to metals.
Met. Corr. Skin Corr.	GHS05 Corrosion 1 H290 May be corrosive to metals. 1A H314 Causes severe skin burns and eye damage.
Met. Corr. Skin Corr. Eye Dam.	GHS05 Corrosion 1 H290 May be corrosive to metals.
Met. Corr. Skin Corr. Eye Dam.	GHS05 Corrosion 1 H290 May be corrosive to metals. 1A H314 Causes severe skin burns and eye damage. 1 H318 Causes serious eye damage.
Met. Corr. Skin Corr. Eye Dam. Acute Tox.	<ul> <li>GHS05 Corrosion</li> <li>1 H290 May be corrosive to metals.</li> <li>1A H314 Causes severe skin burns and eye damage.</li> <li>1 H318 Causes serious eye damage.</li> <li>GHS07</li> </ul>
Met. Corr. Skin Corr. Eye Dam. Que Tox. Acute Tox. Acute Tox. Label elem	<ul> <li>GHS05 Corrosion</li> <li>1 H290 May be corrosive to metals.</li> <li>1A H314 Causes severe skin burns and eye damage.</li> <li>1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>4 H302 Harmful if swallowed.</li> <li>4 H312 Harmful in contact with skin.</li> </ul>
Met. Corr. Skin Corr. Eye Dam. Que Tox. Acute Tox. Acute Tox. Label elem GHS label	<ul> <li>GHS05 Corrosion</li> <li>1 H290 May be corrosive to metals.</li> <li>1A H314 Causes severe skin burns and eye damage.</li> <li>1 H318 Causes serious eye damage.</li> <li>GHS07</li> <li>4 H302 Harmful if swallowed.</li> <li>4 H312 Harmful in contact with skin.</li> </ul>



Printing date 07/13/2021

#### Trade name: ICP-WS-1

(Contd. of page 1) · Hazard-determining components of labeling: nitric acid hydrofluoric acid · Hazard statements H290 *May be corrosive to metals.* H302+H312 Harmful if swallowed or in contact with skin. *H314* Causes severe skin burns and eye damage. · Precautionary statements Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. *Immediately call a poison center/doctor.* Specific treatment (see on this label). Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) *Health* = 3Fire = 0*Reactivity* = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3FIRE 0 Fire = 0**REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

Page 2/14

Reviewed on 07/13/2021

(Contd. on page 3)



Printing date 07/13/2021

Trade name: ICP-WS-1

Reviewed on 07/13/2021

(Contd. of page 2)

Composition/information on ingredients Chemical characterization: Mixtures		
-	<i>n: Mixture of the substances listed below with nonhazardous additions.</i>	
7697-37-2	•	2.0%
7664-39-3	hydrofluoric acid	0.49%
Chemical i	dentification of the substance/preparation	
		97.499%
7429-90-5	aluminium	0.001%
7439-89-6	iron	0.001%
7439-92-1	lead	0.001%
7439-98-7	molybdenum	0.001%
7440-28-0	thallium	0.001%
7440-31-5	tin	0.001%
7440-32-6	titanium	0.001%
7440-36-0	antimony	0.001%
7440-38-2	arsenic	0.001%
7440-66-6	zinc	0.001%
7782-49-2	selenium	0.001%
543-81-7	beryllium acetate	0.0001%
7440-22-4	silver	0.0001%

### 4 First-aid measures

- Description of first aid measures
- General information:
- Immediately remove any clothing soiled by the product.
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Immediately call a doctor.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- *Most important symptoms and effects, both acute and delayed* No further relevant information available.

(Contd. on page 4)

Page 3/14



*Printing date 07/13/2021* 

Reviewed on 07/13/2021

Trade name: ICP-WS-1

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.* 

### 5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

### 6 Accidental release measures

	recautions, protective equipment and emergency procedures	
1	iratory protective device.	
	ctive equipment. Keep unprotected persons away.	
	ntal precautions: No special measures required.	
	nd material for containment and cleaning up: h liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).	
	lizing agent.	
	ntaminated material as waste according to item 13.	
	quate ventilation.	
	to other sections	
	7 for information on safe handling.	
	8 for information on personal protection equipment.	
	13 for disposal information.	
· Protective	Action Criteria for Chemicals	
· PAC-1:		
7697-37-2	nitric acid	0.16 ppm
7439-89-6	iron	$3.2 mg/m^3$
7439-92-1	lead	0.15 mg/m <sup>3</sup>
7439-98-7	molybdenum	30 mg/m <sup>3</sup>
7440-28-0	thallium	0.06 mg/m <sup>3</sup>
7440-31-5	tin	6 mg/m <sup>3</sup>
7440-32-6	titanium	30 mg/m <sup>3</sup>
7440-36-0	antimony	1.5 mg/m <sup>3</sup>
7440-38-2	arsenic	1.5 mg/m <sup>3</sup>
7440-66-6	zinc	6 mg/m <sup>3</sup>
7782-49-2	selenium	0.6 mg/m <sup>3</sup>
7440-22-4	silver	0.3 mg/m <sup>3</sup>
7440-22-4	silver	

(Contd. of page 3)

Page 4/14

– ÚS



Printing date 07/13/2021

Reviewed on 07/13/2021

Page 5/14

		(Contd. of page 4)
· PAC-2:		
7697-37-2	nitric acid	24 ppm
7439-89-6	iron	35 mg/m <sup>3</sup>
7439-92-1	lead	120 mg/m <sup>3</sup>
7439-98-7	molybdenum	330 mg/m <sup>3</sup>
7440-28-0	thallium	3.3 mg/m <sup>3</sup>
7440-31-5	tin	67 mg/m <sup>3</sup>
7440-32-6	titanium	330 mg/m <sup>3</sup>
7440-36-0	antimony	13 mg/m <sup>3</sup>
7440-38-2	arsenic	17 mg/m <sup>3</sup>
7440-66-6	zinc	21 mg/m <sup>3</sup>
7782-49-2	selenium	$6.6 \ mg/m^3$
7440-22-4	silver	170 mg/m <sup>3</sup>
· PAC-3:		· · ·
7697-37-2	nitric acid	92 ppm
7439-89-6	iron	150 mg/m <sup>3</sup>
7439-92-1	lead	$700 mg/m^3$
7439-98-7	molybdenum	2,000 mg/m <sup>3</sup>
7440-28-0	thallium	20 mg/m <sup>3</sup>
7440-31-5	tin	400 mg/m <sup>3</sup>
7440-32-6	titanium	2,000 mg/m <sup>3</sup>
7440-36-0	antimony	80 mg/m <sup>3</sup>
7440-38-2	arsenic	100 mg/m <sup>3</sup>
7440-66-6	zinc	120 mg/m <sup>3</sup>
7782-49-2	selenium	40 mg/m <sup>3</sup>
7440-22-4	silver	990 mg/m <sup>3</sup>

# 7 Handling and storage

#### · Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

(Contd. on page 6)

US



Printing date 07/13/2021

Trade name: ICP-WS-1

• *Specific end use(s) No further relevant information available.* 

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

Control parameters	Control	parameters
--------------------	---------	------------

	-		
$\cdot$ Components with limit values that require monitoring at the workplace:			
7697	-37-2 nitric acid		
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm		
REL	Short-term value: 10 mg/m³, 4 ppm		

Long-term value: 5 mg/m<sup>3</sup>, 2 ppm TLV Short-term value: 10 mg/m<sup>3</sup>, 4 ppm Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

### 7664-39-3 hydrofluoric acid

- PEL Long-term value: 3 ppm as F
- REL Long-term value: 2.5 mg/m<sup>3</sup>, 3 ppm Ceiling limit value: 5\* mg/m<sup>3</sup>, 6\* ppm \*15-min, as F
- *TLV* Long-term value: 0.41 mg/m<sup>3</sup>, 0.5 ppm Ceiling limit value: 1.64 mg/m<sup>3</sup>, 2 ppm as F; Skin; BEI

#### · Ingredients with biological limit values:

#### 7664-39-3 hydrofluoric acid

BEI 3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Flourides (background)
10 mg/g creatinine Medium: urine Time: end of shift

Parameter: Flourides (background)

• Additional information: The lists that were valid during the creation were used as basis.

• Exposure controls

· Personal protective equipment:

• General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Page 6/14

Reviewed on 07/13/2021

(Contd. of page 5)

(Contd. on page 7)

Avoid contact with the eyes.



Printing date 07/13/2021

Reviewed on 07/13/2021

(Contd. of page 6)

#### Trade name: ICP-WS-1

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and General Information Appearance:	chemical properties	
Form:	Liquid	
Color:	colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range:	Undetermined. 100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	



Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: ICP-WS-1

	(Contd. of page
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density:	Not determined.
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
Water:	97.5 %
VOC content:	0.00 %
	0.0 g/l / 0.00 lb/gal
Solids content:	0.0 %
Other information	No further relevant information available.

### 10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

## **11 Toxicological information**

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.

(Contd. on page 9)

Page 8/14

US



Printing date 07/13/2021

Reviewed on 07/13/2021

#### Trade name: ICP-WS-1

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

#### · Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
7439-92-1	lead	2B
7440-38-2	arsenic	1
7782-49-2	selenium	3
543-81-7	beryllium acetate	1
· NTP (Nati	onal Toxicology Program)	
7439-92-1	lead	R
7440-38-2	arsenic	K
543-81-7	beryllium acetate	K
· OSHA-Ca	OSHA-Ca (Occupational Safety & Health Administration)	
7440-38-2 arsenic		

# **12 Ecological information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

• General notes: Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

(Contd. on page 10)

Page 9/14

(Contd. of page 8)



*Printing date 07/13/2021* 

Reviewed on 07/13/2021

Trade name: ICP-WS-1

(Contd. of page 9)

# **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Hydrofluoric aci
ADR	Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O., (HYDROFLUORIC ACID, NITRIC ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O., (HYDROFLUORIC ACID, NITRIC ACID)
Transport hazard class(es)	
DOT	
CORROSIVE 8	
Class Label	8 Corrosive substances 8
ADR	
8	
Class	8 (C1) Corrosive substances
Label	8
IMDG, IATA	
Class	8 Corrosive substances

Page 10/14



Page 11/14

# Safety Data Sheet acc. to OSHA HCS

*Printing date 07/13/2021* 

Reviewed on 07/13/2021

Trade name: ICP-WS-1

	(Contd. of page 10
Label	8
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler code). EMS Number: Segregation groups Stowage Category Stowage Code	Warning: Corrosive substances 80 F-A,S-B Acids A SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L
ADR Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S (HYDROFLUORIC ACID, NITRIC ACID), 8, III

# **15 Regulatory information**

 $\cdot$  Safety, health and environmental regulations/legislation specific for the substance or mixture  $\cdot$  Sara

	5 (extremely hazardous substances):			
7697-37-2	nitric acid			
· Section 313 (Specific toxic chemical listings):				
	nitric acid			
	aluminium			
7439-92-1				
7440-28-0	thallium			
	(Contd. on page 12)			

US



Page 12/14

# Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Trade name: ICP-WS-1

Reviewed on 07/13/2021

7440-36-0	antimony	(Contd. of page
7440-38-2		
7440-66-6		
7782-49-2	selenium	
543-81-7	beryllium acetate	
7440-22-4	-	
TSCA (To	xic Substances Control Act):	
,	water, distilled, conductivity or of similar purity	ACTIV
	nitric acid	ACTIV
7429-90-5	aluminium	ACTIV
7439-89-6	iron	ACTIV
7439-92-1	lead	ACTIV
7439-98-7	molybdenum	ACTIV
7440-28-0	· · · · · · · · · · · · · · · · · · ·	ACTIV
7440-31-5	tin	ACTIV
7440-32-6	titanium	ACTIV
7440-36-0	antimony	ACTIV
7440-38-2	arsenic	ACTIV
7440-66-6	zinc	ACTIV
7782-49-2	selenium	ACTIV
7440-22-4	silver	ACTIV
Hazardous	s Air Pollutants	
7439-92-1	lead	
Propositio	n 65	
Chemicals	known to cause cancer:	
7439-92-1		
7440-38-2	arsenic	
543-81-7	beryllium acetate	
Chemicals	known to cause reproductive toxicity for females:	
7439-92-1	lead	
Chemicals	known to cause reproductive toxicity for males:	
7439-92-1		
Chemicals	known to cause developmental toxicity:	
7439-92-1		
Carcinoge	nic categories	
-	ironmental Protection Agency)	
7439-92-1	lead	B2



Page 13/14

# Safety Data Sheet acc. to OSHA HCS

*Printing date 07/13/2021* 

Reviewed on 07/13/2021

Trade name: ICP-WS-1

		(Contd. of page 12
7440-38-2	arsenic	A
7440-66-6	zinc	D, I, II
7782-49-2	selenium	D
7440-22-4	silver	D
· TLV (Thre	eshold Limit Value established by ACGIH)	
7429-90-5	aluminium	A4
7439-92-1	lead	A3
7439-98-7	molybdenum	A3
7440-38-2	arsenic	Al
· NIOSH-C	a (National Institute for Occupational Safety and Health)	·
7440-38-2	arsenic	
512 01 7	homelium gostato	

543-81-7 beryllium acetate

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms* 



· Signal word Danger

· Hazard-determining components of labeling:	
nitric acid	
hydrofluoric acid	
· Hazard statements	
H290 May be corrosive to metals.	
H302+H312 Harmful if swallowed or in contact with skin.	
H314 Causes severe skin burns and eye damage.	
· Precautionary statements	
Keep only in original container.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Do not eat, drink or smoke when using this product.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If swallowed: Call a poison center/doctor if you feel unwell.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.	
Continue rinsing.	
Immediately call a poison center/doctor.	
Specific treatment (see on this label).	
Take off contaminated clothing and wash it before reuse.	

(Contd. on page 14)

US



Printing date 07/13/2021

Reviewed on 07/13/2021

(Contd. of page 13)

Page 14/14

#### Trade name: ICP-WS-1

Wash contaminated clothing before reuse. Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

#### · Contact: High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906 · Date of preparation / last revision 07/13/2021 / -· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity - Category 4 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1