

Safety Data Sheet acc. to OSHA HCS

Printing date 01/04/2021

Reviewed on 01/04/2021

1 Identification

- **Product identifier**
- **Trade name:** Potassium 1000 µg/g in Mineral Oil
- **Article number:** KKOMS
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
High-Purity Standards
7221 Investment Drive, North Charleston, SC 29418 United States
Telephone: +1-843-767-7900
Fax: +1-843-767-7906
highpuritystandards.com
Email: info@highpuritystandards.com
- **Information department:** Product safety department
- **Emergency telephone number:**
INFOTRAC
Emergency telephone numbers 1-800-535-5053
Other emergency telephone numbers 1-352-323-3500

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS08

- **Signal word** Danger
- **Hazard-determining components of labeling:**
White mineral oil, petroleum
- **Hazard statements**
H304 May be fatal if swallowed and enters airways.
- **Precautionary statements**
If swallowed: Immediately call a poison center/doctor.
Do NOT induce vomiting.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/04/2021

Reviewed on 01/04/2021

Trade name: Potassium 1000 µg/g in Mineral Oil

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	0	Health = 0
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

8042-47-5	White mineral oil, petroleum	99.9%
· Chemical identification of the substance/preparation		
7440-09-7	potassium	0.1%

4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/04/2021

Reviewed on 01/04/2021

Trade name: Potassium 1000 µg/g in Mineral Oil

(Contd. of page 2)

- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to item 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

7440-09-7	potassium	2.3 mg/m ³
-----------	-----------	-----------------------

· **PAC-2:**

7440-09-7	potassium	25 mg/m ³
-----------	-----------	----------------------

· **PAC-3:**

7440-09-7	potassium	150 mg/m ³
-----------	-----------	-----------------------

7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/04/2021

Reviewed on 01/04/2021

Trade name: Potassium 1000 µg/g in Mineral Oil

(Contd. of page 3)

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** *The lists that were valid during the creation were used as basis.*
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
*Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.*
- **Breathing equipment:** *Not required.*
- **Protection of hands:**
*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** *Goggles recommended during refilling.*

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Liquid
Color:	colorless
Odor:	Characteristic
Odor threshold:	Not determined.
- **pH-value:** Not determined.
- **Change in condition**

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
- **Flash point:** >112 °C (>233.6 °F)
- **Flammability (solid, gaseous):** Not applicable.
- **Decomposition temperature:** Not determined.

(Contd. on page 5)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/04/2021

Reviewed on 01/04/2021

Trade name: Potassium 1000 µg/g in Mineral Oil

(Contd. of page 4)

· Auto igniting:	<i>Product is not selfigniting.</i>
· Danger of explosion:	<i>Product does not present an explosion hazard.</i>
· Explosion limits: Lower: Upper:	<i>Not determined.</i> <i>Not determined.</i>
· Vapor pressure:	<i>Not determined.</i>
· Density: · Relative density · Vapor density · Evaporation rate	<i>Not determined.</i> <i>Not determined.</i> <i>Not determined.</i> <i>Not determined.</i>
· Solubility in / Miscibility with Water:	<i>Fully miscible.</i>
· Partition coefficient (n-octanol/water):	<i>Not determined.</i>
· Viscosity: Dynamic: Kinematic:	<i>Not determined.</i> <i>Not determined.</i>
· Solvent content: VOC content:	<i>0.00 %</i> <i>0.0 g/l / 0.00 lb/gal</i>
· Solids content: · Other information	<i>0.1 %</i> <i>No further relevant information available.</i>

10 Stability and reactivity

- **Reactivity** *No further relevant information available.*
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** *No decomposition if used according to specifications.*
- **Possibility of hazardous reactions** *No dangerous reactions known.*
- **Conditions to avoid** *No further relevant information available.*
- **Incompatible materials:** *No further relevant information available.*
- **Hazardous decomposition products:** *No dangerous decomposition products known.*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** *No irritant effect.*
- **on the eye:** *No irritating effect.*

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/04/2021

Reviewed on 01/04/2021

Trade name: Potassium 1000 µg/g in Mineral Oil

(Contd. of page 5)

- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
The product shows the following dangers according to internally approved calculation methods for preparations:
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

US
(Contd. on page 7)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/04/2021

Reviewed on 01/04/2021

Trade name: Potassium 1000 µg/g in Mineral Oil

(Contd. of page 6)

14 Transport information

· UN-Number · DOT, ADR, IMDG, IATA	<i>not regulated</i>
· UN proper shipping name · DOT, ADR, IMDG, IATA	<i>not regulated</i>
· Transport hazard class(es) · DOT, ADR, ADN, IMDG, IATA · Class	<i>not regulated</i>
· Packing group · DOT, ADR, IMDG, IATA	<i>not regulated</i>
· Environmental hazards:	<i>Not applicable.</i>
· Special precautions for user	<i>Not applicable.</i>
· Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	<i>Not applicable.</i>
· UN "Model Regulation":	<i>not regulated</i>

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara
· Section 355 (extremely hazardous substances): <i>None of the ingredients is listed.</i>
· Section 313 (Specific toxic chemical listings): <i>None of the ingredients is listed.</i>
· TSCA (Toxic Substances Control Act): <i>All components have the value ACTIVE.</i>
· Hazardous Air Pollutants <i>None of the ingredients is listed.</i>
· Proposition 65
· Chemicals known to cause cancer: <i>None of the ingredients is listed.</i>
· Chemicals known to cause reproductive toxicity for females: <i>None of the ingredients is listed.</i>
· Chemicals known to cause reproductive toxicity for males: <i>None of the ingredients is listed.</i>

(Contd. on page 8)

Safety Data Sheet

acc. to OSHA HCS

Printing date 01/04/2021

Reviewed on 01/04/2021

Trade name: Potassium 1000 µg/g in Mineral Oil

(Contd. of page 7)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories**· EPA (Environmental Protection Agency)**

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).**· Hazard pictograms**

GHS08

· Signal word Danger**· Hazard-determining components of labeling:**

White mineral oil, petroleum

· Hazard statements

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

If swallowed: Immediately call a poison center/doctor.

Do NOT induce vomiting.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.**· Contact:**

High-Purity Standards

Tel: 843-767-7900

Fax: 843-767-7906

· Date of preparation / last revision 01/04/2021 / -**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 9)

Safety Data Sheet
acc. to OSHA HCS

Printing date 01/04/2021

Reviewed on 01/04/2021

Trade name: Potassium 1000 µg/g in Mineral Oil

(Contd. of page 8)

IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Asp. Tox. 1: Aspiration hazard – Category 1

US