

Printing date 06/19/2020

Reviewed on 06/19/2020

Page 1/18

Emergency telephone number: INFOTRAC Emergency telephone numbers 1-352-323-3500Hazard(s) identificationClassification of the substance or mixture $$ GHS08 Health hazardResp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Carc. IB H350 May cause cancer. Repr. 1A H360 May damage fertility or the unborn child. $$ GHS05 CorrosionMet. Corr. 1 H290 May be corrosive to metals. Skin Corr. 1 H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. $$ GHS07Skin Sens. 1 H317 May cause an allergic skin reaction.Label elements	Product identifier Trade name: Quality Control Standard 23 Article number: QCS-23 Details of the supplier of the safety data sheet Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com	
Trade name: Quality Control Standard 23 Article number: QCS-23 Details of the supplier of the safety data sheet Munufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Next: +1-843-767-7906 highpuritystandards.com Email: info@highpuritystandards.com Information department: Product safety department Emergency telephone numbers INFORAC Emergency telephone numbers 1-352-323-3500 Hacard(s) identification Classification of the substance or mixture $\widetilde{v_{v}}$ GHS08 Health hazard Rep: 1 H 334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. $\operatorname{Carc. IB}$ H350 May cause cancer. Rep: 1 A H360 May damage fertility or the unborn child. $\widetilde{v_v}$ GHS05 Corrosion Met. Corr. I H290 May be corrosive to metals. Skin Corr. I H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Eye Dam. 1 H318 Causes and allergic skin reaction.	Trade name: Quality Control Standard 23 Article number: QCS-23 Details of the supplier of the safety data sheet Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com	
Article number: QCS-23 Details of the supplier of the safety data sheet Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com Email: info@highpuritystandards.com Information department: Product safety department Emergency telephone number: INFORAC Emergency telephone numbers 1-352-323-3500 Hazard(s) identification Classification of the substance or mixture $_{OO}$ GHS08 Health hazard Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. $Carc. 18$ H350 May cause cancer. Rep: 1A H360 May damage fertility or the unborn child. $_{OO}$ GHS05 Corrosion Met. Corr. 1 H290 May be corrosive to metals. Skin Sens. 1 H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Eye Dam. 1 H318 Causes and allergic skin reaction. Label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	Article number: QCS-23 Details of the supplier of the safety data sheet Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com	
Details of the supplier of the safety data sheet Manufacturer/Supplier: High-Purity Standards 221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Fax: +1-843-767 Fax: +1-843-767 Formation department: Product safety department Emergency telephone numbers: 1-352-323-3500 Hazard(s) identification Classification of the substance or mixture (a) (a) GHS08 Health hazard Resp. Sens. 1 H350 May	Details of the supplier of the safety data sheet Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com	
Manufacturer/Supplie: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Fax: +1-843-767-7900 Feregency telephone numbers Forthome numbers Forthome numbers INFOTRAC Emergency telephone numbers Instructure Image: Component numbers Image: Component numbers GHS08 Health hazard Resp. Sens. 1 H360 May damage fertility or the unborn child. Image: Component Hass GHS05 Corrosion Met. Corr. 1 <td>Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com</td> <td></td>	Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com	
Emergency telephone numbers 1-800-535-5053 Other emergency telephone numbers 1-352-323-3500 Hazard(s) identification Classification of the substance or mixture Image: GHS08 Health hazard Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Carc. 1B H350 May cause cancer. Repr. 1A H360 May damage fertility or the unborn child. Image: GHS05 Corrosion Met. Corr. 1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	Email: injownignpuritystanaaras.com	
INFOTRAC Emergency telephone numbers I-800-535-5053 Other emergency telephone numbers I-352-323-3500 Hazard(s) identification Classification of the substance or mixture of GHS08 Health hazard Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Carc. 1B H350 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Carc. 1B H350 May cause cancer. Repr. 1A H360 May damage fertility or the unborn child. of GHS05 Corrosion Met. Corr. 1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS05 I be followed to the product is classified and labeled according to the Globally Harmonized System (GHS).		
Emergency telephone numbers 1-800-535-5053 Other emergency telephone numbers 1-352-323-3500 Hazard(s) identification Classification of the substance or mixture		
Hazard(s) identification Classification of the substance or mixture OF Classification of the substance or mixture of the substance or mixture OF Classification of the substance or mixture of the substance of the substance or mixture of the substance o	Emergency telephone numbers1-800-535-5053	
Classification of the substance or mixture GHS08 Health hazard Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Carc. 1B H350 May cause cancer. Repr. 1A H360 May damage fertility or the unborn child.	<i>Other emergency telephone numbers</i> 1-352-323-3500	
Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. Carc. 1B H350 May cause cancer. Repr. 1A H360 May damage fertility or the unborn child. Image: GHS05 Corrosion Met. Corr. 1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements The product is classified and labeled according to the Globally Harmonized System (GHS).		
Carc. 1B H350 May cause cancer. Repr. 1A H360 May damage fertility or the unborn child.		
Repr. 1A H360 May damage fertility or the unborn child.		s if inhaled.
Wet. Corr.1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements The product is classified and labeled according to the Globally Harmonized System (GHS).		
Met. Corr.1 H290 May be corrosive to metals. Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam.1 H318 Causes serious eye damage. Skin Sens.1 H317 May cause an allergic skin reaction. Label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	<i>Repr. 1A</i> H360 May damage fertility or the unborn child.	
Skin Corr. 1A H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	GHS05 Corrosion	
Eye Dam. 1 H318 Causes serious eye damage. Image: GHS07 GHS07 Skin Sens. 1 H317 May cause an allergic skin reaction. Label elements GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	Met. Corr.1 H290 May be corrosive to metals.	
<i>GHS07</i> <i>Skin Sens. 1</i> H317 May cause an allergic skin reaction. <i>Label elements</i> <i>GHS label elements</i> The product is classified and labeled according to the Globally Harmonized System (GHS).	Skin Corr. 1A H314 Causes severe skin burns and eye damage.	
<i>Skin Sens. 1</i> H317 May cause an allergic skin reaction. <i>Label elements</i> <i>GHS label elements</i> The product is classified and labeled according to the Globally Harmonized System (GHS).	Eye Dam. 1 H318 Causes serious eye damage.	
• Label elements • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	GHS07	
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	Skin Sens. 1 H317 May cause an allergic skin reaction.	
	Label elements	
	GHS label elements The product is classified and labeled according to the Globally	



Printing date 06/19/2020

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

(Contd. of page 1) · Hazard pictograms GHS05 GHS08 · Signal word Danger · Hazard-determining components of labeling: nitric acid cadmium lead cobalt nickel · Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H350 May cause cancer. H360 May damage fertility or the unborn child. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 3)

Page 2/18

US



Printing date 06/19/2020

Reviewed on 06/19/2020

(Contd. of page 2)

Trade name: Quality Control Standard 23

Classification system: NFPA ratings (scale 0 - 4)

 $\begin{array}{c} \mathbf{0} \\ \mathbf{3} \\ \mathbf{0} \\ \mathbf{0} \end{array} \begin{array}{c} Health = 3 \\ Fire = 0 \\ Reactivity = 0 \end{array}$

· HMIS-ratings (scale 0 - 4)

HEALTH*3Health = *3FIRE0Fire = 0REACTIVITY0Reactivity = 0

• Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• **Description:** Mixture of the substances listed below with nonhazardous additions.

Dangerous	components:	
7697-37-2	nitric acid	5.0%
7439-92-1	lead	0.1%
7440-02-0	nickel	0.1%
7440-28-0	thallium	0.19
7440-43-9	cadmium	0.19
7440-48-4	cobalt	0.19
10043-35-3	boric acid	0.19
Chemical id	entification of the substance/preparation	· · · ·
7732-18-5	water, distilled, conductivity or of similar purity	92.79
471-34-1	calcium carbonate	0.1%
497-19-8	sodium carbonate	0.1%
513-77-9	barium carbonate	0.1%
554-13-2	lithium carbonate	0.1%
6156-78-1	Manganese(II) acetate tetrahydrate	0.1%
7429-90-5	aluminium	0.1%
7439-89-6	iron	0.1%
7439-95-4	magnesium	0.1%
7440-22-4	silver	0.1%
7440-47-3	chromium	0.1%
		(Contd. on page

Page 3/18



Page 4/18

Safety Data Sheet acc. to OSHA HCS

Printing date 06/19/2020

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

	(Contd.	of page 3)
7440-50-8		0.1%
7440-55-3		0.1%
7440-66-6		0.1%
7440-69-9	bismuth	0.1%
7440-74-6		0.1%
	potassium nitrate	0.1%
10042-76-9	strontium nitrate	0.1%
L		

4 First-aid measures

· Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

• After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

• Information for doctor:

• *Most important symptoms and effects, both acute and delayed* No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.

• Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures
Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
• Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 5)

[•] Extinguishing media

[•] Advice for firefighters

US



Printing date 06/19/2020

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

Use neutralizing agent.	(Contd. of page
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
Reference to other sections	
See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.	
See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	
Protective Action Criteria for Chemicals	
PAC-1:	
7697-37-2 nitric acid	0.16 ppn
471-34-1 calcium carbonate	45 mg/m
497-19-8 sodium carbonate	7.6 mg/m
513-77-9 barium carbonate	2.2 mg/m
554-13-2 lithium carbonate	3.1 mg/m
6156-78-1 Manganese(II) acetate tetrahydrate	13 mg/m
7439-89-6 iron	3.2 mg/m
7439-92-1 lead	0.15 mg/
7439-95-4 magnesium	18 mg/m
7440-02-0 nickel	4.5 mg/m
7440-22-4 silver	0.3 mg/m
7440-28-0 thallium	0.06 mg/
7440-43-9 cadmium	0.10 mg/
7440-47-3 chromium	1.5 mg/m
7440-48-4 cobalt	0.18 mg/
7440-50-8 copper	3 mg/m ³
7440-55-3 gallium	30 mg/m
7440-66-6 zinc	6 mg/m ³
7440-69-9 bismuth	15 mg/m
7440-74-6 indium	0.3 mg/m
7757-79-1 potassium nitrate	9 mg/m ³
10042-76-9 strontium nitrate	5.7 mg/m
10043-35-3 boric acid	6 mg/m ³
<i>PAC-2:</i>	L
7697-37-2 nitric acid	24 ppm
471-34-1 calcium carbonate	210 mg/r
497-19-8 sodium carbonate	83 mg/m
513-77-9 barium carbonate	270 mg/r
554-13-2 lithium carbonate	34 mg/m
6156-78-1 Manganese(II) acetate tetrahydrate	22 mg/m

Page 5/18



Page 6/18

Safety Data Sheet acc. to OSHA HCS

Printing date 06/19/2020

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

7439-89-6	inon	(Contd. of page
		35 mg/m ³
7439-92-1		120 mg/m
	magnesium	200 mg/m
7440-02-0		50 mg/m ³
7440-22-4		170 mg/m
7440-28-0		3.3 mg/m ³
7440-43-9		0.76 mg/m
7440-47-3		17 mg/m ³
7440-48-4		$2 mg/m^3$
7440-50-8		33 mg/m ³
7440-55-3	0	330 mg/m
7440-66-6		21 mg/m ³
7440-69-9		170 mg/m
7440-74-6		3.3 mg/m ³
	potassium nitrate	100 mg/m
	strontium nitrate	62 mg/m ³
10043-35-3	boric acid	23 mg/m ³
PAC-3:		
7697-37-2	nitric acid	92 ppm
471-34-1	calcium carbonate	1,300 mg/m
497-19-8	sodium carbonate	500 mg/m ³
513-77-9	barium carbonate	1,600 mg/m
554-13-2	lithium carbonate	210 mg/m ³
6156-78-1	Manganese(II) acetate tetrahydrate	740 mg/m ³
7439-89-6	iron	150 mg/m ³
7439-92-1	lead	700 mg/m ³
7439-95-4	magnesium	1,200 mg/m
7440-02-0	nickel	99 mg/m ³
7440-22-4	silver	990 mg/m ³
7440-28-0	thallium	20 mg/m^3
7440-43-9	cadmium	$4.7 mg/m^3$
7440-47-3		99 mg/m ³
7440-48-4	cobalt	20 mg/m^3
7440-50-8		200 mg/m ³
7440-55-3	* *	2,000 mg/m
7440-66-6	5	120 mg/m ³
7440-69-9		990 mg/m ³
		(Contd. on pag



Printing date 06/19/2020

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

		(Contd. of page 6)
7440-74-6	indium	20 mg/m ³
7757-79-1	potassium nitrate	600 mg/m ³
10042-76-9	strontium nitrate	370 mg/m ³
10043-35-3	boric acid	830 mg/m ³

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.
- Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

7697	-37-2 nitric acid
PEL	Long-term value: 5 mg/m ³ , 2 ppm
REL	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5 mg/m³, 2 ppm
TLV	Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm
7440	-02-0 nickel
PEL	Long-term value: 1 mg/m ³
REL	Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A
TLV	Long-term value: 1.5* mg/m ³ elemental, *inhalable fraction
	(Contd. on page 8)

Page 7/18



Printing date 06/19/2020

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

		(Contd. of pag
	43-9 cadmium	
	Long-term value: 0.005 mg/m³ as Cd; see 29 CFR 1910.1027	
REL	See Pocket Guide App. A	
	Long-term value: 0.01 0.002* mg/m³ as Cd; *respirable fraction; BEI	
7440-	48-4 cobalt	
	Long-term value: 0.1* mg/m³ as Co; *for metal dust and fume	
	Long-term value: 0.05 mg/m³ as Co; metal dust & fume	
	Long-term value: 0.02* mg/m³ *inh. fraction; DSEN, RSEN, BEI	
10043	3-35-3 boric acid	
	Short-term value: 6* mg/m³ Long-term value: 2* mg/m³ *as inhalable fraction	
· Ingre	dients with biological limit values:	
•	43-9 cadmium	
1 1	5 µg/g creatinine Medium: urine Fime: not critical Parameter: Cadmium (background)	
1 1	5 μg/L Medium: blood Fime: not critical Parameter: Cadmium (background)	
	48-4 cobalt	
	15 µg/L	
1 1	Medium: urine Time: end of shift at end of workweek Parameter: Cobalt (background)	
1	μg/L Medium: blood	
1	Time: end of shift at end of workweek Parameter: Cobalt (background, semi-quantitative)	
· Addit	ional information: The lists that were valid during the creation were used as basis.	
· Perso	sure controls nal protective equipment: ral protective and hygienic measures:	
	away from foodstuffs, beverages and feed.	
		(Contd. on page

US

Page 8/18



Printing date 06/19/2020

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Store protective clothing separately. Avoid contact with the eyes. Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties · General Information		
· Appearance:		
Form:	Liquid	
Color:	Purple	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	83 °C (181.4 °F)	
		(Contd. on page 10)

Page 9/18

(Contd. of page 8)

US



Page 10/18

Safety Data Sheet acc. to OSHA HCS

Printing date 06/19/2020

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

		(Contd. of page
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.137 g/cm³ (9.48827 lbs/gal)	
Bulk density:	1,105 kg/m ³	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	92.7 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	2.3 %	
Other information	No further relevant information available.	

10 Stability and reactivity

• *Reactivity* No further relevant information available.

- · Possibility of hazardous reactions No dangerous reactions known.
- *Conditions to avoid* No further relevant information available.
- \cdot Incompatible materials: No further relevant information available.
- Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 11)

US

[·] Chemical stability

[•] Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.



Printing date 06/19/2020

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

(Contd. of page 10)

Page 11/18

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7440-43-9 cadmium

Oral LD50 225 mg/kg (rat)

7440-48-4 cobalt

Oral LD50 6,170 mg/kg (rat)

10043-35-3 boric acid

Oral LD50 2,660 mg/kg (rat)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

• on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (Inte	rnational Agency for Research on Cancer)	
7439-92-1	lead	2B
7440-02-0	nickel	2B
7440-43-9	cadmium	1
7440-47-3	chromium	3
7440-48-4	cobalt	2B
· NTP (Natio	onal Toxicology Program)	
7439-92-1	lead	R
7440-02-0	nickel	R
7440-43-9	cadmium	K
7440-48-4	cobalt	R
	(Contd. on pa	ige 12)



Page 12/18

Safety Data Sheet acc. to OSHA HCS

Printing date 06/19/2020

Reviewed on 06/19/2020

(Contd. of page 11)

Trade name: Quality Control Standard 23

· OSHA-Ca (Occupational Safety & Health Administration)

7440-43-9 cadmium

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

· UN-Number · DOT, ADR, IMDG, IATA	UN3264
· UN proper shipping name	
$\cdot DOT$	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
· ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S
	(NITRIC ACID)
· IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC
	ACID)



Printing date 06/19/2020

Trade name: Quality Control Standard 23

Reviewed on 06/19/2020

		(Contd. of page
Transport hazard class(es)		
DOT		
$\hat{\wedge}$		
corrosive 8		
Class Label	8 Corrosive substances 8	
	0	
ADR		
P3		
Class	8 (C1) Corrosive substances	
Label	8	
IMDG, IATA		
Class	8 Corrosive substances	
Label	8	
Packing group		
DOT, ADR, IMDG, IATA	III	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Corrosive substances	
Hazard identification number (Kemler code		
EMS Number:	F-A,S-B	
Segregation groups Stowage Category	Acids A	
Stowage Code	SW2 Clear of living quarters.	
Transport in bulk according to Annex II of		
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 5 L	
2·····	On cargo aircraft only: 60 L	
	_ • •	(Contd. on page

Page 13/18



Printing date 06/19/2020

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

(Contd. of pa	
· ADR · Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

7697-37-2 nitric acid		
Section 313 (Specific toxic chem	nical listings):	
7697-37-2 nitric acid		
513-77-9 barium carbonate		
554-13-2 lithium carbonate		
7429-90-5 aluminium		
7439-92-1 lead		
7440-02-0 nickel		
7440-22-4 silver		
7440-28-0 thallium		
7440-43-9 cadmium		
7440-47-3 chromium		
7440-48-4 cobalt		
7440-50-8 copper		
7440-66-6 zinc		
7757-79-1 potassium nitrate		
10042-76-9 strontium nitrate		
TSCA (Toxic Substances Contr	ol Act):	
7732-18-5 water, distilled, con	ductivity or of similar purity	ACTIV
7697-37-2 nitric acid		ACTIV
471-34-1 calcium carbonate		ACTIV

Page 14/18



Page 15/18

Safety Data Sheet acc. to OSHA HCS

Printing date 06/19/2020

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

		(Contd. of page
	sodium carbonate	ACTIV
	barium carbonate	ACTIV
554-13-2	lithium carbonate	ACTIV
7429-90-5	aluminium	ACTIV
7439-89-6	iron	ACTIV
7439-92-1	lead	ACTIV
	magnesium	ACTIV
7440-02-0	nickel	ACTIV
7440-22-4	silver	ACTIV
7440-28-0	thallium	ACTIV
7440-43-9	cadmium	ACTIV
7440-47-3	chromium	ACTIV
7440-48-4	cobalt	ACTIV
7440-50-8		ACTIV
7440-55-3	gallium	ACTIV
7440-66-6	zinc	ACTIV
7440-69-9	bismuth	ACTIV
7440-74-6	indium	ACTIV
7757-79-1	potassium nitrate	ACTIV
10042-76-9	strontium nitrate	ACTIV
10043-35-3	boric acid	ACTIV
Hazardous	Air Pollutants	
7439-92-1	lead	
7440-48-4	cobalt	
Proposition	65	
Chemicals I	known to cause cancer:	
7439-92-1	lead	
7440-02-0	nickel	
7440-43-9	cadmium	
7440-48-4	cobalt	
Chemicals I	known to cause reproductive toxicity for females:	
7439-92-1		
Chemicals I	known to cause reproductive toxicity for males:	
7439-92-1		
7440-43-9	cadmium	
Chemicals I	known to cause developmental toxicity:	
554-13-2	lithium carbonate	
		(Contd. on page



Page 16/18

Safety Data Sheet acc. to OSHA HCS

Printing date 06/19/2020

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

7439-92-1	lead	(Contd. of page 1
7440-43-9		
/440-43-9	caamium	
Carcinogen	nic categories	
EPA (Envi	ronmental Protection Agency)	
513-77-9	barium carbonate	D, CBD(inh), NL(oral)
7439-92-1	lead	<i>B2</i>
7440-22-4	silver	D
7440-43-9	cadmium	B1
7440-47-3	chromium	D
7440-50-8	copper	D
7440-66-6	zinc	D, I, II
10043-35-3	boric acid	I (oral)
TLV (Three	shold Limit Value established by ACGIH)	
513-77-9	barium carbonate	A
7429-90-5	aluminium	A4
7439-92-1	lead	A
7440-02-0	nickel	A
7440-43-9	cadmium	Až
7440-47-3	chromium	A
7440-48-4	cobalt	A
10043-35-3	boric acid	A4
NIOSH-Ca	(National Institute for Occupational Safety and H	lealth)
7440-02-0	nickel	
	cadmium	

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• Hazard-determining components of labeling: nitric acid cadmium lead cobalt nickel

(Contd. on page 17)

____US



Printing date 06/19/2020

Page 17/18

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

	(Contd. of page 1
Hazard statements	
H290 May be corrosive to metals.	
H314 Causes severe skin burns and eye damage.	
H334 May cause allergy or asthma symptoms or breathing difficulties if inhale	ed.
H317 May cause an allergic skin reaction.	
H350 May cause cancer.	
H360 May damage fertility or the unborn child.	
Precautionary statements	
Obtain special instructions before use.	
Do not handle until all safety precautions have been read and understood.	
Keep only in original container.	
Do not breathe dusts or mists.	
Wash thoroughly after handling.	
Contaminated work clothing must not be allowed out of the workplace.	
Wear protective gloves/protective clothing/eye protection/face protection.	
[In case of inadequate ventilation] wear respiratory protection.	
If swallowed: Rinse mouth. Do NOT induce vomiting.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin	n with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	•
If in eyes: Rinse cautiously with water for several minutes. Remove contac	ct lenses, if present and easy to a
Continue rinsing.	
Immediately call a poison center/doctor.	
IF exposed or concerned: Get medical advice/attention.	
Specific treatment (see on this label).	
If skin irritation or rash occurs: Get medical advice/attention.	
<i>If experiencing respiratory symptoms: Call a poison center/doctor.</i>	
Wash contaminated clothing before reuse.	
Absorb spillage to prevent material damage.	
Store locked up.	
Store in corrosive resistant container with a resistant inner liner.	
Dispose of contents/container in accordance with local/regional/national/inter	rnational regulations.
National regulations:	
Information about limitation of use:	
Workers are not allowed to be exposed to the hazardous carcinogenic mate	rials contained in this preparation
<i>Exceptions can be made by the authorities in certain cases.</i>	······································
Chemical safety assessment: A Chemical Safety Assessment has not been carr	ind out

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

• Contact: High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906

(Contd. on page 18)

US



Printing date 06/19/2020

Reviewed on 06/19/2020

Trade name: Quality Control Standard 23

	(Contd. of page
Date of preparation / last revision 06/19/2020 / -	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (Europea	an Agreement concerning the Internation
Carriage of Dangerous Goods by Road)	0 0
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Met. Corr.1: Corrosive to metals – Category 1	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Carc. 1B: Carcinogenicity – Category 1B	
<i>Repr. 1A: Reproductive toxicity – Category 1A</i>	

Page 18/18