

Page 1/11

Safety Data Sheet acc. to OSHA HCS

Printing date 05/23/2020

Reviewed on 05/23/2020

| Product identifier Trade name: 5% Hydrochloric Act | d Daagant Blank | |
|--|--------------------------------|--|
| Article number: RB-HCL-5 | a Keugent Diank | |
| Details of the supplier of the safety Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Char Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com Email: info@highpuritystandards.co | leston, SC 29418 United States | |
| Information department: Product Emergency telephone number: INFOTRAC Emergency telephone numbers1-80 Other emergency telephone number | 0-535-5053 | |

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1AH314Causes severe skin burns and eye damage.Eye Dam. 1H318Causes serious eye damage.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



· Signal word Danger

• *Hazard-determining components of labeling: hydrochloric acid*

· Hazard statements

H314 Causes severe skin burns and eye damage.

• Precautionary statements

Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting.

(Contd. on page 2)

US



Printing date 05/23/2020

Reviewed on 05/23/2020

Trade name: 5% Hydrochloric Acid Reagent Blank

(Contd. of page 1) If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) *Health* = 3 Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH Health = *3FIRE Fire = 00 **REACTIVITY O** Reactivity = 0• Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable.

· **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

• Dangerous components:

7647-01-0 hydrochloric acid

Chemical identification of the substance/preparation

7732-18-5 water, distilled, conductivity or of similar purity

4 First-aid measures

· Description of first aid measures

• *General information: Immediately remove any clothing soiled by the product.*

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

US

5.0%

95.0%



Printing date 05/23/2020

Reviewed on 05/23/2020

(Contd. of page 2)

Trade name: 5% Hydrochloric Acid Reagent Blank

· Information for doctor:

- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- *Protective equipment: Mouth respiratory protective device.*

6 Accidental release measures

| · Personal precautions, protective equipment and emergency procedures | |
|--|---------|
| Mount respiratory protective device. | |
| Wear protective equipment. Keep unprotected persons away. | |
| • Environmental precautions: | |
| Dilute with plenty of water. | |
| Do not allow to enter sewers/ surface or ground water. | |
| · Methods and material for containment and cleaning up: | |
| Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). | |
| Use neutralizing agent. | |
| Dispose contaminated material as waste according to item 13. | |
| Ensure adequate ventilation. | |
| · Reference to other sections | |
| See Section 7 for information on safe handling. | |
| See Section 8 for information on personal protection equipment. | |
| See Section 13 for disposal information. | |
| · Protective Action Criteria for Chemicals | |
| • PAC-1: | |
| 7647-01-0 hydrochloric acid | 1.8 ppm |
| · PAC-2: | |
| 7647-01-0 hydrochloric acid | 22 ppm |
| • PAC-3: | |
| 7647-01-0 hydrochloric acid | 100 ppm |
| | US |

(Contd. on page 4)

Page 3/11



Printing date 05/23/2020

Reviewed on 05/23/2020

Trade name: 5% Hydrochloric Acid Reagent Blank

(Contd. of page 3)

7 Handling and storage

· Handling:

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7647-01-0 hydrochloric acid

PEL Ceiling limit value: 7 mg/m³, 5 ppm

REL Ceiling limit value: 7 mg/m³, 5 ppm

TLV Ceiling limit value: 2.98 mg/m³, 2 ppm

• Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 5)

US



Page 5/11

(Contd. of page 4)

US

Safety Data Sheet acc. to OSHA HCS

Printing date 05/23/2020

Reviewed on 05/23/2020

Trade name: 5% Hydrochloric Acid Reagent Blank

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

| Information on basic physical and c | hemical properties | |
|-------------------------------------|---|--|
| General Information | | |
| Appearance: | | |
| Form: | Liquid | |
| Color: | colorless | |
| Odor: | Characteristic | |
| Odor threshold: | Not determined. | |
| pH-value: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 100 °C (212 °F) | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure at 20 °C (68 °F): | 23 hPa (17.3 mm Hg) | |
| Density at 20 °C (68 °F): | 1.0075 g/cm ³ (8.40759 lbs/gal) | |



Page 6/11

Safety Data Sheet acc. to OSHA HCS

Printing date 05/23/2020

Reviewed on 05/23/2020

Trade name: 5% Hydrochloric Acid Reagent Blank

| | | (Contd. of page 5 |
|---------------------------------------|--|-------------------|
| · Bulk density: | 1,008 kg/m ³ | |
| · Relative density | Not determined. | |
| · Vapor density | Not determined. | |
| · Evaporation rate | Not determined. | |
| · Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| · Partition coefficient (n-octanol/wa | ter): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| · Solvent content: | | |
| Water: | 95.0 % | |
| VOC content: | 0.00 % | |
| | 0.0 g/l / 0.00 lb/gal | |
| Solids content: | 0.0 % | |
| • Other information | No further relevant information available. | |

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

· Primary irritant effect:

• on the skin: Strong caustic effect on skin and mucous membranes.

· on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

• Sensitization: No sensitizing effects known.

(Contd. on page 7)

[—] ÚS



Printing date 05/23/2020

Reviewed on 05/23/2020

Trade name: 5% Hydrochloric Acid Reagent Blank

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7647-01-0 hydrochloric acid

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- $\cdot \textit{Recommendation:}$ Disposal must be made according to official regulations.

(Contd. on page 8)

US

Page 7/11

(Contd. of page 6)

3



Printing date 05/23/2020

Reviewed on 05/23/2020

Trade name: 5% Hydrochloric Acid Reagent Blank

· Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information · UN-Number UN1789 · DOT, ADR, IMDG, IATA · UN proper shipping name · DOT Hydrochloric acid 1789 HYDROCHLORIC ACID solution ·ADR · IMDG, IATA HYDROCHLORIC ACID solution · Transport hazard class(es) · DOT · Class 8 Corrosive substances · Label 8 ·ADR 8 (C1) Corrosive substances · Class · Label 8 · IMDG, IATA · Class 8 Corrosive substances · Label 8 · Packing group · DOT, ĂĎR, ÎMDG, IATA Π · Environmental hazards: Not applicable. · Special precautions for user Warning: Corrosive substances • Hazard identification number (Kemler code): 80 · EMS Number: *F-A,S-B* · Segregation groups Strong acids (Contd. on page 9) US

Page 8/11

(Contd. of page 7)



Printing date 05/23/2020

Reviewed on 05/23/2020

Trade name: 5% Hydrochloric Acid Reagent Blank

| | (Contd. of page |
|--|--|
| Stowage Category | С |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| DOT | |
| Quantity limitations | On passenger aircraft/rail: 1 L |
| 2 : | On cargo aircraft only: 30 L |
| ADR | |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1789 HYDROCHLORIC ACID SOLUTION, 8, II |

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

7647-01-0 hydrochloric acid

Section 313 (Specific toxic chemical listings):

7647-01-0 hydrochloric acid

• **TSCA (Toxic Substances Control Act):** All components have the value ACTIVE.

· Hazardous Air Pollutants

7647-01-0 hydrochloric acid

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 10)

US



Page 10/11

Safety Data Sheet acc. to OSHA HCS

Printing date 05/23/2020

Reviewed on 05/23/2020

Trade name: 5% Hydrochloric Acid Reagent Blank

(Contd. of page 9)

A4

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

7647-01-0 hydrochloric acid

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: hydrochloric acid · Hazard statements H314 Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. *IF INHALED: Remove person to fresh air and keep comfortable for breathing.* If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• Department issuing SDS: Environment protection department.

(Contd. on page 11)

US



Printing date 05/23/2020

Reviewed on 05/23/2020

Trade name: 5% Hydrochloric Acid Reagent Blank

| ~ | (Contd. of page 10) |
|--|---------------------------------------|
| Contact: | |
| High-Purity Standards | |
| Tel: 843-767-7900 | |
| Fax: 843-767-7906 | |
| Date of preparation / last revision 05/23/2020 / - | |
| Abbreviations and acronyms: | |
| ADR: Accord européen sur le transport des marchandises dangereuses par Route (European A | greement concerning the International |
| Carriage of Dangerous Goods by Road) | 0 0 |
| IMDG: International Maritime Code for Dangerous Goods | |
| DOT: US Department of Transportation | |
| IATA: International Air Transport Association | |
| ACGIH: American Conference of Governmental Industrial Hygienists | |
| EINECS: European Inventory of Existing Commercial Chemical Substances | |
| ELINCS: European List of Notified Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| NFPA: National Fire Protection Association (USA) | |
| HMIS: Hazardous Materials Identification System (USA) | |
| VOC: Volatile Organic Compounds (USA, EU) | |
| LC50: Lethal concentration, 50 percent | |
| LD50: Lethal dose, 50 percent | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| NIOSH: National Institute for Occupational Safety | |
| OSHA: Occupational Safety & Health | |
| TLV: Threshold Limit Value | |
| PEL: Permissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| Skin Corr. 1A: Skin corrosion/irritation – Category 1A | |
| Eye Dam. 1: Serious eye damage/eye irritation – Category 1 | |

Page 11/11