

Page 1/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2022 Reviewed on 04/21/2022

1 Identification

· Product identifier

· Trade name: <u>TMFM-CBeO-2.0</u> · Article number: TMFM-CBeO-2.0

Details of the supplier of the safety data sheet

· Manufacturer/Supplier: High-Purity Standards

7221 Investment Drive, North Charleston, SC 29418 United States

Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com

Email: info@highpuritystandards.com

· Information department: Product safety department

· Emergency telephone number:

INFOTRAC

Emergency telephone numbers 1-800-535-5053 Other emergency telephone numbers 1-352-323-3500

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

US



Page 2/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2022 Reviewed on 04/21/2022

Trade name: TMFM-CBeO-2.0

(Contd. of page 1)

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description:** Mixture of the substances listed below with nonhazardous additions.

| · Dangerous components: | |
|--|--|
| 9004-34-6 Cellulose | |
| Chemical identification of the substance/preparation | |

99.9948%

· Chemical identification of the substance/preparation

1304-56-9 beryllium oxide

0.0052%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

1304-56-9 beryllium oxide

 0.0063 mg/m^3





Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2022 Reviewed on 04/21/2022

Trade name: TMFM-CBeO-2.0

| (Contd. | of page 2) |
|---------|------------|
| | |

| · PAC-2: | (Conta. or page 2) |
|---------------------------|------------------------|
| 1304-56-9 beryllium oxide | 0.069 mg/m^3 |
| · PAC-3: | |
| 1304-56-9 beryllium oxide | 0.28 mg/m^3 |

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

9004-34-6 Cellulose

| PEL | Long-term value: 15* 5** mg/m³ |
|-----|---|
| | Long-term value: 15*5** mg/m³ *total dust **respirable fraction |
| REL | Long-term value: $10*5**mg/m^3$ |
| | Long-term value: 10* 5** mg/m³ *total dust **respirable fraction |
| TLV | Long-term value: 10 mg/m³ |

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

- · Breathing equipment: Not required.
- · Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page 4)



Page 4/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2022 Reviewed on 04/21/2022

Trade name: TMFM-CBeO-2.0

(Contd. of page 3)

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Not required.

| Physical and chemical properties | | |
|-------------------------------------|---|--|
| · Information on basic physical and | chemical properties | |
| · General Information | • • | |
| Appearance: | | |
| Form: | Solid | |
| Color: | According to product specification | |
| · Odor: | Characteristic | |
| · Odor threshold: | Not determined. | |
| · pH-value: | Not applicable. | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | Undetermined. | |
| · Flash point: | Not applicable. | |
| · Flammability (solid, gaseous): | Not determined. | |
| · Ignition temperature: | 340 °C (644 °F) | |
| · Decomposition temperature: | Not determined. | |
| · Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| · Vapor pressure: | Not applicable. | |
| Density at 20 °C (68 °F): | 0.38014 g/cm³ (3.17227 lbs/gal) | |
| · Bulk density: | 380 kg/m³ | |
| · Relative density | Not determined. | |
| Vapor density | Not applicable. | |
| Evaporation rate | Not applicable. | |

(Contd. on page 5)





Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2022 Reviewed on 04/21/2022

Trade name: TMFM-CBeO-2.0

| | | (Contd. of page 4 |
|--|--|-------------------|
| · Solubility in / Miscibility with Water: | Insoluble. | |
| · Partition coefficient (n-octanol/w | vater): Not determined. | |
| · Viscosity: | | |
| Dynamic: | Not applicable. | |
| Kinematic: | Not applicable. | |
| · Solvent content: | | |
| VOC content: | 0.00 % | |
| Solids content: | 100.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

| · IARC (International Agency for Research on Cancer) | |
|--|--------------------|
| 1304-56-9 beryllium oxide | 1 |
| · NTP (National Toxicology Program) | |
| 1304-56-9 beryllium oxide | K |
| | (Contd. on page 6) |

- US



Page 6/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2022 Reviewed on 04/21/2022

Trade name: TMFM-CBeO-2.0

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable. · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.

| UN-Number | | |
|---|-----------------|--|
| DOT, ADR, IMDG, IATA | not regulated | |
| UN proper shipping name DOT, ADR, IMDG, IATA | not regulated | |
| Transport hazard class(es) | | |
| DOT, ADR, ADN, IMDG, IATA | | |
| Class | not regulated | |
| Packing group | | |
| DOT, ADR, IMDG, IATA | not regulated | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user | Not applicable. | |

(Contd. on page 7)



Page 7/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2022 Reviewed on 04/21/2022

Trade name: TMFM-CBeO-2.0

(Contd. of page 6)

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

· UN "Model Regulation": not regulated

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

1304-56-9 beryllium oxide

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

1304-56-9 beryllium oxide

- · Proposition 65
- · Chemicals known to cause cancer:

1304-56-9 beryllium oxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

1304-56-9 beryllium oxide

B1, K/L(inh), CBD(oral)

· TLV (Threshold Limit Value)

1304-56-9 beryllium oxide

A1

· NIOSH-Ca (National Institute for Occupational Safety and Health)

1304-56-9 beryllium oxide

- · **GHS label elements** Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void

(Contd. on page 8)



Page 8/8

Safety Data Sheet acc. to OSHA HCS

Printing date 04/21/2022 Reviewed on 04/21/2022

Trade name: TMFM-CBeO-2.0

(Contd. of page 7)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Environment protection department.
- · Contact:

High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906

- · Date of preparation / last revision 04/21/2022 / -
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit