

Printing date 01/28/2020

Reviewed on 01/28/2020

Page 1/12

1 Identification	
· Product identifier	
· Trade name: <u>WAVECAL</u>	
· Article number: WAVECAL	
 Details of the supplier of the safety data sheet Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com Email: info@highpuritystandards.com 	
 Information department: Product safety department Emergency telephone number: INFOTRAC Emergency telephone numbers1-800-535-5053 Other emergency telephone numbers 1-352-323-3500 	

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

· Label elements

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

Hazard-determining components of labeling: hydrochloric acid
Hazard statements
H314 Causes severe skin burns and eye damage.
Precautionary statements
Do not breathe dusts or mists.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If swallowed: Rinse mouth. Do NOT induce vomiting.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

- r......

US



Page 2/12

Safety Data Sheet acc. to OSHA HCS

Printing date 01/28/2020

Reviewed on 01/28/2020

Trade name: WAVECAL

(Contd. of page 1) IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *3 Health = *3 0 Fire = 0FIRE **REACTIVITY O** Reactivity = 0• Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

7647-01-0 h	ydrochloric acid	2.0%
Chemical ide	entification of the substance/preparation	
7664-93-9	sulphuric acid	0.01%
7722-76-1	Ammonium dihydrogenphosphate	0.01%
7757-79-1	potassium nitrate	0.01%
12060-08-1	scandium oxide	0.002%
497-19-8	sodium carbonate	0.002%
554-13-2	lithium carbonate	0.002%
1312-81-8	lanthanum oxide	0.002%
6156-78-1	Manganese(II) acetate tetrahydrate	0.002%
7439-98-7	molybdenum	0.002%
7440-02-0	nickel	0.002%



Page 3/12

Safety Data Sheet acc. to OSHA HCS

Printing date 01/28/2020

Reviewed on 01/28/2020

Trade name: WAVECAL

	(Con	ntd. of page 2)
7440-38-2	arsenic	0.002%
7732-18-5	water, distilled, conductivity or of similar purity	97.954%

4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- *Protective equipment: Mouth respiratory protective device.*

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: No special measures required.
 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

• PAC-1:

7647-01-0 hydrochloric acid

1.8 ppm

(Contd. on page 4)



Printing date 01/28/2020

Trade name: WAVECAL

Reviewed on 01/28/2020

7664-93-9	sulphuric acid	0.20 mg/m
	Ammonium dihydrogenphosphate	17 mg/m ³
	potassium nitrate	9 mg/m ³
12060-08-1	scandium oxide	30 mg/m ³
497-19-8	sodium carbonate	7.6 mg/m ³
554-13-2	lithium carbonate	3.1 mg/m ³
1312-81-8	lanthanum oxide	$4 mg/m^3$
6156-78-1	Manganese(II) acetate tetrahydrate	13 mg/m ³
7439-98-7	molybdenum	30 mg/m ³
7440-02-0	nickel	4.5 mg/m ³
7440-38-2	arsenic	1.5 mg/m ³
PAC-2:		
7647-01-0	hydrochloric acid	22 ppm
7664-93-9	sulphuric acid	8.7 mg/m
7722-76-1	Ammonium dihydrogenphosphate	190 mg/m
7757-79-1	potassium nitrate	100 mg/m
12060-08-1	scandium oxide	330 mg/m
497-19-8	sodium carbonate	83 mg/m ³
554-13-2	lithium carbonate	34 mg/m ³
1312-81-8	lanthanum oxide	44 mg/m ³
6156-78-1	Manganese(II) acetate tetrahydrate	22 mg/m ³
7439-98-7	molybdenum	330 mg/m
7440-02-0	nickel	50 mg/m ³
7440-38-2	arsenic	17 mg/m ³
PAC-3:		L
7647-01-0	hydrochloric acid	100 ppm
7664-93-9	sulphuric acid	160 mg/m ³
7722-76-1	Ammonium dihydrogenphosphate	1,100 mg/m
7757-79-1	potassium nitrate	600 mg/m ³
12060-08-1	scandium oxide	2,000 mg/n
497-19-8	sodium carbonate	500 mg/m ³
554-13-2	lithium carbonate	210 mg/m ³
1312-81-8	lanthanum oxide	270 mg/m ³
6156-78-1	Manganese(II) acetate tetrahydrate	740 mg/m ³
	molybdenum	2,000 mg/m
7440-02-0	nickel	99 mg/m ³

Page 4/12



Page 5/12

(Contd. of page 4)

 100 mg/m^{3}

Safety Data Sheet acc. to OSHA HCS

Printing date 01/28/2020

Reviewed on 01/28/2020

Trade name: WAVECAL

7440-38-2 arsenic

7 Handling and storage

· Handling:

• **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

• Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

7647-01-0 hydrochloric acid

PEL Ceiling limit value: 7 mg/m³, 5 ppm

- *REL Ceiling limit value: 7 mg/m³, 5 ppm*
- *TLV Ceiling limit value: 2.98 mg/m³, 2 ppm*

• *Additional information:* The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Avoid contact with the eyes and skin.

• Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

• Protection of hands:



Protective gloves

(Contd. on page 6)

US



Page 6/12

Safety Data Sheet acc. to OSHA HCS

Printing date 01/28/2020

Reviewed on 01/28/2020

Trade name: WAVECAL

(Contd. of page 5)

US

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation • *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and c	hemical properties	
General Information		
Appearance: Form:	Liquid	
Form: Color:	Liquid colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density:	Not determined.	



Printing date 01/28/2020

Reviewed on 01/28/2020

Trade name: WAVECAL

		(Contd. of page
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octano	I/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	98.0 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · LD/LC50 values that are relevant for classification:
- 7647-01-0 hydrochloric acid

Oral LD50 900 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

(Contd. on page 8)

Page 7/12



Page 8/12

Safety Data Sheet acc. to OSHA HCS

Printing date 01/28/2020

Reviewed on 01/28/2020

Trade name: WAVECAL

(Contd. of page 7) Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (Inte	ernational Agency for Research on Cancer)	
7647-01-0	hydrochloric acid	3
7664-93-9	sulphuric acid	1
7440-02-0	nickel	2B
7440-38-2	arsenic	1
· NTP (Natio	onal Toxicology Program)	
7664-93-9	sulphuric acid	K
7440-02-0	nickel	R
7440-38-2	arsenic	K
· OSHA-Ca	(Occupational Safety & Health Administration)	
7440-38-2	arsenic	

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- *General notes:* Not hazardous for water. Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 9)



Printing date 01/28/2020

Reviewed on 01/28/2020

(Contd. of page 8)

Trade name: WAVECAL

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	not regulated	
UN proper shipping name DOT, ADR, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	not regulated	
Packing group DOT, ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	not regulated	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 35	5 (extremely hazardous substances):
7647-01-0	hydrochloric acid
7664-93-9	sulphuric acid
Section 31	3 (Specific toxic chemical listings):
7647-01-0	hydrochloric acid
7664-93-9	sulphuric acid
7757-79-1	potassium nitrate
554-13-2	lithium carbonate
7440-02-0	nickel
7440-38-2	arsenic
· TSCA (To:	xic Substances Control Act):
7647-01-	0 hydrochloric acid ACTIVE
	(Contd. on page 10)
	US

Page 9/12



Page 10/12

Safety Data Sheet acc. to OSHA HCS

Printing date 01/28/2020

Trade name: WAVECAL

Reviewed on 01/28/2020

	11	(Contd. of pag
	sulphuric acid	ACTIV
	Ammonium dihydrogenphosphate	ACTIV
	potassium nitrate	ACTIV
	scandium oxide	ACTIV
	sodium carbonate	ACTIV
	lithium carbonate	ACTIV
	lanthanum oxide	ACTIV
	molybdenum	ACTIV
7440-02-0		ACTIV
7440-38-2		ACTIV
7732-18-5	water, distilled, conductivity or of similar purity	ACTIV
Hazardous 2	Air Pollutants	
	hydrochloric acid	
Proposition	65	
Chemicals k	known to cause cancer:	
7440-02-0 1	nickel	
7440-38-2 d	arsenic	
Chemicals k	known to cause reproductive toxicity for females:	
None of the	ingredients is listed.	
Chemicals k	known to cause reproductive toxicity for males:	
None of the	ingredients is listed.	
Chemicals k	known to cause developmental toxicity:	
554-13-2 lii	thium carbonate	
Carcinogen	ic categories	
	onmental Protection Agency)	
7440-38-2 d	arsenic	
TLV (Thres	hold Limit Value established by ACGIH)	
7647-01-0	hydrochloric acid	A
7664-93-9 s	sulphuric acid	
7439-98-7 1	molybdenum	A
7440-02-0 1	nickel	
7440-38-2 d	arsenic	/
NIOSH-Ca	(National Institute for Occupational Safety and Health)	
7440-02-0 1		
7440-38-2 0	arsenic	



Page 11/12

Safety Data Sheet acc. to OSHA HCS

Printing date 01/28/2020

Reviewed on 01/28/2020

Trade name: WAVECAL

(Contd. of page 10) · Hazard pictograms GHS05 · Signal word Danger · Hazard-determining components of labeling: hvdrochloric acid · Hazard statements H314 Causes severe skin burns and eye damage. · Precautionary statements Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Specific treatment (see on this label). Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Environment protection department. · Contact:

High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906

· Date of preparation / last revision 01/28/2020 / -

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 12)

⁻ U



Printing date 01/28/2020

Trade name: WAVECAL

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent D50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Corr. 1A: Skin corrosion/irritation – Category 1A Page 12/12

Reviewed on 01/28/2020

(Contd. of page 11)

US