

Printing date 07/13/2021

Reviewed on 07/13/2021

Page 1/12

1 Idoutifican	
1 Identificat	tion
· Product iden	ntifier
· Trade name	: <u>Mercury 1000µg/mL in 2% HNO3</u>
	<i>ber:</i> 100033-1 <i>of the substance / the mixture Preparation</i>
• Manufacture High-Purity 7221 Investm Telephone: - Fax: +1-843 highpuritysta	<u>Standards</u> nent Drive, North Charleston, SC 29418 United States +1-843-767-7900 3-767-7906
• Emergency i INFOTRAC Emergency t	a department: Product safety department telephone number: telephone numbers1-800-535-5053 gency telephone numbers 1-352-323-3500
	on of the substance or mixture HS08 Health hazard
Repr. 1B	H360 May damage fertility or the unborn child.
G.	
Met. Corr.1	HS05 Corrosion
Mei. Corr.1	HS05 Corrosion H290 May be corrosive to metals.
	H290 May be corrosive to metals. A H314 Causes severe skin burns and eye damage.
	H290 May be corrosive to metals. A H314 Causes severe skin burns and eye damage.
Skin Corr. 1. Eye Dam. 1 • Label elemen • GHS label en • Hazard picto	 H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H318 Causes serious eye damage.
Skin Corr. 1. Eye Dam. 1 • Label elemen • GHS label en • Hazard picto	 H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. The product is classified and labeled according to the Globally Harmonized System (GHS). Orgrams



Printing date 07/13/2021

Trade name: Mercury 1000µg/mL in 2% HNO3

· Hazard-determining components of labeling: nitric acid mercury · Hazard statements H290 May be corrosive to metals. H314 Causes severe skin burns and eve damage. H360 May damage fertility or the unborn child. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep only in original container. Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up. Store in corrosive resistant container with a resistant inner liner. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 3Fire = 0*Reactivity* = 0· HMIS-ratings (scale 0 - 4) HEALTH 3 Health = 3FIRE 0 Fire = 0**REACTIVITY O** Reactivity = 0· Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable.

Page 2/12

(Contd. of page 1)

Reviewed on 07/13/2021

(Contd. on page 3)



Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Mercury 1000µg/mL in 2% HNO3

(Contd. of page 2)

2.0% 0.1%

97.9%

Page 3/12

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

7697-37-2 nitric acid

7439-97-6 mercury

· Chemical identification of the substance/preparation

7732-18-5 water, distilled, conductivity or of similar purity

4 First-aid measures

- · Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- *After inhalation:* In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away.*
- Environmental precautions: Dilute with plenty of water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

(Contd. on page 4)

US -



Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Mercury 1000µg/mL in 2% HNO3

	(Contd. of page
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handl	
See Section 8 for information on personal p	rotection equipment.
See Section 13 for disposal information.	
• Protective Action Criteria for Chemicals	
· PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7439-97-6 mercury	0.15 mg/m
• PAC-2:	
7697-37-2 nitric acid	24 ppm
7439-97-6 mercury	1.7 mg/m
· PAC-3:	
7697-37-2 nitric acid	92 ppm
7439-97-6 mercury	8.9 mg/m

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

(Contd. on page 5)

Page 4/12



Printing date 07/13/2021

Reviewed on 07/13/2021

Page 5/12

Trade name: Mercury 1000µg/mL in 2% HNO3

TLV	Short-term value: 10 mg/m ³ , 4 ppm (Contd. of page 4
	Long-term value: 5.2 mg/m ³ , 2 ppm
7439	9-97-6 mercury
PEL	Long-term value: 0.1 mg/m ³
	as Hg; see OSHA standard interpretation memo
REL	Long-term value: 0.05* mg/m ³
	Ceiling limit value: 0.1 mg/m ³
	as Hg; *Vapor; Skin
TLV	Long-term value: 0.025 mg/m^3
	as Hg; Skin; BEI
Ingr	edients with biological limit values:
7439	0-97-6 mercury
BEI	35 μg/g creatinine
	Medium: urine
	Time: prior to shift
	Parameter: Total inorganic mercury (background
	15 μg/L
	Medium: blood
	Time: end of shift at end of workweek
	Parameter: Total inorganic mercury (background)
Add	tional information: The lists that were valid during the creation were used as basis.
Exp	osure controls
	onal protective equipment:
	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	d contact with the eyes.
	d contact with the eyes and skin. athing equipment:
	use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
	iratory protective device that is independent of circulating air.
	ection of hands:
111	Protective gloves
	1 Tolecuve gloves
	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ th
	nical mixture.
Sele	ction of the glove material on consideration of the penetration times, rates of diffusion and the degradation (Contd. on page (

(Contd. on page 6)



Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Mercury 1000µg/mL in 2% HNO3

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

General Information		
Appearance:		
Form:	Liquid	
Color:	colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.0226 g/cm ³ (8.5336 lbs/gal)	
Bulk density:	$1,023 \text{ kg/m}^3$	
Relative density	Not determined.	
Vapor density	Not determined.	

Page 6/12

(Contd. of page 5)



Page 7/12

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Mercury 1000µg/mL in 2% HNO3

		(Contd. of page
Evaporation rate	Not determined.	
Solubility in / Miscibility with	i and the second se	
Water:	Fully miscible.	
Partition coefficient (n-octan	ol/water): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Water:	97.9 %	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)

US



Page 8/12

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Mercury 1000µg/mL in 2% HNO3

(Contd. of page 7)

3

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7439-97-6 mercury

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

· DOT, ADR, IMDG, IATA

UN3264

(Contd. on page 9)



Page 9/12

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Mercury 1000µg/mL in 2% HNO3

	(Contd. of pag
UN proper shipping name	
DOT ADR	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.
IMDG, IATA	(NITRIC ACID) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITR. ACID)
Transport hazard class(es)	
DOT	
\wedge	
BAILEDATE	
Class	8 Corrosive substances
Label	8 Corrosive substances 8
ADR, IMDG, IATA	
2 Contraction of the second se	
Class	8 Corrosive substances
Label	8
Packing group DOT, ADR, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number: Segregation groups	F-A,S-B Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
	(Contd. on page



Printing date 07/13/2021

Reviewed on 07/13/2021

Page 10/12

Trade name: Mercury 1000µg/mL in 2% HNO3

	(Contd. of page 9)
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):
7697-37-2 nitric acid
· Section 313 (Specific toxic chemical listings):
7697-37-2 nitric acid
7439-97-6 mercury
· TSCA (Toxic Substances Control Act):
All components have the value ACTIVE.
· Hazardous Air Pollutants
None of the ingredients is listed.
· Proposition 65
· Chemicals known to cause cancer:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for females:
None of the ingredients is listed.
· Chemicals known to cause reproductive toxicity for males:
None of the ingredients is listed.
· Chemicals known to cause developmental toxicity:
7439-97-6 mercury
· Carcinogenic categories
· EPA (Environmental Protection Agency)
7439-97-6 mercury D
• TLV (Threshold Limit Value established by ACGIH)
7439-97-6 mercury A4
· NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients is listed.
(Contd. on page 11)



Page 11/12

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Mercury 1000µg/mL in 2% HNO3

(Contd. of page 10) • GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

nitric acid mercury

· Hazard statements

H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage. H360 May damage fertility or the unborn child.

· Precautionary statements

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. *Keep only in original container.* Do not breathe dusts or mists. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). Wash contaminated clothing before reuse. Absorb spillage to prevent material damage. Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

· Contact: *High-Purity Standards* Tel: 843-767-7900 Fax: 843-767-7906



Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Mercury 1000µg/mL in 2% HNO3

	(Contd. of page
L	Date of preparation / last revision 07/13/2021 / -
	Ibbreviations and acronyms:
	DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio
	arriage of Dangerous Goods by Road)
	MDG: International Maritime Code for Dangerous Goods
	OOT: US Department of Transportation
	4TA: International Air Transport Association
	CGIH: American Conference of Governmental Industrial Hygienists
	INECS: European Inventory of Existing Commercial Chemical Substances
	LINCS: European List of Notified Chemical Substances
C	AS: Chemical Abstracts Service (division of the American Chemical Society)
λ	IFPA: National Fire Protection Association (USA)
Н	IMIS: Hazardous Materials Identification System (USA)
V	OC: Volatile Organic Compounds (USA, EU)
P	BT: Persistent, Bioaccumulative and Toxic
v.	PvB: very Persistent and very Bioaccumulative
λ	IOSH: National Institute for Occupational Safety
C	DSHA: Occupational Safety & Health
Т	LV: Threshold Limit Value
P	PEL: Permissible Exposure Limit
R	EL: Recommended Exposure Limit
В	EI: Biological Exposure Limit
N	<i>1et. Corr.1: Corrosive to metals – Category 1</i>
S	kin Corr. 1A: Skin corrosion/irritation – Category 1A
E	ye Dam. 1: Serious eye damage/eye irritation – Category 1
R	epr. 1B: Reproductive toxicity – Category 1B

Page 12/12