

100 20-1 Germanium

High-Purity Standards

Catalogue number: 100 20-1 Germanium

Version No: 1.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 2

Issue Date: **07/12/2017**Print Date: **07/12/2017**S.GHS.USA.EN

SECTION 1 IDENTIFICATION

Product Identifier

Product name	100 20-1 Germanium
Synonyms	100 μg/mL Germanium in 1% HNO3
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (contains nitric acid)
Other means of identification	100 20-1 Germanium

Recommended use of the chemical and restrictions on use

Relevant identified uses Use according to manufacturer's directions.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	High-Purity Standards			
Address	PO Box 41727 SC 29423 United States			
Telephone	843-767-7900			
Fax	843-767-7906			
Website	highpuritystandards.com			
Email	Not Available			

Emergency phone number

- · ·	
Association / Organisation	INFOTRAC
Emergency telephone numbers	1-800-535-5053
Other emergency telephone numbers	1-352-323-3500

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

Classification

Metal Corrosion Category 1, Skin Corrosion/Irritation Category 1A, Serious Eye Damage Category 1

Label elements

Hazard pictogram(s)



SIGNAL WORD

DANGER

Hazard statement(s)

nazaru statement(s)	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

Hazard(s) not otherwise specified

Not Applicable

Issue Date: 07/12/2017 Print Date: 07/12/2017

P260 Do not breathe dust/fume/gas/mist/vapours/spray. Precautionary statement(s) Response P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Precautionary statement(s) Storage

Precautionary statement(s) Disposal

P501

P405

Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Store locked up.

Substances

Version No: 1.1

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
16962-47-3	0.01	ammonium hexafluorogermanate(IV)
7697-37-2	1	nitric acid
7732-18-5	balance	water

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

2005 Ipriori di mot dia madalio					
Eye Contact	If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.				
Skin Contact	If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.				
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719) 				
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay. 				

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

For acute or short term repeated exposures to strong acids:

- Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise
- Figure 3. Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues.

INGESTION:

- ▶ Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- ▶ DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- ▶ Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- Charcoal has no place in acid management.
- ▶ Some authors suggest the use of lavage within 1 hour of ingestion.

SKIN:

Chemwatch: 9-422968

Catalogue number: 100 20-1 Germanium

Page **3** of **8 100 20-1 Germanium**

Issue Date: **07/12/2017**Print Date: **07/12/2017**

Version No: 1.1

- Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- ▶ Deep second-degree burns may benefit from topical silver sulfadiazine

EYE:

- Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- ▶ Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility

None known

Special protective equipment and precautions for fire-fighters

Fire Fighting
Fire/Explosion Hazard

► Non combustible.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills

- ▶ Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material.
- ► Clean up all spills immediately.

Major Spills

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	 Avoid all personal contact, including inhalation 			
Other information	► Store in original containers.			

Conditions for safe storage, including any incompatibilities

Suitable container

- ► DO NOT use aluminium or galvanised containers
- ► Check regularly for spills and leaks
- ▶ Lined metal can, lined metal pail/ can.

For low viscosity materials

- Drums and jerricans must be of the non-removable head type.
- Storage incompatibility

 Inorganic acids are generally soluble in water with the release of hydrogen ions.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

INCILED EN DAIN						
Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Levels (PELs) - Table Z1	nitric acid	Nitric acid	5 mg/m3 / 2 ppm	10 mg/m3 / 4 ppm	Not Available	TLV® Basis: URT & eye irr; dental erosion
US NIOSH Recommended Exposure Limits (RELs)	nitric acid	Aqua fortis, Engravers acid, Hydrogen nitrate, Red fuming nitric acid (RFNA), White fuming nitric acid (WFNA)	5 mg/m3 / 2 ppm	4 ppm	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	nitric acid	Nitric acid	2 ppm	Not Available	Not Available	Not Available

| EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3			

Page 4 of 8

100 20-1 Germanium

Issue Date: 07/12/2017 Print Date: 07/12/2017

nitric acid	Nitric acid	Not Available	Not Available	Not Available
Ingredient	Original IDLH		Revised IDLH	
ammonium hexafluorogermanate(IV)	Not Available		Not Available	
nitric acid	100 ppm		25 ppm	
water	Not Available		Not Available	

Exposure controls

Version No: 1.1

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	► Chemical goggles.
Skin protection	See Hand protection below
Hands/feet protection	 Wear chemical protective gloves, e.g. PVC. When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.
Body protection	See Other protection below
Other protection	► Overalls.
Thermal hazards	Not Available

Respiratory protection

Type A Filter of sufficient capacity.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	colorless		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	<2	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	► Contact with alkaline material liberates heat
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

100 20-1 Germanium

Issue Date: 07/12/2017 Print Date: 07/12/2017

Version No: 1.1

Information on toxicological effects The material can cause respiratory irritation in some persons. Inhaled Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. The material has NOT been classified by EC Directives or other classification systems as "harmful by inhalation". The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion. The material has **NOT** been classified by EC Directives or other classification systems as "harmful by ingestion". Ingestion Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. The material can produce chemical burns following direct contact with the skin. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. **Skin Contact** Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. The material can produce chemical burns to the eye following direct contact. Eye Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light and burns. Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems. Chronic Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling and/or ulceration of mouth lining. TOXICITY IRRITATION 100 20-1 Germanium Not Available Not Available TOXICITY IRRITATION ammonium hexafluorogermanate(IV) Not Available Not Available TOXICITY IRRITATION nitric acid Inhalation (rat) LC50: 625 ppm/1h*t[2] Not Available TOXICITY IRRITATION Not Available Not Available 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data Legend: extracted from RTECS - Register of Toxic Effect of chemical Substances For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the pH falls to about 6.5. The material may produce severe irritation to the eye causing pronounced inflammation. NITRIC ACID The material may produce respiratory tract irritation, and result in damage to the lung including reduced lung function. The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] **AMMONIUM** HEXAFLUOROGERMANATE(IV) Asthma-like symptoms may continue for months or even years after exposure to the material ends & NITRIC ACID **AMMONIUM** No significant acute toxicological data identified in literature search.

HEXAFLUOROGERMANATE(IV)

& WATER

Acute Toxicity	0	Carcinogenicity	0
Skin Irritation/Corrosion	✓	Reproductivity	0
Serious Eye Damage/Irritation	✓	STOT - Single Exposure	0
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure	0
Mutagenicity	0	Aspiration Hazard	0

Legend:

— Data available but does not fill the criteria for classification

Data available to make classification

Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

100 20-1 Germanium

ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
Not Available	Not Available	Not Available	Not Available	Not Available

Version No: 1.1

100 20-1 Germanium

Issue Date: 07/12/2017 Print Date: 07/12/2017

ammonium	ENDPOINT		TEST DURATION (HR)		SPECI	ES	VALU	E	sou	IRCE
hexafluorogermanate(IV)	Not Available		Not Available		Not Ava	ailable	Not A	vailable	Not A	Available
	ENDPOINT		TEST DURATION (HR)			SPECIES		VALUE	sc	DURCE
nitric acid	NOEC		16			Crustacea		107mg/L	4	JOROE .
	ENDPOINT	TES	T DURATION (HR)	SPECIES				VALUE		SOURCE
water	LC50	96	r bottation (int)	Fish				897.520mg/L		3
	EC50	96		Algae or	other aqu	uatic plants		8768.874mg/l	-	3
Legend:	(QSAR) - Aquatic	Toxicity Da	xicity Data 2. Europe ECHA Re ata (Estimated) 4. US EPA, Eco ata 7. METI (Japan) - Bioconce	otox database	Aquatic 7	Toxicity Data 5. EC				

Ecotoxicity:

The tolerance of water organisms towards pH margin and variation is diverse.

For Fluorides: Small amounts of fluoride have beneficial effects however; excessive intake over long periods may cause dental and/or skeletal fluorosis.

Prevent, by any means available, spillage from entering drains or water courses.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
water	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS


Waste treatment methods

Product / Packaging disposal

► Recycle wherever possible.

SECTION 14 TRANSPORT INFORMATION

Labels Required



Land transport (DOT)

UN number	3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. (contains nitric acid)
Transport hazard class(es)	Class 8 Subrisk Not Applicable
Packing group	
Environmental hazard	Not Applicable
Special precautions for user	Hazard Label 8 Special provisions IB3, T7, TP1, TP28

100 20-1 Germanium

Catalogue number: 100 20-1 Germanium

Version No: 1.1

Issue Date: 07/12/2017 Print Date: 07/12/2017

UN number	3264		
UN proper shipping name	Corrosive liquid, acidic	c, inorganic, n.o.s. * (contains nitric aci	d)
	ICAO/IATA Class	8	
Transport hazard class(es)	ICAO / IATA Subrisk	Not Applicable	
	ERG Code	8L	
Packing group	III		
Environmental hazard	Not Applicable		
			101000
	Special provisions		A3A803
	Cargo Only Packing I	nstructions	856
	Cargo Only Maximum	Only Maximum Qty / Pack	
Special precautions for user	Passenger and Cargo	Passenger and Cargo Packing Instructions	
	Passenger and Cargo	Passenger and Cargo Maximum Qty / Pack	
	Passenger and Cargo	Limited Quantity Packing Instructions	Y841
	Passenger and Cargo	Limited Maximum Qty / Pack	1 L
	<u>'</u>		

Sea transport (IMDG-Code / GGVSee)

UN number	3264
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains nitric acid)
Transport hazard class(es)	IMDG Class 8 IMDG Subrisk Not Applicable
Packing group	III
Environmental hazard	Not Applicable
Special precautions for user	EMS Number F-A , S-B Special provisions 223 274 Limited Quantities 5 L

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

AMMONIUM HEXAFLUOROGERMANATE(IV)(16962-47-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Hawaii Air Contaminant Limits

NITRIC ACID(7697-37-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants Passenger and Cargo Aircraft US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air US - Alaska Limits for Air Contaminants Contaminants US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) US - Washington Permissible exposure limits of air contaminants US - California Permissible Exposure Limits for Chemical Contaminants US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants US - Hawaii Air Contaminant Limits US - Idaho - Limits for Air Contaminants US ACGIH Threshold Limit Values (TLV) US CWA (Clean Water Act) - List of Hazardous Substances US - Massachusetts - Right To Know Listed Chemicals US - Michigan Exposure Limits for Air Contaminants US EPCRA Section 313 Chemical List US - Minnesota Permissible Exposure Limits (PELs) US NIOSH Recommended Exposure Limits (RELs) US - Oregon Permissible Exposure Limits (Z-1) US OSHA Permissible Exposure Levels (PELs) - Table Z1 US - Pennsylvania - Hazardous Substance List US SARA Section 302 Extremely Hazardous Substances US - Rhode Island Hazardous Substance List US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory US - Pennsylvania - Hazardous Substance List

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD CATEGORIES

Immediate (acute) health hazard Yes Chemwatch: 9-422968 Page 8 of 8

Catalogue number: 100 20-1 Germanium

Version No: 1.1

100 20-1 Germanium

Issue Date: **07/12/2017**Print Date: **07/12/2017**

Delayed (chronic) health hazard	No
Fire hazard	No
Pressure hazard	No
Reactivity hazard	No

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
Nitric acid	1000	454

State Regulations

US. CALIFORNIA PROPOSITION 65

None Reported

National Inventory	Status
Australia - AICS	N (ammonium hexafluorogermanate(IV))
Canada - DSL	N (ammonium hexafluorogermanate(IV))
Canada - NDSL	N (ammonium hexafluorogermanate(IV); water; nitric acid)
China - IECSC	N (ammonium hexafluorogermanate(IV))
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (ammonium hexafluorogermanate(IV); nitric acid)
Korea - KECI	N (ammonium hexafluorogermanate(IV))
New Zealand - NZIoC	N (ammonium hexafluorogermanate(IV))
Philippines - PICCS	N (ammonium hexafluorogermanate(IV))
USA - TSCA	N (ammonium hexafluorogermanate(IV))
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit $_{\circ}$

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

This document is copyright.