

10M63-3 Tungsten (10,000µg/mL in 5% HNO₃ + 2% HF)

High-Purity Standards

Catalogue number: **10M63-3**
 Version No: **2.2**
 Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: **4**

Issue Date: **03/16/2018**
 Print Date: **03/16/2018**
 S.GHS.USA.EN

SECTION 1 IDENTIFICATION

Product Identifier

| | |
|--------------------------------------|--|
| Product name | 10M63-3 Tungsten (10,000µg/mL in 5% HNO ₃ + 2% HF) |
| Synonyms | 10,000µg/mL Tungsten in 5% HNO ₃ + 2% HF |
| Proper shipping name | Corrosive liquid, acidic, inorganic, n.o.s. (contains nitric acid and hydrofluoric acid) |
| Other means of identification | 10M63-3 |

Recommended use of the chemical and restrictions on use

| | |
|---------------------------------|---|
| Relevant identified uses | Use according to manufacturer's directions. |
|---------------------------------|---|

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

| | |
|--------------------------------|---|
| Registered company name | High-Purity Standards |
| Address | PO Box 41727 Charleston, SC 29423 United States |
| Telephone | 843-767-7900 |
| Fax | 843-767-7906 |
| Website | highpuritystandards.com |
| Email | Not Available |

Emergency phone number


| | |
|--|----------------|
| Association / Organisation | INFOTRAC |
| Emergency telephone numbers | 1-800-535-5053 |
| Other emergency telephone numbers | 1-352-323-3500 |

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

| | |
|-----------------------|--|
| Classification | Metal Corrosion Category 1, Acute Toxicity (Oral) Category 3, Acute Toxicity (Dermal) Category 3, Skin Corrosion/Irritation Category 1A, Serious Eye Damage Category 1 |
|-----------------------|--|

Label elements

| | |
|----------------------------|---|
| Hazard pictogram(s) |  |
|----------------------------|---|

SIGNAL WORD **DANGER**

Hazard statement(s)

| | |
|-------------|--|
| H290 | May be corrosive to metals. |
| H301 | Toxic if swallowed. |
| H311 | Toxic in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |

Hazard(s) not otherwise specified

Not Applicable

10M63-3 Tungsten (10,000µg/mL in 5% HNO₃ + 2% HF)

Precautionary statement(s) Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Precautionary statement(s) Response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|-----------|-----------|--------------------------|
| 7440-33-7 | 1 | <u>tungsten</u> |
| 7697-37-2 | 5 | <u>nitric acid</u> |
| 7664-39-3 | 2 | <u>hydrofluoric acid</u> |
| 7732-18-5 | balance | <u>water</u> |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

| | |
|---------------------|---|
| Eye Contact | <p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none">▶ Immediately hold eyelids apart and flush the eye continuously with running water.▶ Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.▶ Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.▶ Transport to hospital or doctor without delay.▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
| Skin Contact | <p>If there is evidence of severe skin irritation or skin burns:</p> <ul style="list-style-type: none">▶ Avoid further contact. Immediately remove contaminated clothing, including footwear.▶ Flush skin under running water for 15 minutes.▶ Avoiding contamination of the hands, massage calcium gluconate gel into affected areas, pay particular attention to creases in skin.▶ Contact the Poisons Information Centre.▶ Continue gel application for at least 15 minutes after burning sensation ceases.▶ If pain recurs, repeat application of calcium gluconate gel or apply every 20 minutes.▶ If no gel is available, continue washing for at least 15 minutes, using soap if available. If patient is conscious, give six calcium gluconate or calcium carbonate tablets in water by mouth.▶ Transport to hospital, or doctor, urgently. |
| Inhalation | <ul style="list-style-type: none">▶ If fumes or combustion products are inhaled remove from contaminated area.▶ Lay patient down. Keep warm and rested.▶ Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.▶ Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.▶ Transport to hospital, or doctor, without delay. <p>For massive exposures:</p> <ul style="list-style-type: none">▶ If dusts, vapours, aerosols, fumes or combustion products are inhaled, remove from contaminated area.▶ Lay patient down.▶ Keep warm and rested.▶ Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.▶ Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.▶ If victim is conscious, give six calcium gluconate or calcium carbonate tablets in water by mouth.▶ Transport to hospital, or doctor, urgently. |
| Ingestion | <ul style="list-style-type: none">▶ For advice, contact a Poisons Information Centre or a doctor at once.▶ Urgent hospital treatment is likely to be needed.▶ If swallowed do NOT induce vomiting.▶ If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.▶ Observe the patient carefully.▶ Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.▶ Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.▶ Transport to hospital or doctor without delay. |

Most important symptoms and effects, both acute and delayed

See Section 11

10M63-3 Tungsten (10,000µg/mL in 5% HNO3 + 2% HF)

Indication of any immediate medical attention and special treatment needed

Following acute or short term repeated exposure to hydrofluoric acid:

- ▶ Subcutaneous injections of Calcium Gluconate may be necessary around the burnt area. Continued application of Calcium Gluconate Gel or subcutaneous Calcium Gluconate should then continue for 3-4 days at a frequency of 4-6 times per day. If a "burning" sensation recurs, apply more frequently.
- ▶ Systemic effects of extensive hydrofluoric acid burns include renal damage, hypocalcaemia and consequent cardiac arrhythmias. Monitor haematological, respiratory, renal, cardiac and electrolyte status at least daily. Tests should include FBE, blood gases, chest X-ray, creatinine and electrolytes, urine output, Ca ions, Mg ions and phosphate ions. Continuous ECG monitoring may be required.
- ▶ Where serum calcium is low, or clinical, or ECG signs of hypocalcaemia develop, infusions of calcium gluconate, or if less serious, oral Sandocal, should be given. Hydrocortisone 500 mg in a four to six hourly infusion may help.
- ▶ Antibiotics should not be given as a routine, but only when indicated.
- ▶ Eye contact pain may be excruciating and 2-3 drops of 0.05% pentocaine hydrochloride may be instilled, followed by further irrigation

BIOLOGICAL EXPOSURE INDEX - BEI

These represent the determinants observed in specimens collected from a healthy worker exposed at the Exposure Standard (ES or TLV):

| Determinant | Index | Sampling Time | Comments |
|----------------------------|---------------------|------------------------|-----------|
| 1. Methaemoglobin in blood | 1.5% of haemoglobin | During or end of shift | B, NS, SQ |

B: Background levels occur in specimens collected from subjects **NOT** exposed.

NS: Non-specific determinant; Also seen after exposure to other materials

SQ: Semi-quantitative determinant - Interpretation may be ambiguous; should be used as a screening test or confirmatory test. Treat symptomatically.

For acute or short term repeated exposures to fluorides:

- ▶ Fluoride absorption from gastro-intestinal tract may be retarded by calcium salts, milk or antacids.
- ▶ Fluoride particulates or fume may be absorbed through the respiratory tract with 20-30% deposited at alveolar level.
- ▶ Peak serum levels are reached 30 mins. post-exposure; 50% appears in the urine within 24 hours.
- ▶ For acute poisoning (endotracheal intubation if inadequate tidal volume), monitor breathing and evaluate/monitor blood pressure and pulse frequently since shock may supervene with little warning. Monitor ECG immediately; watch for arrhythmias and evidence of Q-T prolongation or T-wave changes. Maintain monitor. Treat shock vigorously with isotonic saline (in 5% glucose) to restore blood volume and enhance renal excretion.
- ▶ Where evidence of hypocalcaemic or normocalcaemic tetany exists, calcium gluconate (10 ml of a 10% solution) is injected to avoid tachycardia.

BIOLOGICAL EXPOSURE INDEX - BEI

These represent the determinants observed in specimens collected from a healthy worker exposed at the Exposure Standard (ES or TLV):

| Determinant | Index | Sampling Time | Comments |
|--------------------|--------------------|----------------|----------|
| Fluorides in urine | 3 mg/gm creatinine | Prior to shift | B, NS |
| | 10mg/gm creatinine | End of shift | B, NS |

B: Background levels occur in specimens collected from subjects **NOT** exposed

NS: Non-specific determinant; also observed after exposure to other exposures.

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- ▶ Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

| | |
|-----------------------------|-------------|
| Fire Incompatibility | None known. |
|-----------------------------|-------------|

Special protective equipment and precautions for fire-fighters

| | |
|------------------------------|---|
| Fire Fighting | ▶ Alert Fire Brigade and tell them location and nature of hazard. |
| Fire/Explosion Hazard | ▶ Non combustible. May emit poisonous fumes. |

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| | |
|---------------------|------------------------------------|
| Minor Spills | ▶ Clean up all spills immediately. |
| Major Spills | # |

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

10M63-3 Tungsten (10,000µg/mL in 5% HNO3 + 2% HF)

Precautions for safe handling

| | |
|--------------------------|---|
| Safe handling | ▶ Avoid all personal contact, including inhalation. |
| Other information | ▶ Store in original containers. |

Conditions for safe storage, including any incompatibilities

| | |
|--------------------------------|---|
| Suitable container | <ul style="list-style-type: none"> ▶ DO NOT use aluminium or galvanised containers ▶ Lined metal can, lined metal pail/ can. <p>For low viscosity materials</p> <ul style="list-style-type: none"> ▶ Drums and jerricans must be of the non-removable head type. <p>All inner and sole packagings for substances that have been assigned to Packaging Groups I or II on the basis of inhalation toxicity criteria, must be hermetically sealed.</p> <ul style="list-style-type: none"> ▶ Material is corrosive to most metals, glass and other siliceous materials. |
| Storage incompatibility | <p>Salts of inorganic fluoride:</p> <ul style="list-style-type: none"> ▶ react with water forming acidic solutions. ▶ Reacts with mild steel, galvanised steel / zinc producing hydrogen gas which may form an explosive mixture with air. <p>Hydrogen fluoride:</p> <ul style="list-style-type: none"> ▶ reacts violently with strong oxidisers, acetic anhydride, alkalis, 2-aminoethanol, arsenic trioxide (with generation of heat), bismuthic acid, calcium oxide, chlorosulfonic acid, cyanogen fluoride, ethylenediamine, ethyleneimine, fluorine (fluorine gas reacts vigorously with a 50% hydrofluoric acid solution and may burst into flame), nitrogen trifluoride, N-phenylazopiperidine, oleum, oxygen difluoride, phosphorus pentoxide, potassium permanganate, potassium tetrafluorosilicate(2-), beta-propiolactone, propylene oxide, sodium, sodium tetrafluorosilicate, sulfuric acid, vinyl acetate ▶ reacts (possibly violently) with aliphatic amines, alcohols, alkanolamines, alkylene oxides, aromatic amines, amides, ammonia, ammonium hydroxide, epichlorohydrin, isocyanates, metal acetylides, metal silicides, methanesulfonic acid, nitrogen compounds, organic anhydrides, oxides, silicon compounds, vinylidene fluoride ▶ attacks glass and siliceous materials, concrete, ceramics, metals (flammable hydrogen gas may be produced), metal alloys, some plastics, rubber coatings, leather, and most other materials with the exception of lead, platinum, polyethylene, wax. ▶ Avoid strong bases. |

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|---|-------------------|---|-------------------|------------------|-----------------|---|
| US NIOSH Recommended Exposure Limits (RELs) | tungsten | Tungsten metal, Wolfram | 5 mg/m3 | 10 mg/m3 | Not Available | [*Note: The REL also applies to other insoluble tungsten compounds (as W).] |
| US ACGIH Threshold Limit Values (TLV) | tungsten | * Tungsten and compounds, in the absence of Cobalt, as W | 3 mg/m3 | Not Available | Not Available | TLV® Basis: Lung dam |
| US NIOSH Recommended Exposure Limits (RELs) | nitric acid | Aqua fortis, Engravers acid, Hydrogen nitrate, Red fuming nitric acid (RFNA), White fuming nitric acid (WFNA) | 5 mg/m3 / 2 ppm | 10 mg/m3 / 4 ppm | Not Available | Not Available |
| US ACGIH Threshold Limit Values (TLV) | nitric acid | Nitric acid | 2 ppm | 4 ppm | Not Available | TLV® Basis: URT & eye irr; dental erosion |
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 | nitric acid | Nitric acid | 5 mg/m3 / 2 ppm | Not Available | Not Available | Not Available |
| US NIOSH Recommended Exposure Limits (RELs) | hydrofluoric acid | Anhydrous hydrogen fluoride; Aqueous hydrogen fluoride (i.e., Hydrofluoric acid); HF-A | 2.5 mg/m3 / 3 ppm | Not Available | 5 mg/m3 / 6 ppm | [15-minute] |
| US ACGIH Threshold Limit Values (TLV) | hydrofluoric acid | Hydrogen fluoride, as F | 0.5 ppm | Not Available | 2 ppm | TLV® Basis: URT, LRT, skin, & eye irr; fluorosis; BEI |
| US OSHA Permissible Exposure Levels (PELs) - Table Z2 | hydrofluoric acid | Hydrogen fluoride | 3 ppm | Not Available | Not Available | (Z37.28-1969) |
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 | hydrofluoric acid | Hydrogen fluoride (as F) | Not Available | Not Available | Not Available | See Table Z-2 |

EMERGENCY LIMITS


| Ingredient | Material name | TEEL-1 | TEEL-2 | TEEL-3 |
|-------------------|--|---------------|---------------|---------------|
| tungsten | Tungsten | 10 mg/m3 | 330 mg/m3 | 2,000 mg/m3 |
| nitric acid | Nitric acid | Not Available | Not Available | Not Available |
| hydrofluoric acid | Hydrogen fluoride; (Hydrofluoric acid) | Not Available | Not Available | Not Available |

| Ingredient | Original IDLH | Revised IDLH |
|-------------------|---------------|---------------|
| tungsten | Not Available | Not Available |
| nitric acid | 25 ppm | Not Available |
| hydrofluoric acid | 30 ppm | Not Available |
| water | Not Available | Not Available |

Exposure controls

| | |
|---|--|
| Appropriate engineering controls | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. |
|---|--|

10M63-3 Tungsten (10,000µg/mL in 5% HNO₃ + 2% HF)

| | |
|--------------------------------|--|
| Personal protection |  |
| Eye and face protection | ▶ Chemical goggles. |
| Skin protection | See Hand protection below |
| Hands/feet protection | ▶ Wear chemical protective gloves, e.g. PVC. ▶ When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots. |
| Body protection | See Other protection below |
| Other protection | ▶ Overalls. |
| Thermal hazards | Not Available |

Respiratory protection

Type A Filter of sufficient capacity

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | | | |
|---|---------------|--|---------------|
| Appearance | colorless | | |
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | <2 | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Available |
| Flash point (°C) | Not Available | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Available | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water (g/L) | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |

SECTION 10 STABILITY AND REACTIVITY

| | |
|---|---|
| Reactivity | See section 7 |
| Chemical stability | ▶ Unstable in the presence of incompatible materials. |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

| | |
|------------------|--|
| Inhaled | Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may produce toxic effects. The material can cause respiratory irritation in some persons. Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. Acute effects of fluoride inhalation include irritation of nose and throat, coughing and chest discomfort. Acute inhalation of hydrogen fluoride (hydrofluoric acid) vapours causes severe irritation of the eye, nose and throat, delayed fever, bluing of the extremities and water in the lungs, and may cause death. |
| Ingestion | Toxic effects may result from the accidental ingestion of the material; animal experiments indicate that ingestion of less than 40 gram may be fatal or may produce serious damage to the health of the individual. The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion. Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. Fluoride causes severe loss of calcium in the blood, with symptoms appearing several hours later including painful and rigid muscle contractions of the limbs. |

10M63-3 Tungsten (10,000µg/mL in 5% HNO3 + 2% HF)

| | |
|---------------------|--|
| Skin Contact | <p>Skin contact with the material may produce toxic effects; systemic effects may result following absorption. The material can produce chemical burns following direct contact with the skin.</p> <p>Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue.</p> <p>Fluorides are easily absorbed through the skin and cause death of soft tissue and erode bone.</p> <p>Contact of the skin with liquid hydrofluoric acid (hydrogen fluoride) may cause severe burns, erythema, and swelling, vesiculation, and serious crusting. Open cuts, abraded or irritated skin should not be exposed to this material</p> <p>Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.</p> |
| Eye | <p>The material can produce chemical burns to the eye following direct contact.</p> <p>If applied to the eyes, this material causes severe eye damage.</p> <p>Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light and burns.</p> <p>Animal testing showed that a 20% solution of hydrofluoric acid (hydrogen fluoride) in water caused immediate damage in the form of total clouding of the lens and ischaemia of the conjunctiva.</p> |
| Chronic | <p>Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems.</p> <p>Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.</p> <p>Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling and/or ulceration of mouth lining.</p> <p>Extended exposure to inorganic fluorides causes fluorosis, which includes signs of joint pain and stiffness, tooth discolouration, nausea and vomiting, loss of appetite, diarrhoea or constipation, weight loss, anaemia, weakness and general unwellness.</p> <p>Hydrogen fluoride easily penetrates the skin and causes destruction and corrosion of the bone and underlying tissue.</p> |




| | | |
|--|--|------------------------------|
| 10M63-3 Tungsten (10,000µg/mL in 5% HNO3 + 2% HF) | TOXICITY | IRRITATION |
| | Not Available | Not Available |
| tungsten | TOXICITY | IRRITATION |
| | dermal (rat) LD50: >2000 mg/kg ^[1] | Eyes (rabbit) 500mg/24h-mild |
| | Oral (rat) LD50: >2000 mg/kg ^[1] | Skin (rabbit) 500mg/24h-mild |
| nitric acid | TOXICITY | IRRITATION |
| | 50-500 mg/kg ^[2] | Not Available |
| | Inhalation (rat) LC50: 0.13 mg/l/4h ^[2] | |
| hydrofluoric acid | TOXICITY | IRRITATION |
| | Inhalation (rat) LC50: 0.275 mg/l/60M ^[2] | Eye (human): 50 mg - SEVERE |
| water | TOXICITY | IRRITATION |
| | Not Available | Not Available |

Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. * Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

| | |
|--|--|
| TUNGSTEN | <p>The material may be irritating to the eye, with prolonged contact causing inflammation.</p> <p>The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.</p> <p>Tungsten can cause a reduction in body temperature, and enlargement of the adrenal glands and kidneys if injected.</p> <p>Substance has been investigated as a reproductive effector in female rodents- Oral TDLo 1.16 mg/kg</p> |
| NITRIC ACID | <p>For acid mists, aerosols, vapours</p> <p>Test results suggest that eukaryotic cells are susceptible to genetic damage when the pH falls to about 6.5.</p> <p>The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.</p> <p>Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers]</p> |
| HYDROFLUORIC ACID | (liver and kidney damage) [Manufacturer] for hydrogen fluoride (as vapour) |
| NITRIC ACID & HYDROFLUORIC ACID | Asthma-like symptoms may continue for months or even years after exposure to the material ends. |
| NITRIC ACID & HYDROFLUORIC ACID | The material may produce severe irritation to the eye causing pronounced inflammation. |
| NITRIC ACID & HYDROFLUORIC ACID | The material may produce respiratory tract irritation, and result in damage to the lung including reduced lung function. |
| HYDROFLUORIC ACID & WATER | No significant acute toxicological data identified in literature search. |

| | | | |
|--|---|---------------------------------|---|
| Acute Toxicity | ✓ | Carcinogenicity | ⊘ |
| Skin Irritation/Corrosion | ✓ | Reproductivity | ⊘ |
| Serious Eye Damage/Irritation | ✓ | STOT - Single Exposure | ⊘ |
| Respiratory or Skin sensitisation | ⊘ | STOT - Repeated Exposure | ⊘ |
| Mutagenicity | ⊘ | Aspiration Hazard | ⊘ |

10M63-3 Tungsten (10,000µg/mL in 5% HNO3 + 2% HF)

- Legend:  - Data available but does not fill the criteria for classification
 - Data available to make classification
 - Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

| 10M63-3 Tungsten (10,000µg/mL in 5% HNO3 + 2% HF) | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
|---|---------------|--------------------|---------------|---------------|---------------|
| | Not Available | Not Available | Not Available | Not Available | Not Available |

| tungsten | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
|----------|----------|--------------------|-------------------------------|-----------|--------|
| | LC50 | 96 | Fish | >181mg/L | 2 |
| | EC50 | 48 | Crustacea | >163mg/L | 2 |
| | EC50 | 72 | Algae or other aquatic plants | 7.35mg/L | 2 |
| | NOEC | 72 | Algae or other aquatic plants | 0.812mg/L | 2 |

| nitric acid | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
|-------------|----------|--------------------|-----------|---------|--------|
| | NOEC | 16 | Crustacea | 107mg/L | 4 |

| hydrofluoric acid | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
|-------------------|----------|--------------------|-----------|----------|--------|
| | LC50 | 96 | Fish | 51mg/L | 2 |
| | EC50 | 48 | Crustacea | =270mg/L | 1 |
| | NOEC | 504 | Fish | 4mg/L | 2 |

| water | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
|-------|---------------|--------------------|---------------|---------------|---------------|
| | Not Available | Not Available | Not Available | Not Available | Not Available |

Legend: Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Ecotoxicity:

The tolerance of water organisms towards pH margin and variation is diverse.

For Fluorides: Small amounts of fluoride have beneficial effects however; excessive intake over long periods may cause dental and/or skeletal fluorosis.

DO NOT discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|-------------------------|------------------|
| water | LOW | LOW |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|------------|----------------------|
| water | LOW (LogKOW = -1.38) |

Mobility in soil

| Ingredient | Mobility |
|------------|------------------|
| water | LOW (KOC = 14.3) |


SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

| Product / Packaging disposal | |
|------------------------------|--|
| | <ul style="list-style-type: none"> Containers may still present a chemical hazard/ danger when empty. Recycle wherever possible. |

SECTION 14 TRANSPORT INFORMATION

Labels Required

| | |
|--|---|
| |  |
|--|---|

10M63-3 Tungsten (10,000µg/mL in 5% HNO3 + 2% HF)

| | |
|------------------|----|
| Marine Pollutant | NO |
|------------------|----|

Land transport (DOT)

| | | | | | |
|------------------------------|--|--------------|---|--------------------|------------------------------|
| UN number | 3264 | | | | |
| UN proper shipping name | Corrosive liquid, acidic, inorganic, n.o.s. (contains nitric acid and hydrofluoric acid) | | | | |
| Transport hazard class(es) | <table border="1"> <tr> <td>Class</td> <td>8</td> </tr> <tr> <td>Subrisk</td> <td>Not Applicable</td> </tr> </table> | Class | 8 | Subrisk | Not Applicable |
| Class | 8 | | | | |
| Subrisk | Not Applicable | | | | |
| Packing group | II | | | | |
| Environmental hazard | Not Applicable | | | | |
| Special precautions for user | <table border="1"> <tr> <td>Hazard Label</td> <td>8</td> </tr> <tr> <td>Special provisions</td> <td>386, B2, IB2, T11, TP2, TP27</td> </tr> </table> | Hazard Label | 8 | Special provisions | 386, B2, IB2, T11, TP2, TP27 |
| Hazard Label | 8 | | | | |
| Special provisions | 386, B2, IB2, T11, TP2, TP27 | | | | |

Air transport (ICAO-IATA / DGR)

| | | | | | | | | | | | | | | | |
|---|--|--------------------|---------|---------------------------------|----------------|-------------------------------|------|--|-----|--|-----|---|------|--|-------|
| UN number | 3264 | | | | | | | | | | | | | | |
| UN proper shipping name | Corrosive liquid, acidic, inorganic, n.o.s. * (contains nitric acid and hydrofluoric acid) | | | | | | | | | | | | | | |
| Transport hazard class(es) | <table border="1"> <tr> <td>ICAO/IATA Class</td> <td>8</td> </tr> <tr> <td>ICAO / IATA Subrisk</td> <td>Not Applicable</td> </tr> <tr> <td>ERG Code</td> <td>8L</td> </tr> </table> | ICAO/IATA Class | 8 | ICAO / IATA Subrisk | Not Applicable | ERG Code | 8L | | | | | | | | |
| ICAO/IATA Class | 8 | | | | | | | | | | | | | | |
| ICAO / IATA Subrisk | Not Applicable | | | | | | | | | | | | | | |
| ERG Code | 8L | | | | | | | | | | | | | | |
| Packing group | II | | | | | | | | | | | | | | |
| Environmental hazard | Not Applicable | | | | | | | | | | | | | | |
| Special precautions for user | <table border="1"> <tr> <td>Special provisions</td> <td>A3 A803</td> </tr> <tr> <td>Cargo Only Packing Instructions</td> <td>855</td> </tr> <tr> <td>Cargo Only Maximum Qty / Pack</td> <td>30 L</td> </tr> <tr> <td>Passenger and Cargo Packing Instructions</td> <td>851</td> </tr> <tr> <td>Passenger and Cargo Maximum Qty / Pack</td> <td>1 L</td> </tr> <tr> <td>Passenger and Cargo Limited Quantity Packing Instructions</td> <td>Y840</td> </tr> <tr> <td>Passenger and Cargo Limited Maximum Qty / Pack</td> <td>0.5 L</td> </tr> </table> | Special provisions | A3 A803 | Cargo Only Packing Instructions | 855 | Cargo Only Maximum Qty / Pack | 30 L | Passenger and Cargo Packing Instructions | 851 | Passenger and Cargo Maximum Qty / Pack | 1 L | Passenger and Cargo Limited Quantity Packing Instructions | Y840 | Passenger and Cargo Limited Maximum Qty / Pack | 0.5 L |
| Special provisions | A3 A803 | | | | | | | | | | | | | | |
| Cargo Only Packing Instructions | 855 | | | | | | | | | | | | | | |
| Cargo Only Maximum Qty / Pack | 30 L | | | | | | | | | | | | | | |
| Passenger and Cargo Packing Instructions | 851 | | | | | | | | | | | | | | |
| Passenger and Cargo Maximum Qty / Pack | 1 L | | | | | | | | | | | | | | |
| Passenger and Cargo Limited Quantity Packing Instructions | Y840 | | | | | | | | | | | | | | |
| Passenger and Cargo Limited Maximum Qty / Pack | 0.5 L | | | | | | | | | | | | | | |

Sea transport (IMDG-Code / GGVSee)

| | | | | | | | |
|------------------------------|---|------------|-----------|--------------------|----------------|--------------------|-----|
| UN number | 3264 | | | | | | |
| UN proper shipping name | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains nitric acid and hydrofluoric acid) | | | | | | |
| Transport hazard class(es) | <table border="1"> <tr> <td>IMDG Class</td> <td>8</td> </tr> <tr> <td>IMDG Subrisk</td> <td>Not Applicable</td> </tr> </table> | IMDG Class | 8 | IMDG Subrisk | Not Applicable | | |
| IMDG Class | 8 | | | | | | |
| IMDG Subrisk | Not Applicable | | | | | | |
| Packing group | II | | | | | | |
| Environmental hazard | Not Applicable | | | | | | |
| Special precautions for user | <table border="1"> <tr> <td>EMS Number</td> <td>F-A , S-B</td> </tr> <tr> <td>Special provisions</td> <td>274</td> </tr> <tr> <td>Limited Quantities</td> <td>1 L</td> </tr> </table> | EMS Number | F-A , S-B | Special provisions | 274 | Limited Quantities | 1 L |
| EMS Number | F-A , S-B | | | | | | |
| Special provisions | 274 | | | | | | |
| Limited Quantities | 1 L | | | | | | |

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

TUNGSTEN(7440-33-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

| | |
|---|--|
| US - Alaska Limits for Air Contaminants | US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants |
| US - California Permissible Exposure Limits for Chemical Contaminants | US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants |
| US - Hawaii Air Contaminant Limits | US - Washington Permissible exposure limits of air contaminants |
| US - Massachusetts - Right To Know Listed Chemicals | US ACGIH Threshold Limit Values (TLV) |
| US - Minnesota Permissible Exposure Limits (PELs) | US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule |
| US - Oregon Permissible Exposure Limits (Z-1) | US NIOSH Recommended Exposure Limits (RELs) |
| US - Pennsylvania - Hazardous Substance List | US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |
| US - Rhode Island Hazardous Substance List | US TSCA Chemical Substance Inventory - Interim List of Active Substances |
| US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants | |

NITRIC ACID(7697-37-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

| | |
|---|--|
| US - Alaska Limits for Air Contaminants | US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants |
| US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELS) | US - Washington Permissible exposure limits of air contaminants |
| US - California Permissible Exposure Limits for Chemical Contaminants | US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values |
| US - Hawaii Air Contaminant Limits | US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants |
| US - Idaho - Limits for Air Contaminants | US ACGIH Threshold Limit Values (TLV) |
| US - Massachusetts - Right To Know Listed Chemicals | US CWA (Clean Water Act) - List of Hazardous Substances |
| US - Michigan Exposure Limits for Air Contaminants | US EPCRA Section 313 Chemical List |
| US - Minnesota Permissible Exposure Limits (PELs) | US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule |
| US - Oregon Permissible Exposure Limits (Z-1) | US NIOSH Recommended Exposure Limits (RELs) |
| US - Pennsylvania - Hazardous Substance List | US OSHA Permissible Exposure Levels (PELs) - Table Z1 |
| US - Rhode Island Hazardous Substance List | US SARA Section 302 Extremely Hazardous Substances |
| US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants | US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |
| US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants | US TSCA Chemical Substance Inventory - Interim List of Active Substances |

HYDROFLUORIC ACID(7664-39-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

| | |
|---|--|
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs | US - Washington Permissible exposure limits of air contaminants |
| US - Alaska Limits for Air Contaminants | US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values |
| US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELS) | US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants |
| US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs) | US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift |
| US - California Permissible Exposure Limits for Chemical Contaminants | US ACGIH Threshold Limit Values (TLV) |
| US - Hawaii Air Contaminant Limits | US ACGIH Threshold Limit Values (TLV) - Carcinogens |
| US - Idaho - Acceptable Maximum Peak Concentrations | US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs) |
| US - Idaho - Limits for Air Contaminants | US Clean Air Act - Hazardous Air Pollutants |
| US - Massachusetts - Right To Know Listed Chemicals | US CWA (Clean Water Act) - List of Hazardous Substances |
| US - Michigan Exposure Limits for Air Contaminants | US EPCRA Section 313 Chemical List |
| US - Minnesota Permissible Exposure Limits (PELs) | US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule |
| US - Oregon Permissible Exposure Limits (Z-1) | US NIOSH Recommended Exposure Limits (RELs) |
| US - Oregon Permissible Exposure Limits (Z-2) | US OSHA Permissible Exposure Levels (PELs) - Table Z1 |
| US - Pennsylvania - Hazardous Substance List | US OSHA Permissible Exposure Levels (PELs) - Table Z2 |
| US - Rhode Island Hazardous Substance List | US SARA Section 302 Extremely Hazardous Substances |
| US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants | US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |
| US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants | US TSCA Chemical Substance Inventory - Interim List of Active Substances |
| US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants | |

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

| | |
|--|--|
| US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive) Rule | US TSCA Chemical Substance Inventory - Interim List of Active Substances |
| US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory | |

Federal Regulations**Superfund Amendments and Reauthorization Act of 1986 (SARA)****SECTION 311/312 HAZARD CATEGORIES**

| | |
|---|-----|
| Flammable (Gases, Aerosols, Liquids, or Solids) | No |
| Gas under pressure | No |
| Explosive | No |
| Self-heating | No |
| Pyrophoric (Liquid or Solid) | No |
| Pyrophoric Gas | No |
| Corrosive to metal | Yes |
| Oxidizer (Liquid, Solid or Gas) | No |
| Organic Peroxide | No |
| Self-reactive | No |
| In contact with water emits flammable gas | No |
| Combustible Dust | No |
| Carcinogenicity | No |

10M63-3 Tungsten (10,000µg/mL in 5% HNO3 + 2% HF)

| | |
|--|-----|
| Acute toxicity (any route of exposure) | Yes |
| Reproductive toxicity | No |
| Skin Corrosion or Irritation | Yes |
| Respiratory or Skin Sensitization | No |
| Serious eye damage or eye irritation | Yes |
| Specific target organ toxicity (single or repeated exposure) | No |
| Aspiration Hazard | No |
| Germ cell mutagenicity | No |
| Simple Asphyxiant | No |

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

| Name | Reportable Quantity in Pounds (lb) | Reportable Quantity in kg |
|-------------------|------------------------------------|---------------------------|
| Nitric acid | 1000 | 454 |
| Hydrofluoric acid | 100 | 45.4 |

State Regulations

US. CALIFORNIA PROPOSITION 65

None Reported

| National Inventory | Status |
|-------------------------------|---|
| Australia - AICS | Y |
| Canada - DSL | Y |
| Canada - NDSL | N (water; tungsten; hydrofluoric acid; nitric acid) |
| China - IECSC | Y |
| Europe - EINEC / ELINCS / NLP | Y |
| Japan - ENCS | N (tungsten) |
| Korea - KECI | Y |
| New Zealand - NZIoC | Y |
| Philippines - PICCS | Y |
| USA - TSCA | Y |

Legend:
Y = All ingredients are on the inventory
N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing (see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

| Name | CAS No |
|-------------------|------------------------|
| hydrofluoric acid | 7664-39-3, 790596-14-4 |

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC—TWA: Permissible Concentration-Time Weighted Average
PC—STEL: Permissible Concentration-Short Term Exposure Limit
IARC: International Agency for Research on Cancer
ACGIH: American Conference of Governmental Industrial Hygienists
STEL: Short Term Exposure Limit
TEEL: Temporary Emergency Exposure Limit.
IDLH: Immediately Dangerous to Life or Health Concentrations
OSF: Odour Safety Factor
NOAEL :No Observed Adverse Effect Level
LOAEL: Lowest Observed Adverse Effect Level
TLV: Threshold Limit Value
LOD: Limit Of Detection
OTV: Odour Threshold Value
BCF: BioConcentration Factors
BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.