

# IC-BRO3-M Bromate (1000µg/mL in H2O)

**High-Purity Standards** 

Catalogue number: IC-BRO3-M

Version No: 1.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 2

Issue Date: **08/22/2016**Print Date: **08/22/2016**S.GHS.USA.EN

# **SECTION 1 IDENTIFICATION**

#### **Product Identifier**

| Product name                  | IC-BRO3-M Bromate (1000μg/mL in H2O) |
|-------------------------------|--------------------------------------|
| Synonyms                      | 1000μg/mL Bromate in H2O             |
| Other means of identification | IC-BRO3-M                            |

### Recommended use of the chemical and restrictions on use

### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

| Registered company name | High-Purity Standards               |
|-------------------------|-------------------------------------|
| Address                 | PO Box 41727 SC 29423 United States |
| Telephone               | 843-767-7900                        |
| Fax                     | 843-767-7906                        |
| Website                 | highpuritystandards.com             |
| Email                   | Not Available                       |

# Emergency phone number

| Association / Organisation        | INFOTRAC       |
|-----------------------------------|----------------|
| Emergency telephone numbers       | 1-800-535-5053 |
| Other emergency telephone numbers | 1-352-323-3500 |

# SECTION 2 HAZARD(S) IDENTIFICATION

### Classification of the substance or mixture

Classification

Carcinogenicity Category 1A, Reproductive Toxicity Category 2

### Label elements

**GHS** label elements



SIGNAL WORD

DANGER

# Hazard statement(s)

| H350 | May cause cancer.                                    |
|------|--|
| H361 | Suspected of damaging fertility or the unborn child. |

# Hazard(s) not otherwise specified

Not Applicable

### Precautionary statement(s) Prevention

Page 2 of 6

Version No: 1.1

### IC-BRO3-M Bromate (1000µg/mL in H2O)

Issue Date: **08/22/2016**Print Date: **08/22/2016** 

P201

Obtain special instructions before use

### Precautionary statement(s) Response

P308+P313

IF exposed or concerned: Get medical advice/attention.

### Precautionary statement(s) Storage

P405

Store locked up.

# Precautionary statement(s) Disposal

P501

Dispose of contents/container in accordance with local regulations.

### **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

### Substances

See section below for composition of Mixtures

#### **Mixtures**

| CAS No    | %[weight] | Name           |  |
|-----------|-----------|----------------|--|
| 7789-38-0 | 0.1       | sodium bromate |  |
| 7732-18-5 | balance   | water          |  |

### **SECTION 4 FIRST-AID MEASURES**

### Description of first aid measures

| Eye Contact  | If this product comes in contact with eyes:  Wash out immediately with water.  If irritation continues, seek medical attention.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |  |
|--|--|--|
| Skin Contact   | If skin or hair contact occurs:  ▶ Flush skin and hair with running water (and soap if available).  ▶ Seek medical attention in event of irritation.   |  |
| Inhalation   | <ul> <li>If furnes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>   |  |
| Ingestion  Ingestion |  |  |

### Most important symptoms and effects, both acute and delayed

See Section 11

# Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5 FIRE-FIGHTING MEASURES**

### Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

### Special hazards arising from the substrate or mixture

Fire Incompatibility Nor

None known.

### Special protective equipment and precautions for fire-fighters

|        | Fire Fighting    |
|--------|------------------|
| Fire/E | Explosion Hazard |

Alert Fire Brigade and tell them location and nature of hazard.

Non combustible.
 May emit poisonous fumes.

# SECTION 6 ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

See section 8

### **Environmental precautions**

See section 12

### Methods and material for containment and cleaning up

Minor Spills

► Clean up all spills immediately.

Page 3 of 6

IC-BRO3-M Bromate (1000µg/mL in H2O)

Issue Date: **08/22/2016**Print Date: **08/22/2016** 

Major Spills

► Clear area of personnel and move upwind.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

### **SECTION 7 HANDLING AND STORAGE**

### Precautions for safe handling

| Safe handling     | Avoid all personal contact, including inhalation. |
|-------------------|---|
| Other information |   |
|                   |   |

### Conditions for safe storage, including any incompatibilities

| Suitable container      | ▶ Polyethylene or polypropylene container. |  |
|-------------------------|--|--|
| Storage incompatibility | None known                                 |  |
|                         |  |  |

# SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

# **Control parameters**

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

### **EMERGENCY LIMITS**

| Ingredient     | Material name TEEL-1 |            | TEEL-2 TEEL-3 |           |          |
|----------------|----------------------|------------|---------------|-----------|----------|
| sodium bromate | Sodium bromate       | 0.46 mg/m3 |               | 5.1 mg/m3 | 30 mg/m3 |
| Ingredient     | Original IDLH        |            | Revised IDLH  |           |          |
| sodium bromate | Not Available        |            | Not Available |           |          |
| water          | Not Available        |            | Not Available |           |          |

# **Exposure controls**

| Appropriate engineering controls   | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.  |  |
|--|---|--|
| Personal protection  |   |  |
| Eye and face protection  | <ul><li>► Safety glasses with side shields</li><li>► Chemical goggles.</li></ul>  |  |
| Skin protection  | See Hand protection below   |  |
| Hands/feet protection  The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer.  Wear chemical protective gloves, e.g. PVC. |   |  |
| Body protection  | See Other protection below  |  |
| Other protection   | <ul> <li>Employees working with confirmed human carcinogens should be provided with, and be required to wear, clean, full body protective clothing (smocks, coveralls, or long-sleeved shirt and pants), shoe covers and gloves prior to entering the regulated area.</li> <li>Prior to each exit from an area containing confirmed human carcinogens, employees should be required to remove and leave protective clothing and equipment at the point of exit and at the last exit of the day, to place used clothing and equipment in impervious containers at the point of exit for purposes of decontamination or disposal.</li> <li>Overalls.</li> </ul> |  |
| Thermal hazards  | Not Available   |  |

# **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

# Information on basic physical and chemical properties

| Appearance                                   | colorless     |  |               |  |  |
|--|---------------|--|---------------|--|--|
| Physical state                               | Liquid        | Relative density (Water = 1)               | Not Available |  |  |
| Odour  | Not Available | Partition coefficient<br>n-octanol / water | Not Available |  |  |
| Odour threshold                              | Not Available | Auto-ignition temperature (°C)             | Not Available |  |  |
| pH (as supplied)                             | Not Available | Decomposition temperature                  | Not Available |  |  |
| Melting point / freezing point (°C)          | Not Available | Viscosity (cSt)                            | Not Available |  |  |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol)                   | Not Available |  |  |

Version No: 1.1

# IC-BRO3-M Bromate (1000µg/mL in H2O)

Issue Date: 08/22/2016 Print Date: 08/22/2016

| Flash point (°C)          | Not Available | Taste                            | Not Available |
|---------------------------|---------------|----------------------------------|---------------|
| Evaporation rate          | Not Available | Explosive properties             | Not Available |
| Flammability              | Not Available | Oxidising properties             | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol)        | Not Available |
| Vapour pressure (kPa)     | Not Available | Gas group                        | Not Available |
| Solubility in water (g/L) | Miscible      | pH as a solution (1%)            | Not Available |
| Vapour density (Air = 1)  | Not Available | VOC g/L                          | Not Available |

# **SECTION 10 STABILITY AND REACTIVITY**

| Reactivity                         | See section 7   |
|------------------------------------|---|
| Chemical stability                 | ► Unstable in the presence of incompatible materials. |
| Possibility of hazardous reactions | See section 7   |
| Conditions to avoid                | See section 7   |
| Incompatible materials             | See section 7   |
| Hazardous decomposition products   | See section 5   |

### **SECTION 11 TOXICOLOGICAL INFORMATION**

### Information on toxicological effects

| Inhaled  |   |   |              |               |
|--|---|---|--------------|---------------|
| iiiiaieu   | The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).  |   |              |               |
| Ingestion  | The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion".  |   |              |               |
| Skin Contact   | The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models).  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.   |   |              |               |
| Eye  | Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).  |   |              |               |
| Chronic  | There is sufficient evidence to suggest that this material directly causes cancer in humans. Ample evidence from experiments exists that there is a suspicion this material directly reduces fertility.   |   |              |               |
|  |   |   |              |               |
| IC-BRO3-M Bromate  | TOXICITY  | IRRITATION  |              |               |
| (1000μg/mL in H2O)   | Not Available   | Not Available   |              |               |
|  | TOXICITY  |   | ID           | RITATION      |
| sodium bromate   | Oral (rat) LD50: 400 mg/kg <sup>[2]</sup>   |   |              | I reported    |
|  | TOXICITY IRRITATION  Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup> Not Available   |   |              |               |
| water  |   |   |              | -             |
| water  Legend:   |   |   | from manufac | Not Available |
|  | Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup> 1. Value obtained from Europe ECHA Registered Substances   | after exposure to the material cease on, diarrhoea, haematuria recorded   | es.          | Not Available |
| Legend: SODIUM BROMATE WATER   | Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup> 1. Value obtained from Europe ECHA Registered Substances extracted from RTECS - Register of Toxic Effect of chemical Statement of Substances of Substances extracted from RTECS - Register of Toxic Effect of chemical Statement of Substances of Subs | after exposure to the material cease on, diarrhoea, haematuria recorded earch.                                  | es.<br>I.    | Not Available |
| Legend: SODIUM BROMATE WATER Acute Toxicity  | Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup> 1. Value obtained from Europe ECHA Registered Substances extracted from RTECS - Register of Toxic Effect of chemical Stathma-like symptoms may continue for months or even years a Somnolence, muscle weakness, dyspnae, respiratory depression. No significant acute toxicological data identified in literature se   | after exposure to the material cease on, diarrhoea, haematuria recorded earch.  Carcinogenicity                 | :s.          | Not Available |
| Legend:  SODIUM BROMATE  WATER  Acute Toxicity  Skin Irritation/Corrosion              | Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup> 1. Value obtained from Europe ECHA Registered Substances extracted from RTECS - Register of Toxic Effect of chemical Statement of Substances of Substances extracted from RTECS - Register of Toxic Effect of chemical Statement of Substances of Subs | after exposure to the material cease on, diarrhoea, haematuria recorded earch.                                  | es.<br>I.    | Not Available |
| Legend: SODIUM BROMATE WATER Acute Toxicity  | Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup> 1. Value obtained from Europe ECHA Registered Substances extracted from RTECS - Register of Toxic Effect of chemical Stathma-like symptoms may continue for months or even years a Somnolence, muscle weakness, dyspnae, respiratory depression. No significant acute toxicological data identified in literature se   | after exposure to the material cease on, diarrhoea, haematuria recorded earch.  Carcinogenicity                 | :s.          | Not Available |
| Legend:  SODIUM BROMATE  WATER  Acute Toxicity  Skin Irritation/Corrosion  Serious Eye | Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup> 1. Value obtained from Europe ECHA Registered Substances extracted from RTECS - Register of Toxic Effect of chemical Substances of Substances of Substances extracted from RTECS - Register of Toxic Effect of chemical Substances of Su | after exposure to the material cease on, diarrhoea, haematuria recorded earch.  Carcinogenicity  Reproductivity | 2S.<br> -    | Not Available |

- **Legend:** X − Data available but does not fill the criteria for classification 
  ✓ − Data required to make classification available

  - O Data Not Available to make classification

Version No: 1.1

IC-BRO3-M Bromate (1000µg/mL in H2O)

# Issue Date: **08/22/2016**Print Date: **08/22/2016**

#### Toxicity

| Ingredient     | Endpoint   | Test Duration (hr) | Species                       | Value           | Source |
|----------------|--|--------------------|-------------------------------|-----------------|--------|
| sodium bromate | EC50   | 96                 | Algae or other aquatic plants | 52190.80439mg/L | 3      |
| sodium bromate | LC50   | 96                 | Fish                          | 11.85391mg/L    | 3      |
| sodium bromate | EC50   | 24                 | Crustacea                     | 170mg/L         | 4      |
| sodium bromate | NOEC   | 24                 | Crustacea                     | 32mg/L          | 4      |
| water          | EC50   | 384                | Crustacea                     | 199.179mg/L     | 3      |
| water          | EC50   | 96                 | Algae or other aquatic plants | 8768.874mg/L    | 3      |
| water          | LC50   | 96                 | Fish                          | 897.520mg/L     | 3      |
| Legend:        | Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data |                    |                               |                 |        |

DO NOT discharge into sewer or waterways.

### Persistence and degradability

| Ingredient     | Persistence: Water/Soil | Persistence: Air |
|----------------|-------------------------|------------------|
| sodium bromate | HIGH                    | HIGH             |
| water          | LOW                     | LOW              |

### Bioaccumulative potential

| Ingredient     | Bioaccumulation        |
|----------------|------------------------|
| sodium bromate | LOW (LogKOW = -4.6296) |
| water          | LOW (LogKOW = -1.38)   |

### Mobility in soil

| Ingredient     | Mobility          |
|----------------|-------------------|
| sodium bromate | LOW (KOC = 35.04) |
| water          | LOW (KOC = 14.3)  |

### **SECTION 13 DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Product / Packaging disposal

► Containers may still present a chemical hazard/ danger when empty.

Legislation addressing waste disposal requirements may differ by country, state and/ or territory.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- ► Recycle wherever possible.

### **SECTION 14 TRANSPORT INFORMATION**

### **Labels Required**

Marine Pollutant

NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

### **SECTION 15 REGULATORY INFORMATION**

Safety, health and environmental regulations / legislation specific for the substance or mixture

SODIUM BROMATE(7789-38-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

### **Federal Regulations**

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD CATEGORIES

Catalogue number: IC-BRO3-M Page 6 of 6 Issue Date: 08/22/2016 Print Date: 08/22/2016

Version No: 1.1

# IC-BRO3-M Bromate (1000µg/mL in H2O)

| Immediate (acute) health hazard | No  |
|---------------------------------|-----|
| Delayed (chronic) health hazard | Yes |
| Fire hazard                     | No  |
| Pressure hazard                 | No  |
| Reactivity hazard               | No  |

### US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

None Reported

### **State Regulations**

### US. CALIFORNIA PROPOSITION 65

None Reported

| National Inventory               | Status  |
|----------------------------------|---|
| Australia - AICS                 | Y   |
| Canada - DSL                     | Υ   |
| Canada - NDSL                    | N (water; sodium bromate)   |
| China - IECSC                    | Υ   |
| Europe - EINEC / ELINCS /<br>NLP | Y   |
| Japan - ENCS                     | N (water)   |
| Korea - KECI                     | Y   |
| New Zealand - NZIoC              | Υ   |
| Philippines - PICCS              | Y   |
| USA - TSCA                       | Υ   |
| Legend:                          | Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |

### **SECTION 16 OTHER INFORMATION**

### Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

# Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

 ${\sf PC-STEL} : {\sf Permissible Concentration-Short Term Exposure Limit}$ 

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.