

# IC-LAC-M Lactate (1000µg/mL in H2O)

### **High-Purity Standards**

Catalogue number: IC-LAC-M

Version No: 1.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 0

Issue Date: **08/24/2016**Print Date: **08/24/2016**S GHS USA FN

### **SECTION 1 IDENTIFICATION**

#### **Product Identifier**

Product name	IC-LAC-M Lactate (1000µg/mL in H2O)
Synonyms	1000μg/mL Lactate in H2O
Other means of identification	IC-LAC-M

#### Recommended use of the chemical and restrictions on use

Relevant identified uses	Use according to manufacturer's directions.

### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	High-Purity Standards
Address	PO Box 41727 SC 29423 United States
Telephone	843-767-7900
Fax	843-767-7906
Website	highpuritystandards.com
Email	Not Available

## Emergency phone number

Association / Organisation	INFOTRAC
Emergency telephone numbers	1-800-535-5053
Other emergency telephone numbers	1-352-323-3500

## **SECTION 2 HAZARD(S) IDENTIFICATION**

### Classification of the substance or mixture

Classification	Not Applicable
Classification	Not Applic

### Label elements

GHS label elements	Not Applicable
SIGNAL WORD	NOT APPLICABLE

### Hazard statement(s)

Not Applicable

## Hazard(s) not otherwise specified

Not Applicable

### Precautionary statement(s) Prevention

Not Applicable

## Precautionary statement(s) Response

Not Applicable

# Precautionary statement(s) Storage

Not Applicable

Page 2 of 6

Version No: 1.1 IC-LAC-M Lactate (1000μg/mL in H2O)

Issue Date: **08/24/2016**Print Date: **08/24/2016** 

### Precautionary statement(s) Disposal

Not Applicable

## **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### Substances

See section below for composition of Mixtures

#### **Mixtures**

CAS No	%[weight]	Name
72-17-3	0.1	sodium lactate
7732-18-5	balance	<u>water</u>

### **SECTION 4 FIRST-AID MEASURES**

### Description of first aid measures

Eye Contact	If this product comes in contact with eyes:  • Wash out immediately with water.  • If irritation continues, seek medical attention.  • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs:  ► Flush skin and hair with running water (and soap if available).  ► Seek medical attention in event of irritation.
Inhalation	<ul> <li>If fumes, aerosols or combustion products are inhaled remove from contaminated area.</li> <li>Other measures are usually unnecessary.</li> </ul>
Ingestion	<ul> <li>Immediately give a glass of water.</li> <li>First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.</li> </ul>

### Most important symptoms and effects, both acute and delayed

See Section 11

### Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5 FIRE-FIGHTING MEASURES**

### **Extinguishing media**

- ► There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

### Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.

### Special protective equipment and precautions for fire-fighters

Fire Fighting	▶ Use water delivered as a fine spray to control fire and cool adjacent area.
Fire/Explosion Hazard	► Non combustible.

## **SECTION 6 ACCIDENTAL RELEASE MEASURES**

## Personal precautions, protective equipment and emergency procedures

See section 8

### **Environmental precautions**

See section 12

### Methods and material for containment and cleaning up

Minor Spills	► Clean up all spills immediately.
Major Spills	► Clear area of personnel and move upwind.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## **SECTION 7 HANDLING AND STORAGE**

## Precautions for safe handling

Safe handling	► Limit all unnecessary personal contact.
Other information	

Issue Date: **08/24/2016**Print Date: **08/24/2016** 

## Conditions for safe storage, including any incompatibilities

Suitable container	▶ Polyethylene or polypropylene container.
Storage incompatibility	Avoid contamination of water, foodstuffs, feed or seed. None known

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

## **Control parameters**

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Not Available

### **EMERGENCY LIMITS**

Ingredient	Material name	Material name		TEEL-2	TEEL-3
sodium lactate	Lactic acid, sodium salt, DL-; (Propanoic acid, 2-hydroxy-, monosodiu	Lactic acid, sodium salt, DL-; (Propanoic acid, 2-hydroxy-, monosodium salt)		330 mg/m3	2000 mg/m3
sodium lactate	Sodium lactate; (Lactic acid, monosodium salt)	Sodium lactate; (Lactic acid, monosodium salt)		30 mg/m3	790 mg/m3
Ingredient	Original IDLH	Revised IDLH			
sodium lactate	Not Available	Not Available			
water	Not Available	Not Available			

### **Exposure controls**

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	<ul> <li>Safety glasses with side shields</li> <li>Chemical goggles.</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	Wear general protective gloves, eg. light weight rubber gloves. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer.
Body protection	See Other protection below
Other protection	No special equipment needed when handling small quantities.
Thermal hazards	Not Available

## Respiratory protection

Type A Filter of sufficient capacity.

## **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

### Information on basic physical and chemical properties

information on basic physical and one-mout properties				
Appearance	coloress			
Physical state	Liquid	Relative density (Water = 1)	Not Available	
Odour	Not Available	Partition coefficient n-octanol / water	Not Available	
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available	
pH (as supplied)	Not Available	Decomposition temperature	Not Available	
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available	
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available	
Flash point (°C)	Not Available	Taste	Not Available	
Evaporation rate	Not Available	Explosive properties	Not Available	
Flammability	Not Available	Oxidising properties	Not Available	
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available	
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available	
Vapour pressure (kPa)	Not Available	Gas group	Not Available	
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available	

Issue Date: **08/24/2016**Print Date: **08/24/2016** 

Vapour density (Air = 1) Not Available VOC g/L Not Available

### **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

### **SECTION 11 TOXICOLOGICAL INFORMATION**

### Information on toxicological effects

The material is not thought to produce adverse health effects or irritation of the respiratory tract (as classified by EC Directives using animal models).
The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion".
The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models).
Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).
Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.

IC-LAC-M Lactate	TOXICITY	IRRITATION
(1000µg/mL in H2O)	Not Available	Not Available

sodium lactate
----------------

TOXICITY	IRRITATION
Not Available	Eye (rabbit): 100 mg mild

water

TOXICITY	IRRITATION
Oral (rat) LD50: >90000 mg/kg <sup>[2]</sup>	Not Available

Legend:

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.\* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

SODIUM LACTATE

for simple alpha-hydroxy carboxylic acids and their salts:

The toxicology of simple alpha hydroxy carboxylic acids cluster is characterised by five compounds sharing the functional group defining the cluster name Experimental data available for members of the simple alpha-hydroxy carboxylic acids indicate a low acute, repeated-dose, reproductive and developmental toxicity.

The material may be irritating to the eye, with prolonged contact causing inflammation.

WATER

No significant acute toxicological data identified in literature search.

Acute Toxicity	0	Carcinogenicity	0
Skin Irritation/Corrosion	0	Reproductivity	0
Serious Eye Damage/Irritation	0	STOT - Single Exposure	0
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure	0
Mutagenicity	0	Aspiration Hazard	0

Legend:

X − Data available but does not fill the criteria for classification
✓ − Data required to make classification available

Data Not Available to make classification

### **SECTION 12 ECOLOGICAL INFORMATION**

## Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
sodium lactate	LC50	96	Fish	38.00596mg/L	3
sodium lactate	EC50	48	Crustacea	130mg/L	2
sodium lactate	EC50	48	Crustacea	250mg/L	2
sodium lactate	NOEC	48	Crustacea	180mg/L	2
sodium lactate	EC50	72	Algae or other aquatic plants	>2800.0mg/L	2
water	EC50	384	Crustacea	199.179mg/L	3

Version No: 1.1

### IC-LAC-M Lactate (1000µg/mL in H2O)

Issue Date: **08/24/2016**Print Date: **08/24/2016** 

water	EC50	96	Algae or other aquatic plants	8768.874mg/L	3
water	LC50	96	Fish	897.520mg/L	3
Legend:	Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 8. Vendor Data				

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
sodium lactate	LOW	LOW
water	LOW	LOW

### **Bioaccumulative potential**

Ingredient	Bioaccumulation	
sodium lactate	LOW (LogKOW = -0.649)	
water	LOW (LogKOW = -1.38)	

### Mobility in soil

Ingredient	Mobility
sodium lactate	HIGH (KOC = 1)
water	LOW (KOC = 14.3)

### **SECTION 13 DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Product / Packaging disposal

Legislation addressing waste disposal requirements may differ by country, state and/ or territory.

- DO NOT allow wash water from cleaning or process equipment to enter drains.
- ▶ Recycle wherever possible.

### **SECTION 14 TRANSPORT INFORMATION**

### **Labels Required**

Marine Pollutant NC

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

### **SECTION 15 REGULATORY INFORMATION**

Safety, health and environmental regulations / legislation specific for the substance or mixture

SODIUM LACTATE(72-17-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

## **Federal Regulations**

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

### SECTION 311/312 HAZARD CATEGORIES

Immediate (acute) health hazard	No
Delayed (chronic) health hazard	No
Fire hazard	No
Pressure hazard	No
Reactivity hazard	No

### US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

None Reported

## State Regulations

Page 6 of 6

IC-LAC-M Lactate (1000µg/mL in H2O)

Issue Date: 08/24/2016 Print Date: 08/24/2016

### US. CALIFORNIA PROPOSITION 65

None Reported

Version No: 1.1

National Inventory	Status	
Australia - AICS	Υ	
Canada - DSL	Υ	
Canada - NDSL	N (sodium lactate; water)	
China - IECSC	Υ	
Europe - EINEC / ELINCS / NLP	Y	
Japan - ENCS	N (water)	
Korea - KECI	Υ	
New Zealand - NZIoC	Y	
Philippines - PICCS	Υ	
USA - TSCA	Y	
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)	

### **SECTION 16 OTHER INFORMATION**

### Other information

## Ingredients with multiple cas numbers

Name	CAS No
sodium lactate	72-17-3, 312-85-6, 867-56-1, 920-49-0

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

### **Definitions and abbreviations**

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

This document is copyright.