

## Section 1. Product and Company Identification

Product Identification: CCV-1 Solution A  
 MSDS Number: CCV-1 Solution A  
 Recommended Use: For Laboratory Use  
 Company Identification: High-Purity Standards  
 P.O. Box 41727  
 Charleston, SC 29423  
 Telephone: (843) 767-7900  
 FAX: (843) 767-7906

In case of emergency call INFOTRAC: 800-535-5053

## Section 2. Hazard Identification

**Classification:**

Skin Corrosion/Irritation, Category 1

Serious Eye Damage/ Eye Irritation, Category 1

**Labeling:****Symbol:**

**Signal Word:** Danger.

**Hazard Statement:** Causes severe skin burns and eye damage.

**Precautionary Statement:** Wear protective gloves/clothing and eye/face protection. Wash thoroughly after handling.

## Section 3. Composition

Component	CAS/EINECS Registry #	Percent Concentration
Aluminum	7429-90-5/231-072-3	0.02
Arsenic	7440-38-2/231-148-6	0.02
Barium Carbonate (BaCO <sub>3</sub> )	513-77-9/208-167-3	0.01 (as Ba)
Barium Nitrate (Ba(NO <sub>3</sub> ) <sub>2</sub> )	10022-31-8/233-020-5	
Beryllium Acetate (Be <sub>4</sub> O(C <sub>2</sub> H <sub>3</sub> O <sub>2</sub> ) <sub>6</sub> )	19049-40-2/242-785-4	0.01 (as Be)
Bismuth	7440-69-9/231-177-4	0.02
Boric Acid (H <sub>3</sub> BO <sub>3</sub> )	10043-35-3/233-139-2	0.02 (as B)
Calcium Carbonate (CaCO <sub>3</sub> )	471-34-1/207-439-9	0.02 (as Ca)
Cadmium	7440-43-9/231-152-8	0.01
Chromium	7440-47-3/231-157-5	0.005
Cobalt	7440-48-4/231-158-0	0.01
Copper	7440-50-8/231-159-6	0.02
Iron	7439-89-6/231-096-4	0.02
Lead	7439-92-1/231-100-4	0.02

<b>Safety Data Sheet No. CCV-1 Solution A</b>	<b>Date: April 4, 2014</b>	
<b>CCV-1 Solution</b>	<b>Revision: 001</b>	<b>Page 2 of 6</b>

Lithium Carbonate (Li <sub>2</sub> CO <sub>3</sub> )	554-13-2/209-062-5	0.02 (as Li)
Magnesium	7439-95-4/231-104-6	0.02
Manganese	7439-96-5/231-105-1	0.01
Molybdenum	7439-98-7/231-107-2	0.02
Nickel	7440-02-0/231-111-4	0.02
Ammonium Dihydrogen Phosphate (NH <sub>4</sub> H <sub>2</sub> PO <sub>4</sub> )	7722-76-1/231-764-5	0.05 (as P)
Potassium Nitrate (KNO <sub>3</sub> )	7757-79-1/231-818-8	0.05 (as K)
Selenium	7782-49-2/231-957-4	0.02
Strontium Carbonate (SrCO <sub>3</sub> )	1633-05-2/216-643-7	0.02 (as Sr)
Thallium	7440-28-0/231-138-1	0.02
Ammonium Metavanadate (NH <sub>4</sub> VO <sub>3</sub> )	7803-55-6/232-261-3	0.01 (as V)
Zinc	7440-66-6/231-175-3	0.01
Nitric Acid (HNO <sub>3</sub> )	7697-37-2/231-714-2	4
Hydrofluoric Acid	7664-39-3/231-634-8	<0.01
Water, deionized	7732-18-5/231-791-2	Balance

*\*Note: Barium is derived from either Barium carbonate or Barium Nitrate. For this reason both sources are listed on the SDS. Refer to the product's Certificate of Analysis to determine which source was used in the production of the lot number received.*

#### Section 4. First Aid Measures

**IF ON SKIN (or hair):** Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Rub calcium gluconate gel immediately to skin. Obtain medical assistance. Wash contaminated clothing before reuse.

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER doctor/physician.

**IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting.

**IF INHALED:** Remove to fresh air and keep at rest in a position comfortable for breathing.

**Target Organs:** Eyes, skin, respiratory system, teeth, and skeletal system.

#### Section 5. Fire Fighting Measures

**Fire & Explosion hazards:** While nitric acid is not combustible, it is a strong oxidizing agent that can react with combustible materials; however, it is present in limited quantities in this solution. NO<sub>x</sub> compounds can be released in case of fire.

**Extinguishing Media:** Use any extinguishing media that is suitable for the surrounding area. Use a water spray to dilute nitric acid and to absorb liberated nitrogen oxides.

**Specific Methods:** Firefighters should wear proper protective equipment and self-contained breathing apparatus with full face piece operated in positive pressure mode.

<b>Safety Data Sheet No. CCV-1 Solution A</b>	<b>Date: April 4, 2014</b>	
<b>CCV-1 Solution</b>	<b>Revision: 001</b>	<b>Page 3 of 6</b>

#### Section 6. Accidental Release Measures

Ventilate area of leak or spill. Wear appropriate personal protective equipment as specified in Section 8. Do not allow to enter drainage systems or water ways. Dike area and dilute spill with water and neutralize with soda ash, limestone, etc. Place the neutralized material into containers suitable for eventual disposal, reclamation, or destruction. Always dispose of in accordance with local regulations.

#### Section 7. Handling and Storage

Store in a cool, dry, ventilated storage area with acid resistant floors and good drainage. Keep out of direct sunlight and away from heat, water, and incompatible materials. When diluting, the acid should always be added slowly to water and in small amounts. Refer to Section 8 for personal handling instructions.

#### Section 8. Exposure Controls and Personal Protection

Engineering Controls: Provide exhaust ventilation or other engineering controls to keep any buildup of airborne contaminants below their respective threshold limit value. Ensure the availability of eyewash stations and safety showers.

Personal Protection: Wear proper gloves, safety glasses with side shields, lab coat/apron.

##### Exposure Limits:

Component	ACGIH TLV	OSHA PEL
Aluminum	10 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>
Arsenic	0.01 mg/m <sup>3</sup>	10 µg/ m <sup>3</sup>
Barium	0.5 mg/m <sup>3</sup>	0.5 mg/m <sup>3</sup>
Beryllium Acetate	0.002 mg/m <sup>3</sup>	0.002 mg/m <sup>3</sup>
Bismuth	Not Available	Not Available
Boric Acid)	Not Available	Not Available
Calcium Carbonate	0.5 mg/m <sup>3</sup>	0.5 mg/m <sup>3</sup>
Cadmium	0.002 mg/m <sup>3</sup> (respirable particulate)	0.005 mg/m <sup>3</sup>
Chromium	0.5 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>
Cobalt	0.02 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>
Copper	0.2 mg/m <sup>3</sup> (fumes)	0.1 mg/m <sup>3</sup> (fumes)
Iron	10 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>
Lead	0.05 mg/m <sup>3</sup>	0.05 mg/m <sup>3</sup>
Lithium Carbonate	Not Available	Not Available
Magnesium	Not Available	Not Available
Manganese	0.2 mg/m <sup>3</sup>	C 5 mg/m <sup>3</sup>
Molybdenum	5 mg/m <sup>3</sup>	5 mg/m <sup>3</sup>
Nickel	1.5 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>
Ammonium Dihydrogen Phosphate	Not Available	Not Available
Potassium Nitrate	Not Available	Not Available
Selenium	0.2 mg/m <sup>3</sup>	0.2 mg/ m <sup>3</sup>
Strontium Carbonate	Not Available	Not Available
Thallium	0.1 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>
Ammonium	0.05 mg/m <sup>3</sup>	Not Available

<b>Safety Data Sheet No. CCV-1 Solution A</b>	<b>Date: April 4, 2014</b>	
<b>CCV-1 Solution</b>	<b>Revision: 001</b>	<b>Page 4 of 6</b>

Metavanadate		
Zinc	5 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>
Nitric Acid	2 mg/kg	5 mg/m <sup>3</sup>
Hydrofluoric Acid	C: 3 mg/ml	2.5 mg/m <sup>3</sup> STEL: 6 mg/ml
Water, deionized	Not Available	Not Available

#### Section 9. Physical and Chemical Properties

Physical State: Liquid  
 Color: Clear, dark pink liquid  
 Odor: Odorless to a faint pungent odor  
 Odor threshold: None  
 pH: <2  
 Melting point: N/A  
 Freezing Point: N/A  
 Boiling Point: Approximately 100°C  
 Flash point: N/A  
 Evaporation rate: N/A  
 Flammability: N/A  
 Explosion limits: N/A  
 Vapor Pressure (mm): N/A  
 Vapor Density (air+1): N/A  
 Relative density: (H<sub>2</sub>O = 1): Approximately 1.0  
 Solubility in H<sub>2</sub>O: Complete  
 Auto ignition temperature: N/A  
 Decomposition temperature: N/A  
 Molecular Weight: 58.93 (Co)

#### Section 10. Stability and Reactivity

Stability Indicator: Decomposes slowly to release oxygen.  
 Conditions to Avoid: Metals, chlorine, organic materials, strong alkali, cyanides.  
 Incompatibles: Strong reducing agents.  
 Hazardous Decomposition Products: NO<sub>x</sub> compounds including nitric oxide (NO), nitrogen dioxide (NO<sub>2</sub>), nitrous oxide (N<sub>2</sub>O) and nitric acid mist or vapor.  
 Hazardous Polymerization: Will not occur.

#### Section 11. Toxicological Information

May affect skin, mucous membranes and eyes. Swallowing may lead to a negative effect on mouth and throat and to the risk of perforation or the corrosion of esophagus and stomach.  
 Arsenic, Beryllium, Cadmium, Cobalt, Lead, and Nickel are investigated as possible tumorigens

#### RTECS#

HNO <sub>3</sub> : QU5775000	HF: MW7875000	Al: BD0330000
As: CG0525000	H <sub>3</sub> BO <sub>3</sub> : ED450000	BaCO <sub>3</sub> : CQ8600000
Be <sub>4</sub> O(C <sub>2</sub> H <sub>3</sub> O <sub>2</sub> ) <sub>6</sub> : DS29750000	Bi: EB2600000	CaCO <sub>3</sub> : EV9580000
Cd: EU9800000	Co: GF8750000	Cr: GB4200000
Cu: GL5325000	Fe: NO4565500	Pb: OF7525000

<b>Safety Data Sheet No. CCV-1 Solution A</b>	<b>Date: April 4, 2014</b>	
<b>CCV-1 Solution</b>	<b>Revision: 001</b>	<b>Page 5 of 6</b>

Mg: OM2100000	KNO <sub>3</sub> : TT3700000	Li <sub>2</sub> CO <sub>3</sub> : OJ5800000
Mn: OO9275000	Mo: QA4680000	Ni: QR5950000
Se: VS7700000	Tl: XG3425000	V: YW0875000
Zn: ZG8600000	Ba(NO <sub>3</sub> ) <sub>2</sub> : CQ9625000	

LD<sub>LO</sub> Oral, Human: (Nitric Acid) 430 mg/kg;  
 LC<sub>LO</sub> Inhalation, Human: (Hydrofluoric Acid) 50 mg/kg/30 min;  
 LD<sub>50</sub> Oral, Rat: (Aluminum) >5000 mg/kg;  
 LD<sub>50</sub>, Oral, Rat: (Arsenic) 763 mg/kg;  
 LD<sub>50</sub> Oral, Rat: (Boric Acid) 2660 mg/kg;  
 LD<sub>LO</sub> Oral, Human: (Barium Carbonate) 17 mg/kg;  
 LD<sub>LO</sub> Oral, Human: (Barium Carbonate) 17 mg/kg.  
 TD<sub>LO</sub> Intratracheal, Rat: (Beryllium) 13 mg/kg;  
 LD<sub>50</sub> Oral, Rat: (Bismuth) 5 g/kg;  
 LD<sub>LO</sub> Oral, Human: (Cadmium) 2330 mg/kg;  
 LD<sub>LO</sub> Oral, Rabbit: (Cobalt) 750 mg/kg;  
 LD<sub>50</sub> Unreported Route, Rat: (Chromium) 27.5 mg/kg;  
 TD<sub>LO</sub> Oral, Human: (Copper) 120 µg/kg;  
 LD<sub>50</sub> Oral, Rat: (Potassium) 3750 mg/kg;  
 LD<sub>50</sub> Oral, Rat: (Lithium Carbonate) 525 mg/kg;  
 LD<sub>50</sub> Oral, Rat: (Manganese) 9 g/kg;  
 TD<sub>LO</sub> Oral, Mouse: (Molybdenum) 333 mg/kg (multigenerations);  
 LD<sub>50</sub>, Intravenous, Mouse: (Nickel) 50 mg/kg;  
 LD<sub>50</sub>, Oral, Rat: (Selenium) 6700 mg/kg;  
 TD<sub>LO</sub> Oral, Man: (Thallium) 5,714 µg/kg;  
 LD<sub>LO</sub> Oral, Mouse: (Yttrium) >6 g/kg  
 LD<sub>50</sub> Oral, Rat: (Vanadium) 58,100 µg/kg;  
 LD<sub>LO</sub> Oral, Duck: (Zinc) 388 mg/kg.

## Section 12. Ecological Information

Ecotoxicological information: Do not allow material to reach ground water, water bodies, or sewage system. Beryllium and its compounds are considered to have high acute and chronic toxicity to aquatic life. Beryllium is more toxic in soft water than in hard water.  
 Biodegradability LC<sub>50</sub> 96 hrs fish 3185mg/l; EC<sub>50</sub> 96 hrs Daphnia 247 mg/l.

## Section 13. Disposal Considerations

General: Follow Federal, state and local regulations for waste.

## Section 14. Transport Information

D.O.T. Classification: Hazardous by IATA and 49CFR regulations (based on concentration of acid).  
 D.O.T. Shipping Name: Corrosive liquid, Acidic, Inorganic, n.o.s. (Nitric Acid Solution)  
 D.O.T. Hazard Class: 8  
 U.N./N.A. Number: 3264  
 Packing Group: II  
 D.O.T. Label: Corrosive (8)

<b>Safety Data Sheet No. CCV-1 Solution A</b>	<b>Date: April 4, 2014</b>	
<b>CCV-1 Solution</b>	<b>Revision: 001</b>	<b>Page 6 of 6</b>

#### Section 15. Regulations (Not meant to be all inclusive-selected regulation listed)

TSCA Status: Components of this solution are listed on the TSCA Inventory.

RCRA Status: Yes (Hydrofluoric Acid– U134); Ammonium metavanadate (P119)

SARA: Subject to the reporting requirements of Section 313 or SARA Title III and of 40 CFR 372

Risk Phrases: R20/21/22, R24, R25 Harmful by inhalation, skin contact, or if swallowed. Toxic in contact with skin. Toxic if swallowed.

Safety Phrases: S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.

WHMIS Information (Canada): E: Corrosive

#### Section 16. Other Information

HPS products are intended for laboratory use only. All products should be handled and used by trained professional personnel only. The responsibility for the safe handling and use of these products rests solely with the buyer and/or user. The SDS was prepared carefully and represents the best data currently available to us; however, HPS does not certify the data on the SDS. Certified values for this material are given only on the Certificate of Analysis.

Theodore C. Rains, Ph.D.