

Page 1/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2023 Reviewed on 02/27/2023

#### 1 Identification

· Product identifier

· Trade name: Inorganic Stock Standard

· Article number: ICP-MS-A

Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

High-Purity Standards

7221 Investment Drive, North Charleston, SC 29418 United States

Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com

Email: info@highpuritystandards.com

· Information department: Product safety department

· Emergency telephone number:

**INFOTRAC** 

Emergency telephone numbers 1-800-535-5053 Other emergency telephone numbers 1-352-323-3500

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Corrosive to Metals 1 H290 May be corrosive to metals.

Skin Corrosion 1A H314 Causes severe skin burns and eye damage.

Eye Damage 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling: nitric acid
- · Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

· Precautionary statements

Keep only in original container.

(Contd. on page 2)





Printing date 02/27/2023 Reviewed on 02/27/2023

Trade name: Inorganic Stock Standard

(Contd. of page 1)

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 3 Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	Dangerous components:			
7697-37-2	nitric acid	2.0%		
	· Chemical identification of the substance/preparation			
7732-18-5	water, distilled, conductivity or of similar purity	97.992%		
7439-92-1	lead	0.001%		
	magnesium	0.001%		
7440-02-0		0.001%		
7440-41-7	·	0.001%		

(Contd. on page 3)



Page 3/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2023 Reviewed on 02/27/2023

#### Trade name: Inorganic Stock Standard

		Contd. of page 2)
7440-46-2	caesium	0.001%
7440-48-4	cobalt	0.001%
7440-61-1	uranium	0.001%
7440-69-9	bismuth	0.001%

#### 4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Dilute with plenty of water.
- · Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)





Printing date 02/27/2023 Reviewed on 02/27/2023

Trade name: Inorganic Stock Standard

	(Contd. of page
Protective Action Criteria for Chemicals	
PAC-1:	
7697-37-2 nitric acid	0.16 ppm
7439-92-1 lead	$0.15 \text{ mg/m}^3$
7439-95-4 magnesium	18 mg/m³
7440-02-0 nickel	$4.5 mg/m^3$
7440-41-7 beryllium	0.0023 mg/m
7440-46-2 caesium	$5.6 \text{ mg/m}^3$
7440-48-4 cobalt	$0.18 \text{ mg/m}^3$
7440-61-1 uranium	$0.6 \text{ mg/m}^3$
7440-69-9 bismuth	15 mg/m³
PAC-2:	
7697-37-2 nitric acid	24 ppm
7439-92-1 lead	$120 \text{ mg/m}^3$
7439-95-4 magnesium	$200 \text{ mg/m}^3$
7440-02-0 nickel	$50 \text{ mg/m}^3$
7440-41-7 beryllium	0.025 mg/m
7440-46-2 caesium	61 mg/m³
7440-48-4 cobalt	2 mg/m <sup>3</sup>
7440-61-1 uranium	$5 \text{ mg/m}^3$
7440-69-9 bismuth	$170 \text{ mg/m}^3$
PAC-3:	
7697-37-2 nitric acid	92 ppm
7439-92-1 lead	$700 \text{ mg/m}^3$
7439-95-4 magnesium	1,200 mg/m
7440-02-0 nickel	99 mg/m³
7440-41-7 beryllium	$0.1 \text{ mg/m}^3$
7440-46-2 caesium	$370 \text{ mg/m}^3$
7440-48-4 cobalt	20 mg/m³
7440-61-1 uranium	$30 \text{ mg/m}^3$
7440-69-9 bismuth	990 mg/m³

#### 7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

(Contd. on page 5)





Printing date 02/27/2023 Reviewed on 02/27/2023

Trade name: Inorganic Stock Standard

(Contd. of page 4)

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

#### · Components with limit values that require monitoring at the workplace:

#### 7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5.2 mg/m<sup>3</sup>, 2 ppm

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)



Page 6/12

# Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2023 Reviewed on 02/27/2023

Trade name: Inorganic Stock Standard

(Contd. of page 5)

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical proper	ties
· Information on basic physical and c	chemical properties
General Information	
· Appearance:	
Form:	Liquid
Color: Odor:	colorless Characteristic
· Oaor: · Odor threshold:	Not determined.
pH-value:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density at 20 °C (68 °F):	1.01057 g/cm³ (8.43321 lbs/gal)
Bulk density:	$1,010 \text{ kg/m}^3$
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.

(Contd. on page 7)





Printing date 02/27/2023 Reviewed on 02/27/2023

Trade name: Inorganic Stock Standard

	(Contd. of page		
Partition coefficient (n-octanol/water): Not determined.			
· Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
Solvent content:			
Water:	98.0 %		
VOC content:	0.00 %		
	0.0 g/l / 0.00 lb/gal		
Solids content:	0.0 %		
Other information	No further relevant information available.		

#### 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:

Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Corrosive

Irritant

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)	
7439-92-1   lead	28
	(Contd. on page 8)



Page 8/12

## Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2023 Reviewed on 02/27/2023

Trade name: Inorganic Stock Standard

		(Contd. of page 7)		
7440-02-0	nickel	2B		
7440-41-7	beryllium	1		
7440-48-4	cobalt	2B		
· NTP (Nati	· NTP (National Toxicology Program)			
7439-92-1	lead	R		
7440-02-0	nickel	R		
7440-41-7	beryllium	K		
7440-48-4	cobalt	R		
· OSHA-Ca	· OSHA-Ca (Occupational Safety & Health Administration)			
None of the	None of the ingredients is listed.			

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Not hazardous for water.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

TC.



Page 9/12

# Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2023 Reviewed on 02/27/2023

Trade name: Inorganic Stock Standard

(Contd. of page 8)

TINI NI I	
UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name	
DOT	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid)
ADR	3264 CORROSIVE LIQUID, ACIDIC, INORGÂNIC, N.O. (NITRIC ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRI ACID)
Transport hazard class(es)	
DOT	
CORROSIVE	
Class	8 Corrosive substances
Label	8
ADR	
1 The Control of the	
Class	8 (C1) Corrosive substances
Label	8
IMDG, IATA	
Class	8 Corrosive substances
Label	8
Packing group DOT, ADR, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	: 80 F-A,S-B
EMS Number: Segregation groups	Acids
Segregation groups Stowage Category	Actus A





Printing date 02/27/2023 Reviewed on 02/27/2023

Trade name: Inorganic Stock Standard

	(Contd. of page
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 5 L
-	On cargo aircraft only: 60 L
· ADR	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
<u> </u>	(NITRIC ACID), 8, III

#### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara	evant information available.		
	extremely hazardous substances):		
7697-37-2 nii	tric acid		
· Section 313 (S	Specific toxic chemical listings):		
7697-37-2 nii	tric acid		
7439-92-1 led	ad		
7440-02-0 nie	ckel		
7440-41-7 be	eryllium		
7440-48-4 co	balt		
· TSCA (Toxic	TSCA (Toxic Substances Control Act):		
All componen	All components have the value ACTIVE.		
· Hazardous Air Pollutants			
7439-92-1 led	7439-92-1   lead		
7440-48-4 co	balt		

(Contd. on page 11)





Printing date 02/27/2023 Reviewed on 02/27/2023

Trade name: Inorganic Stock Standard

(Contd. of page 10)

#### · Proposition 65

· Chemicals known to cause cancer:			
7439-92-1	lead		
7440-02-0			
7440-41-7	beryllium		
7440-48-4	cobalt		
· Chemicals known to cause reproductive toxicity for females:			
7439-92-1	lead		
· Chemicals known to cause reproductive toxicity for males:			
7439-92-1	lead		
· Chemicals known to cause developmental toxicity:			
7439-92-1	lead		

#### · Carcinogenic categories

· EPA (Envi	ronmental Protection Agency)	
7439-92-1	lead	B2
7440-41-7	beryllium	B1, K/L(inh), CBD(oral)
· TLV (Thre	shold Limit Value)	
7439-92-1	lead	A3
7440-02-0	nickel	A5
7440-41-7	beryllium	AI
7440-48-4	cobalt	<i>A3</i>
7440-61-1	uranium	AI
NIOSH-Ca (National Institute for Occupational Safety and Health)		

# NIOSH-Ca (National Institute for Occupational Safety and Health) 7440-02-0 nickel 7440-41-7 beryllium 7440-61-1 uranium

- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



- · **Signal word** Danger
- Hazard-determining components of labeling:
- nitric acid
  · Hazard statements

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

(Contd. on page 12)



Page 12/12

#### Safety Data Sheet acc. to OSHA HCS

Printing date 02/27/2023 Reviewed on 02/27/2023

Trade name: Inorganic Stock Standard

(Contd. of page 11)

#### · Precautionary statements

Keep only in original container.

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

*If swallowed: Rinse mouth. Do NOT induce vomiting.* 

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Wash contaminated clothing before reuse.

Absorb spillage to prevent material damage.

Store locked up.

Store in corrosive resistant container with a resistant inner liner.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · **Department issuing SDS:** Environment protection department.
- · Contact:

High-Purity Standards Tel: 843-767-7900 Fax: 843-767-7906

- · Date of preparation / last revision 02/27/2023
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Corrosive to Metals 1: Corrosive to metals – Category 1 Skin Corrosion 1A: Skin corrosion/irritation - Category 1A

Eye Damage 1: Serious eye damage/eye irritation - Category 1