

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

**1 Identification**

- **Product identifier**
- **Trade name:** ICP-MS Verification Standard E
- **Article number:** ICP-MS-E
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
High-Purity Standards  
P.O. Box 41727  
Charleston, SC 29423  
Telephone: (843) 767-7900  
FAX: (843) 767-7906
- **Information department:** Product safety department
- **Emergency telephone number:**  
INFOTRAC  
Emergency telephone numbers 1-800-535-5053  
Other emergency telephone numbers 1-352-323-3500

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS05 Corrosion

- Met. Corr.1 H290 May be corrosive to metals.
- Skin Corr. 1A H314 Causes severe skin burns and eye damage.
- Eye Dam. 1 H318 Causes serious eye damage.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
nitric acid
- **Hazard statements**  
H290 May be corrosive to metals.  
H314 Causes severe skin burns and eye damage.
- **Precautionary statements**  
Keep only in original container.  
Do not breathe dusts or mists.  
Wash thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
If swallowed: Rinse mouth. Do NOT induce vomiting.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

(Contd. on page 2)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

**Trade name: ICP-MS Verification Standard E**

(Contd. of page 1)

*IF INHALED: Remove person to fresh air and keep comfortable for breathing.*  
*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*  
*Immediately call a poison center/doctor.*  
*Specific treatment (see on this label).*  
*Wash contaminated clothing before reuse.*  
*Absorb spillage to prevent material damage.*  
*Store locked up.*  
*Store in corrosive resistant container with a resistant inner liner.*  
*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



· **HMIS-ratings (scale 0 - 4)**



· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

**3 Composition/information on ingredients**

· **Chemical characterization: Mixtures**

· **Description:** Mixture of the substances listed below with nonhazardous additions.

· **Dangerous components:**

7697-37-2	nitric acid	2.0%
-----------	-------------	------

· **Chemical identification of the substance/preparation**

513-77-9	barium carbonate	0.001%
543-81-7	beryllium acetate	0.001%
7440-43-9	cadmium (non-pyrophoric)	0.001%
471-34-1	calcium carbonate	0.001%
21351-79-1	caesium hydroxide	0.001%
7440-47-3	chromium	0.001%
7440-48-4	cobalt	0.001%
7440-50-8	copper	0.001%
7440-55-3	gallium	0.001%
7439-89-6	iron	0.001%
7439-92-1	lead	0.001%
554-13-2	lithium carbonate	0.001%

(Contd. on page 3)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

**Trade name: ICP-MS Verification Standard E**

(Contd. of page 2)

7439-95-4	magnesium	0.001%
6156-78-1	Manganese(II) acetate tetrahydrate	0.001%
7440-02-0	nickel	0.001%
7757-79-1	potassium nitrate	0.001%
584-09-8	rubidium carbonate	0.001%
7782-49-2	selenium	0.001%
7440-22-4	silver	0.001%
497-19-8	sodium carbonate	0.001%
10042-76-9	strontium nitrate	0.001%
7440-28-0	thallium	0.001%
10102-06-4	Uranyl nitrate	0.001%
7803-55-6	Ammonium Vanadate	0.001%
7440-66-6	zinc	0.001%
7440-38-2	arsenic	0.001%
7429-90-5	aluminium	0.001%
7732-18-5	water, distilled, conductivity or of similar purity	97.973%

#### 4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

#### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

#### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

**Trade name: ICP-MS Verification Standard E**

(Contd. of page 3)

- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

7697-37-2	nitric acid	0.16 ppm
513-77-9	barium carbonate	2.2 mg/m <sup>3</sup>
7440-43-9	cadmium (non-pyrophoric)	0.10 mg/m <sup>3</sup>
471-34-1	calcium carbonate	45 mg/m <sup>3</sup>
21351-79-1	caesium hydroxide	6 mg/m <sup>3</sup>
7440-47-3	chromium	1.5 mg/m <sup>3</sup>
7440-48-4	cobalt	0.18 mg/m <sup>3</sup>
7440-50-8	copper	3 mg/m <sup>3</sup>
7440-55-3	gallium	30 mg/m <sup>3</sup>
7439-89-6	iron	3.2 mg/m <sup>3</sup>
7439-92-1	lead	0.15 mg/m <sup>3</sup>
554-13-2	lithium carbonate	3.1 mg/m <sup>3</sup>
7439-95-4	magnesium	18 mg/m <sup>3</sup>
6156-78-1	Manganese(II) acetate tetrahydrate	13 mg/m <sup>3</sup>
7440-02-0	nickel	4.5 mg/m <sup>3</sup>
7757-79-1	potassium nitrate	9 mg/m <sup>3</sup>
7782-49-2	selenium	0.6 mg/m <sup>3</sup>
7440-22-4	silver	0.3 mg/m <sup>3</sup>
497-19-8	sodium carbonate	7.6 mg/m <sup>3</sup>
10042-76-9	strontium nitrate	5.7 mg/m <sup>3</sup>
7440-28-0	thallium	0.06 mg/m <sup>3</sup>
10102-06-4	Uranyl nitrate	0.99 mg/m <sup>3</sup>
7803-55-6	Ammonium Vanadate	0.01 mg/m <sup>3</sup>
7440-66-6	zinc	6 mg/m <sup>3</sup>
7440-38-2	arsenic	1.5 mg/m <sup>3</sup>

· **PAC-2:**

7697-37-2	nitric acid	24 ppm
513-77-9	barium carbonate	270 mg/m <sup>3</sup>
7440-43-9	cadmium (non-pyrophoric)	0.76 mg/m <sup>3</sup>
471-34-1	calcium carbonate	210 mg/m <sup>3</sup>
21351-79-1	caesium hydroxide	19 mg/m <sup>3</sup>

(Contd. on page 5)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

**Trade name: ICP-MS Verification Standard E**

		(Contd. of page 4)
7440-47-3	chromium	17 mg/m <sup>3</sup>
7440-48-4	cobalt	2 mg/m <sup>3</sup>
7440-50-8	copper	33 mg/m <sup>3</sup>
7440-55-3	gallium	330 mg/m <sup>3</sup>
7439-89-6	iron	35 mg/m <sup>3</sup>
7439-92-1	lead	120 mg/m <sup>3</sup>
554-13-2	lithium carbonate	34 mg/m <sup>3</sup>
7439-95-4	magnesium	200 mg/m <sup>3</sup>
6156-78-1	Manganese(II) acetate tetrahydrate	22 mg/m <sup>3</sup>
7440-02-0	nickel	50 mg/m <sup>3</sup>
7757-79-1	potassium nitrate	100 mg/m <sup>3</sup>
7782-49-2	selenium	6.6 mg/m <sup>3</sup>
7440-22-4	silver	170 mg/m <sup>3</sup>
497-19-8	sodium carbonate	83 mg/m <sup>3</sup>
10042-76-9	strontium nitrate	62 mg/m <sup>3</sup>
7440-28-0	thallium	3.3 mg/m <sup>3</sup>
10102-06-4	Uranyl nitrate	5.5 mg/m <sup>3</sup>
7803-55-6	Ammonium Vanadate	0.11 mg/m <sup>3</sup>
7440-66-6	zinc	21 mg/m <sup>3</sup>
7440-38-2	arsenic	17 mg/m <sup>3</sup>

**PAC-3:**

7697-37-2	nitric acid	92 ppm
513-77-9	barium carbonate	1,600 mg/m <sup>3</sup>
7440-43-9	cadmium (non-pyrophoric)	4.7 mg/m <sup>3</sup>
471-34-1	calcium carbonate	1,300 mg/m <sup>3</sup>
21351-79-1	caesium hydroxide	110 mg/m <sup>3</sup>
7440-47-3	chromium	99 mg/m <sup>3</sup>
7440-48-4	cobalt	20 mg/m <sup>3</sup>
7440-50-8	copper	200 mg/m <sup>3</sup>
7440-55-3	gallium	2,000 mg/m <sup>3</sup>
7439-89-6	iron	150 mg/m <sup>3</sup>
7439-92-1	lead	700 mg/m <sup>3</sup>
554-13-2	lithium carbonate	210 mg/m <sup>3</sup>
7439-95-4	magnesium	1,200 mg/m <sup>3</sup>
6156-78-1	Manganese(II) acetate tetrahydrate	740 mg/m <sup>3</sup>
7440-02-0	nickel	99 mg/m <sup>3</sup>
7757-79-1	potassium nitrate	600 mg/m <sup>3</sup>
7782-49-2	selenium	40 mg/m <sup>3</sup>
7440-22-4	silver	990 mg/m <sup>3</sup>
497-19-8	sodium carbonate	500 mg/m <sup>3</sup>

(Contd. on page 6)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

**Trade name: ICP-MS Verification Standard E**

		(Contd. of page 5)
10042-76-9	strontium nitrate	370 mg/m <sup>3</sup>
7440-28-0	thallium	20 mg/m <sup>3</sup>
10102-06-4	Uranyl nitrate	33 mg/m <sup>3</sup>
7803-55-6	Ammonium Vanadate	80 mg/m <sup>3</sup>
7440-66-6	zinc	120 mg/m <sup>3</sup>
7440-38-2	arsenic	100 mg/m <sup>3</sup>

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

<b>7697-37-2 nitric acid</b>	
PEL	Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
REL	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5 mg/m <sup>3</sup> , 2 ppm
TLV	Short-term value: 10 mg/m <sup>3</sup> , 4 ppm Long-term value: 5.2 mg/m <sup>3</sup> , 2 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing.  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes.  
Avoid contact with the eyes and skin.
- **Breathing equipment:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 7)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

**Trade name: ICP-MS Verification Standard E**

(Contd. of page 6)

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

### 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· <b>Form:</b>	Liquid
· <b>Color:</b>	Colorless
· <b>Odor:</b>	Characteristic
· <b>Odor threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· <b>Melting point/Melting range:</b>	Undetermined.
· <b>Boiling point/Boiling range:</b>	100 °C (212 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not applicable.

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· <b>Lower:</b>	Not determined.
· <b>Upper:</b>	Not determined.

(Contd. on page 8)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

**Trade name: ICP-MS Verification Standard E**

(Contd. of page 7)

· <b>Vapor pressure at 20 °C (68 °F):</b>	23 hPa (17.3 mm Hg)
· <b>Density:</b>	Not determined.
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Dynamic:</b>	Not determined.
· <b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
· <b>Water:</b>	98.0 %
· <b>VOC content:</b>	0.00 %
	0.0 g/l / 0.00 lb/gal
· <b>Solids content:</b>	0.0 %
· <b>Other information</b>	No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** Strong caustic effect on skin and mucous membranes.
- **on the eye:**
- Strong caustic effect.
- Strong irritant with the danger of severe eye injury.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- The product shows the following dangers according to internally approved calculation methods for preparations:
- Corrosive
- Irritant
- Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 9)



**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

**Trade name: ICP-MS Verification Standard E**

(Contd. of page 8)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

543-81-7	beryllium acetate	I
7440-43-9	cadmium (non-pyrophoric)	I
7440-47-3	chromium	3
7440-48-4	cobalt	2B
7439-92-1	lead	2B
7440-02-0	nickel	2B
7782-49-2	selenium	3
7440-38-2	arsenic	I

· **NTP (National Toxicology Program)**

543-81-7	beryllium acetate	K
7440-43-9	cadmium (non-pyrophoric)	K
7440-48-4	cobalt	R
7439-92-1	lead	R
7440-02-0	nickel	R
7440-38-2	arsenic	K

· **OSHA-Ca (Occupational Safety & Health Administration)**

7440-43-9	cadmium (non-pyrophoric)
7440-38-2	arsenic

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Generally not hazardous for water  
Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 10)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019



Reviewed on 03/29/2019

Trade name: ICP-MS Verification Standard E

(Contd. of page 9)

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

· <b>UN-Number</b> · <b>DOT, ADR, IMDG, IATA</b>	UN3264
· <b>UN proper shipping name</b> · <b>DOT</b> · <b>ADR</b> · <b>IMDG, IATA</b>	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID)
· <b>Transport hazard class(es)</b> · <b>DOT</b>	
	
· <b>Class</b> · <b>Label</b>	8 Corrosive substances 8
· <b>ADR, IMDG, IATA</b>	
	
· <b>Class</b> · <b>Label</b>	8 Corrosive substances 8
· <b>Packing group</b> · <b>DOT, ADR, IMDG, IATA</b>	III
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user</b> · <b>Danger code (Kemler):</b> · <b>EMS Number:</b> · <b>Segregation groups</b> · <b>Stowage Category</b> · <b>Stowage Code</b>	Warning: Corrosive substances 80 F-A,S-B Acids A SW2 Clear of living quarters.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b> · <b>DOT</b> · <b>Quantity limitations</b>	On passenger aircraft/rail: 5 L On cargo aircraft only: 60 L

(Contd. on page 11)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

**Trade name: ICP-MS Verification Standard E**

(Contd. of page 10)

<ul style="list-style-type: none"> <li>· <b>ADR</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	<p>Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>
<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	<p>5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>
<ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>	<p>UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III</p>

**15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

7697-37-2	nitric acid
-----------	-------------

· **Section 313 (Specific toxic chemical listings):**

7697-37-2	nitric acid
-----------	-------------

513-77-9	barium carbonate
----------	------------------

543-81-7	beryllium acetate
----------	-------------------

7440-43-9	cadmium (non-pyrophoric)
-----------	--------------------------

7440-47-3	chromium
-----------	----------

7440-48-4	cobalt
-----------	--------

7440-50-8	copper
-----------	--------

7439-92-1	lead
-----------	------

554-13-2	lithium carbonate
----------	-------------------

7440-02-0	nickel
-----------	--------

7757-79-1	potassium nitrate
-----------	-------------------

7782-49-2	selenium
-----------	----------

7440-22-4	silver
-----------	--------

10042-76-9	strontium nitrate
------------	-------------------

7440-28-0	thallium
-----------	----------

7803-55-6	Ammonium Vanadate
-----------	-------------------

7440-66-6	zinc
-----------	------

7440-38-2	arsenic
-----------	---------

7429-90-5	aluminium
-----------	-----------

· **TSCA (Toxic Substances Control Act):**

7697-37-2	nitric acid
-----------	-------------

513-77-9	barium carbonate
----------	------------------

(Contd. on page 12)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

**Trade name: ICP-MS Verification Standard E**

(Contd. of page 11)

7440-43-9	cadmium (non-pyrophoric)
471-34-1	calcium carbonate
21351-79-1	caesium hydroxide
7440-47-3	chromium
7440-48-4	cobalt
7440-50-8	copper
7440-55-3	gallium
7439-89-6	iron
7439-92-1	lead
554-13-2	lithium carbonate
7439-95-4	magnesium
7440-02-0	nickel
7757-79-1	potassium nitrate
584-09-8	rubidium carbonate
7782-49-2	selenium
7440-22-4	silver
497-19-8	sodium carbonate
10042-76-9	strontium nitrate
7440-28-0	thallium
10102-06-4	Uranyl nitrate
7803-55-6	Ammonium Vanadate
7440-66-6	zinc
7440-38-2	arsenic
7429-90-5	aluminium
7732-18-5	water, distilled, conductivity or of similar purity

**· Proposition 65**

**· Chemicals known to cause cancer:**

543-81-7	beryllium acetate
7440-43-9	cadmium (non-pyrophoric)
7440-48-4	cobalt
7439-92-1	lead
7440-02-0	nickel
7440-38-2	arsenic

**· Chemicals known to cause reproductive toxicity for females:**

7439-92-1	lead
-----------	------

**· Chemicals known to cause reproductive toxicity for males:**

7440-43-9	cadmium (non-pyrophoric)
7439-92-1	lead

**· Chemicals known to cause developmental toxicity:**

7440-43-9	cadmium (non-pyrophoric)
-----------	--------------------------

(Contd. on page 13)

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

**Trade name: ICP-MS Verification Standard E**

(Contd. of page 12)

7439-92-1	lead
554-13-2	lithium carbonate

**· Carcinogenic categories**

**· EPA (Environmental Protection Agency) (Substances not listed)**

7697-37-2	nitric acid
543-81-7	beryllium acetate
471-34-1	calcium carbonate
21351-79-1	caesium hydroxide
7440-48-4	cobalt
7440-55-3	gallium
7439-89-6	iron
554-13-2	lithium carbonate
7439-95-4	magnesium
6156-78-1	Manganese(II) acetate tetrahydrate
7440-02-0	nickel
7757-79-1	potassium nitrate
584-09-8	rubidium carbonate
497-19-8	sodium carbonate
10042-76-9	strontium nitrate
7440-28-0	thallium
10102-06-4	Uranyl nitrate
7803-55-6	Ammonium Vanadate
7429-90-5	aluminium
7732-18-5	water, distilled, conductivity or of similar purity

**· TLV (Threshold Limit Value established by ACGIH)**

513-77-9	barium carbonate	A4
7440-43-9	cadmium (non-pyrophoric)	A2
7440-47-3	chromium	A4
7440-48-4	cobalt	A3
7439-92-1	lead	A3
7440-02-0	nickel	A5
7440-38-2	arsenic	A1
7429-90-5	aluminium	A4

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

7440-43-9	cadmium (non-pyrophoric)
7440-02-0	nickel
7440-38-2	arsenic

**· GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 14)

## Safety Data Sheet

acc. to OSHA HCS

Printing date 03/29/2019

Reviewed on 03/29/2019

**Trade name: ICP-MS Verification Standard E**

(Contd. of page 13)

· **Hazard pictograms**



GHS05

· **Signal word** *Danger*

· **Hazard-determining components of labeling:**

*nitric acid*

· **Hazard statements**

*H290 May be corrosive to metals.*

*H314 Causes severe skin burns and eye damage.*

· **Precautionary statements**

*Keep only in original container.*

*Do not breathe dusts or mists.*

*Wash thoroughly after handling.*

*Wear protective gloves/protective clothing/eye protection/face protection.*

*If swallowed: Rinse mouth. Do NOT induce vomiting.*

*If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

*IF INHALED: Remove person to fresh air and keep comfortable for breathing.*

*If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.*

*Continue rinsing.*

*Immediately call a poison center/doctor.*

*Specific treatment (see on this label).*

*Wash contaminated clothing before reuse.*

*Absorb spillage to prevent material damage.*

*Store locked up.*

*Store in corrosive resistant container with a resistant inner liner.*

*Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Department issuing SDS:** *Environment protection department.*

· **Contact:**

*High-Purity Standards*

*Tel: 843-767-7900*

*Fax: 843-767-7906*

· **Date of preparation / last revision** *03/29/2019 / -*

· **Abbreviations and acronyms:**

*ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*

*IMDG: International Maritime Code for Dangerous Goods*

*DOT: US Department of Transportation*

*IATA: International Air Transport Association*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

(Contd. on page 15)

**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 03/29/2019

Reviewed on 03/29/2019

**Trade name: ICP-MS Verification Standard E**

(Contd. of page 14)

NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
Met. Corr. 1: Corrosive to metals – Category 1  
Skin Corr. 1A: Skin corrosion/irritation – Category 1A  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

US