

Printing date 05/21/2020

Reviewed on 05/21/2020

Page 1/11

Product identifier		
Trade name: Matri	lodifier	
Article number: M	012	
Manufacturer/Sup High-Purity Standa	North Charleston, SC 29418 United States 7-7900 m	
Emergency telepho INFOTRAC Emergency telepho	nt: Product safety department number: numbers1-800-535-5053 hone numbers 1-352-323-3500	

2 Hazard(s) identification

· Classification of the substance or mixture

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2A H319 Causes serious eye irritation.

· Label elements

- · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms



Signal word Warning
Hazard statements
H315 Causes skin irritation.
H319 Causes serious eye irritation.
Precautionary statements
Wash thoroughly after handling.
Wear protective gloves / eye protection / face protection.
If on skin: Wash with plenty of water.
Specific treatment (see on this label).

(Contd. on page 2)



Printing date 05/21/2020

Reviewed on 05/21/2020

Trade name: Matrix Modifier

(Contd. of page 1) If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse. If eye irritation persists: Get medical advice/attention.

- Classification system:
- · NFPA ratings (scale 0 4)

 $\begin{array}{c} \textbf{Health} = 2\\ \textbf{Fire} = 0\\ \textbf{Reactivity} = 0 \end{array}$

· HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE0Fire = 0REACTIVITY0Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
7697-37-2 1	itric acid	1.0%
· Chemical id	entification of the substance/preparation	
7732-18-5	water, distilled, conductivity or of similar purity	94.0%
13446-18-9	magnesium nitrate hexahydrate	5.0%

4 First-aid measures

- Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing: If symptoms persist consult doctor.

• Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Page 2/11



Printing date 05/21/2020

Reviewed on 05/21/2020

Trade name: Matrix Modifier

• *Indication of any immediate medical attention and special treatment needed No further relevant information available.*

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

16 mg/m ³
0.16 ppm
180 mg/m ³
24 ppm
1,100 mg/m ³
92 ppm

7 Handling and storage

· Handling:

• Precautions for safe handling No special precautions are necessary if used correctly.

• Information about protection against explosions and fires: No special measures required.

(Contd. on page 4)

Page 3/11

(Contd. of page 2)

US



Printing date 05/21/2020

Trade name: Matrix Modifier

· Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

• Information about storage in one common storage facility: Not required.

• Further information about storage conditions: Keep receptacle tightly sealed.

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

7697-37-2 nitric acid

PEL Long-term value: 5 mg/m³, 2 ppm

REL Short-term value: 10 mg/m³, 4 ppm

Long-term value: 5 mg/m³, 2 ppm

TLV Short-term value: 10 mg/m³, 4 ppm Long-term value: 5.2 mg/m³, 2 ppm

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Breathing equipment: Not required.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

US

Reviewed on 05/21/2020

(Contd. of page 3)



Printing date 05/21/2020

Reviewed on 05/21/2020

Trade name: Matrix Modifier

• Eye protection:

Tig

Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and c	chemical properties	
General Information		
· Appearance:		
Form:	Liquid	
Color:	colorless	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
• Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
• Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	e r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
	(Contd	. on page

Page 5/11

(Contd. of page 4)

____US



Printing date 05/21/2020

Reviewed on 05/21/2020

Page 6/11

Trade name: Matrix Modifier

	(Contd. of page	e 5)
Solvent content: Water: VOC content:	94.0 % 0.00 % 0.0 g/l / 0.00 lb/gal	
Solids content: • Other information	0.0 % No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- on the eye: Irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

(Contd. on page 7)

US



Printing date 05/21/2020

Trade name: Matrix Modifier

Reviewed on 05/21/2020

(Contd. of page 6)

· Persistence and degradability No further relevant information available.

- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • *Results of PBT and vPvB assessment*
- Results of PB1 and vPvB asso
- *PBT*: Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:
- Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packagings:
- \cdot **Recommendation:** Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA	UN3264
UN proper shipping name DOT ADR	Corrosive liquid, acidic, inorganic, n.o.s. (Nitric acid) 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O (NITRIC ACID)
IMDG, IATA	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITR ACID)
Transport hazard class(es)	
DOT	
Class	8 Corrosive substances



Printing date 05/21/2020

Reviewed on 05/21/2020

Trade name:	Matrix	Modifier
-------------	--------	----------

* * *	(Contd. of pag
Label	8
ADR	
8	
Class	8 (C1) Corrosive substances
Label	8
IMDG, IATA	
<u>^</u>	
8	
	9 Company of Later and
Class Label	8 Corrosive substances 8
	0
Packing group DOT, ADR, IMDG, IATA	111
Environmental hazards:	Not applicable.
Special precautions for user	<i>Warning: Corrosive substances</i>
Hazard identification number (Kemler code): EMS Number:	80 F-A,S-B
Segregation groups	Acids
Stowage Category	A
Stowage Code	SW2 Clear of living quarters.
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 5 L
	On cargo aircraft only: 60 L
ADR	
Excepted quantities (EQ)	Code: El Maximum net quantity per inner packaging: 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
IMDC	international and per outer publicating. 1000 mi
IMDG Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
1	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
	(Contd. on pag



Page 9/11

(Contd. of page 8)

ACTIVE

ACTIVE

Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2020

Reviewed on 05/21/2020

Trade name: Matrix Modifier

· UN "Model Regulation":

UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (NITRIC ACID), 8, III

15 Regulatory information

- \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara
- Section 355 (extremely hazardous substances):
- 7697-37-2 nitric acid
- Section 313 (Specific toxic chemical listings):
- 13446-18-9 magnesium nitrate hexahydrate
- 7697-37-2 nitric acid
- TSCA (Toxic Substances Control Act):
- 7732-18-5 water, distilled, conductivity or of similar purity 7697-37-2 nitric acid
- · Hazardous Air Pollutants
- None of the ingredients is listed.
- · Proposition 65
- · Chemicals known to cause cancer:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:
- None of the ingredients is listed.
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)
- None of the ingredients is listed.
- · TLV (Threshold Limit Value established by ACGIH)
- None of the ingredients is listed.
- · NIOSH-Ca (National Institute for Occupational Safety and Health)
- None of the ingredients is listed.
- GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 10)
 - US



Page 10/11

Safety Data Sheet acc. to OSHA HCS

Printing date 05/21/2020

Reviewed on 05/21/2020

Trade name: Matrix Modifier

(Contd. of page 9) · Hazard pictograms · Signal word Warning · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. · Precautionary statements Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. Specific treatment (see on this label). If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. *If eve irritation persists: Get medical advice/attention.* · Chemical safety assessment: A Chemical Safety Assessment has not been carried out. **16 Other information** This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. · Department issuing SDS: Environment protection department. · Contact: High-Purity Standards Tel: 843-767-7900

Fax: 843-767-7906 • Date of preparation / last revision 05/21/2020 / -• Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

 Impos International Martume Code for Dangerous Goods

 DOT: US Department of Transport Association

 IATA: International Air Transport Association

 ACGIH: American Conference of Governmental Industrial Hygienists

 EINECS: European Inventory of Existing Commercial Chemical Substances

 ELINCS: European List of Notified Chemical Substances

 CAS: Chemical Abstracts Service (division of the American Chemical Society)

 NFPA: National Fire Protection Association (USA)

 HMIS: Hazardous Materials Identification System (USA)

 VOC: Volatile Organic Compounds (USA, EU)

 PBT: Persistent, Bioaccumulative and Toxic

 vPvB: very Persistent and very Bioaccumulative

 NIOSH: National Institute for Occupational Safety

(Contd. on page 11)

⁻ US



Printing date 05/21/2020

Trade name: Matrix Modifier

OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Page 11/11

Reviewed on 05/21/2020

(Contd. of page 10)

- US -