

Printing date 12/10/2019

Reviewed on 12/10/2019

Page 1/12

I Identification Product identifier Trade name: SB-HF Article number: SB-HF Details of the supplier of the safety data sheet Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: Telephone numbers: Tormation department: Theregency telephone numbers: INFOTRAC Emergency telephone numbers: INFOTRAC Zetaard(s) identification Classification of the substance or mixture Quick GHS06 Skull and crossbones Acute Tox. 1 H310 Fatal in contact with skin. <t< th=""><th> Product identifier Trade name: <u>SB-HF</u> </th><th></th></t<>	 Product identifier Trade name: <u>SB-HF</u> 	
 Trade name: <u>SB-HF</u> Article number: SB-HF Details of the supplier of the safety data sheet Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States Fax: +1-843-767-7900 Fatal in contact with skin. 	Trade name: <u>SB-HF</u>	
 Article number: SB-HF Details of the supplier of the safety data sheet Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7221 Investment Drive, North Charleston, SC 29418 United States 7200 Information department: Product safety department 7200 Emergency telephone numbers 1-352-323-3500 721 Hazard(s) identification Classification of the substance or mixture 722 GHS06 Skull and crossbones 721 H310 Fatal in contact with skin. 		
 Details of the supplier of the safety data sheet Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com Email: info@highpuritystandards.com Information department: Product safety department Emergency telephone number: INFOTRAC Emergency telephone numbers 1-352-323-3500 2 Hazard(s) identification Classification of the substance or mixture GHS06 Skull and crossbones Acute Tox. 1 H310 Fatal in contact with skin. 	· Article number: SB-1	·
 Manufacturer/Supplier: High-Purity Standards 7221 Investment Drive, North Charleston, SC 29418 United States Telephone: +1-843-767-7900 Fax: +1-843-767-7906 highpuritystandards.com Email: info@highpuritystandards.com Information department: Product safety department Emergency telephone number: INFOTRAC Emergency telephone numbers 1-800-535-5053 Other emergency telephone numbers 1-352-323-3500 Classification of the substance or mixture GHS06 Skull and crossbones Acute Tox. 1 H310 Fatal in contact with skin. 		'HF
 Emergency telephone number: INFOTRAC Emergency telephone numbers 1-800-535-5053 Other emergency telephone numbers 1-352-323-3500 2 Hazard(s) identification Classification of the substance or mixture GHS06 Skull and crossbones Acute Tox. 1 H310 Fatal in contact with skin. 	Manufacturer/Suppl. High-Purity Standard 7221 Investment Driv Telephone: +1-843-7 Fax: +1-843-767-790 highpuritystandards.c	ier: ds 2e, North Charleston, SC 29418 United States 767-7900 06 com
INFOTRAC Emergency telephone numbers 1-800-535-5053 Other emergency telephone numbers 1-352-323-3500 2 Hazard(s) identification • Classification of the substance or mixture GHS06 Skull and crossbones Acute Tox. 1 H310 Fatal in contact with skin.		
Other emergency telephone numbers 1-352-323-3500 2 Hazard(s) identification • Classification of the substance or mixture GHS06 Skull and crossbones Acute Tox. 1 H310 Fatal in contact with skin.		e number:
2 Hazard(s) identification • Classification of the substance or mixture GHS06 Skull and crossbones Acute Tox. 1 H310 Fatal in contact with skin.		
Classification of the substance or mixture GHS06 Skull and crossbones Acute Tox. 1 H310 Fatal in contact with skin.		
Acute Tox. 1 H310 Fatal in contact with skin.	· Classification of the	substance or mixture
	GHS06 Ski	all and crossbones
GHS05 Corrosion		
	Acute Tox. 1 H310	Fatal in contact with skin.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.		
Eye Dam. 1 H318 Causes serious eye damage.	GHS05 Co	rrosion
GHS07	GHS05 Co Skin Corr. 1A H314	vrosion Causes severe skin burns and eye damage.
Acute Tox. 4 H302 Harmful if swallowed.	GHS05 Co Skin Corr. 1A H314 Eye Dam. 1 H318	vrosion Causes severe skin burns and eye damage.
· Label elements	GHS05 Co Skin Corr. 1A H314 Eye Dam. 1 H318 GHS07	rrosion Causes severe skin burns and eye damage. Causes serious eye damage.
• GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms	GHS05 Co Skin Corr. 1A H314 Eye Dam. 1 H318 GHS07 Acute Tox. 4 H302 Label elements GHS label elements	rrosion Causes severe skin burns and eye damage. Causes serious eye damage. Harmful if swallowed.
· GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS).	GHS05 Co Skin Corr. 1A H314 Eye Dam. 1 H318 GHS07 Acute Tox. 4 H302 Label elements GHS label elements	rrosion Causes severe skin burns and eye damage. Causes serious eye damage. Harmful if swallowed.

(Contd. on page 2)

US



Printing date 12/10/2019

Trade name: SB-HF

Reviewed on 12/10/2019

		td. of page
Signal word	er	
Hazard-dete	ng components of labeling:	
Hydrofluoric		
Hazard state	Х Х	
H302 Harmf	wallowed.	
H310 Fatal i	tact with skin.	
H314 Causes	re skin burns and eye damage.	
Precautional	tements	
Do not breat	sts or mists.	
Do not get in	on skin, or on clothing.	
Wash thorou	ıfter handling.	
	or smoke when using this product.	
Wear protect	oves/protective clothing/eye protection/face protection.	
If swallowed	a poison center/doctor if you feel unwell.	
If swallowed	e mouth. Do NOT induce vomiting.	
If on skin (or	: Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALEI	nove person to fresh air and keep comfortable for breathing.	
If in eyes: R	cautiously with water for several minutes. Remove contact lenses, if present and e	easy to de
Continue rin		
Immediately	poison center/doctor.	
Specific treat	(see on this label).	
Take off imm	ely all contaminated clothing and wash it before reuse.	
Store locked		
Dispose of co	s/container in accordance with local/regional/national/international regulations.	
Classificatio		
NFPA rating	ıle 0 - 4)	
	LL = A	
	lth = 4 r = 0	
4	t = 0 ctivity = 0	
	uvuy = 0	
HMIS-rating	<i>ule 0 - 4)</i>	
-		
HEALTH 4	alth = 4	
FIRE	e = 0	
	activity = 0	
04 1		
Other hazard	, , , , , , , , , , , , , , , , , , ,	
	d vPvB assessment	
ידר דתת		
	ble.	
PBT: Not ap vPvB: Not ap		
vPvB: Not ap	formation on ingredients	

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)



Page 3/12

(Contd. of page 2)

80.0%

20.0%

Safety Data Sheet acc. to OSHA HCS

Printing date 12/10/2019

Reviewed on 12/10/2019

Trade name: SB-HF

· Dangerous components:

7664-39-3 Hydrofluoric acid

• Chemical identification of the substance/preparation

7732-18-5 water, distilled, conductivity or of similar purity

4 First-aid measures

· Description of first aid measures

- · General information:
- Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- In case of irregular breathing or respiratory arrest provide artificial respiration.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- Immediately call a doctor.
- Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions:
- Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)

US



Printing date 12/10/2019

Trade name: SB-HF

Reviewed on 12/10/2019

Page 4/12

	(Contd. of page 3
Use neutralizing agent.	
Dispose contaminated material as waste according to item 13.	
Ensure adequate ventilation.	
· Reference to other sections	
See Section 7 for information on safe handling.	
See Section 8 for information on personal protection equipment.	
See Section 13 for disposal information.	
· Protective Action Criteria for Chemicals	
• PAC-1:	
7664-39-3 Hydrofluoric acid	1.0 ppm
• PAC-2:	
7664-39-3 Hydrofluoric acid	24 ppm
• PAC-3:	

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Com	ponents with limit values that require monitoring at the workplace:
	1-39-3 Hydrofluoric acid
PEL	Long-term value: 3 ppm as F
REL	Long-term value: 2.5 mg/m³, 3 ppm Ceiling limit value: 5* mg/m³, 6* ppm *15-min, as F
	(Contd. on page 5)
	- US



Page 5/12

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 12/10/2019

Reviewed on 12/10/2019

Trade name: SB-HF

TLV Long-term value: 0.41 mg/m³, 0.5 ppm Ceiling limit value: 1.64 mg/m³, 2 ppm as F; Skin, BEI

· Ingredients with biological limit values:

7664-39-3 Hydrofluoric acid

BEI 3 mg/g creatinine Medium: urine Time: prior to shift Parameter: Fluorides (background, nonspecific)

10 mg/g creatinine Medium: urine Time: end of shift Parameter: Fluorides (background, nonspecific)

• *Additional information:* The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes.

Avoid contact with the eyes and skin. Breathing equipment:

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. • **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 6)

US



Printing date 12/10/2019

Reviewed on 12/10/2019

Trade name: SB-HF

• Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

 Information on basic physical and c General Information 	nemicui properties	
· Appearance:		
Form:	Liquid	
Color:	colorless	
· Odor:	Characteristic	
· Odor threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	-83 °C (-181.4 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	40 hPa (30 mm Hg)	
· Density at 20 °C (68 °F):	0.20093 g/cm³ (1.67676 lbs/gal)	
· Bulk density:	201 kg/m ³	
· Relative density	Not determined.	
· Vapor density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
Water:	Fully miscible.	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
	(Contd. on pa	age

Page 6/12

(Contd. of page 5)

- US



Printing date 12/10/2019

Reviewed on 12/10/2019

Page 7/12

Trade name: SB-HF

	(Contd. of page 6)
Not determined.	
20.0 %	
0.00 %	
0.0 g/l / 0.00 lb/gal	
0.0 %	
No further relevant information available.	
	20.0 % 0.00 % 0.0 g/l / 0.00 lb/gal 0.0 %

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials:} No further relevant information available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7664-39-3 Hydrofluoric acid

Oral LD50 1,276 mg/kg (rat)

- · Primary irritant effect:
- on the skin: Strong caustic effect on skin and mucous membranes.
- on the eye:
- Strong caustic effect.

Strong irritant with the danger of severe eye injury.

- Sensitization: No sensitizing effects known.
- Additional toxicological information:
- The product shows the following dangers according to internally approved calculation methods for preparations: Harmful
- Corrosive
- Irritant
- Very toxic
- Danger through skin absorption.
- Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 8)



Page 8/12

Safety Data Sheet acc. to OSHA HCS

Printing date 12/10/2019

Reviewed on 12/10/2019

Trade name: SB-HF

(Contd. of page 7)

• Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- \cdot **Persistence and degradability** No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- *PBT:* Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

- · UN-Number
- · DOT, ADR, IMDG, IATA

UN1790

(Contd. on page 9)

US



Printing date 12/10/2019

Trade name: SB-HF

Reviewed on 12/10/2019

Page 9/12

		(Contd. of pag
UN proper shipping name		
DOT	Hydrofluoric acid	
ADR	1790 HYDROFLUORIC ACID	
IMDG, IATA	HYDROFLUORIC ACID	
Transport hazard class(es)		
DOT		
Class	8 Corrosive substances	
Label	8, 6.1	
ADR		
Class	8 Corrosive substances	
Label	8+6.1	
IMDG		
Class	8 Corrosive substances	
Label	8/6.1	
IATA		
Class	8 Corrosive substances	
Label	8 (6.1)	
Packing group DOT, ADR, IMDG, IATA	Ι	
Environmental hazards:	Not applicable.	
Special precautions for user	Warning: Corrosive substances	
Danger code (Kemler):	886	
EMS Number:	F-A,S-B	
Segregation groups	Strong acids	



Page 10/12

Safety Data Sheet acc. to OSHA HCS

Printing date 12/10/2019

Reviewed on 12/10/2019

Trade name: SB-HF

		(Contd. of page
Stowage Category	D	
Stowage Code	SW1 Protected from sources of heat.	
	SW2 Clear of living quarters.	
Handling Code	H2 Keep as cool as reasonably practicable	
Transport in bulk according to Annex II of	f	
MARPOL73/78 and the IBC Code	Not applicable.	
Transport/Additional information:		
DOT		
Quantity limitations	On passenger aircraft/rail: 0.5 L	
	On cargo aircraft only: 2.5 L	
ADR		
Excepted quantities (EQ)	Code: E0	
	Not permitted as Excepted Quantity	
IMDG		
Limited quantities (LQ)	0	
Excepted quantities $(\tilde{E}Q)$	Code: E0	
	Not permitted as Excepted Quantity	
UN "Model Regulation":	UN 1790 HYDROFLUORIC ACID, 8 (6.1), I	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

• Section 355 (extremely hazardous substances):

7664-39-3 Hydrofluoric acid

• Section 313 (Specific toxic chemical listings):

7664-39-3 Hydrofluoric acid

• TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

7664-39-3 Hydrofluoric acid

Proposition 65

• Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 11)

US



Page 11/12

Safety Data Sheet acc. to OSHA HCS

Printing date 12/10/2019

Reviewed on 12/10/2019

Trade name: SB-HF

(Contd. of page 10)

• Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

• TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

· Hazard-determining components of labeling: *Hydrofluoric acid* · Hazard statements H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eve damage. · Precautionary statements Do not breathe dusts or mists. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. *Immediately call a poison center/doctor.* Specific treatment (see on this label). Take off immediately all contaminated clothing and wash it before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 12)

_____US



Printing date 12/10/2019

Reviewed on 12/10/2019

Trade name: SB-HF

(Contd. of page 11)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

Department issuing 5D5. Environment protection department.	
Contact:	
High-Purity Standards	
Tel: 843-767-7900	
Fax: 843-767-7906	
Date of preparation / last revision 12/10/2019 / -	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internation	onal
Carriage of Dangerous Goods by Road)	mui
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Acute Tox. 4: Acute toxicity – Category 4	
Acute Tox. 1: Acute toxicity – Category 1	
Skin Corr. 1A: Skin corrosion/irritation – Category 1A	
Eye Dam. 1: Serious eye damage/eye irritation – Category 1	<u> </u>