

1000 µg/mL Potassium in 1% HNO3

High-Purity Standards

Catalogue number: S100041-1

Version No: 1.1 Safety Data Sheet according to OSHA HazCom Standard (2012) requirements Chemwatch Hazard Alert Code: 4

Issue Date: 06/22/2015 Print Date: 06/26/2015 Initial Date: 05/05/2015 S.GHS.USA.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	1000 µg/mL Potassium in 1% HNO3
Synonyms	S100041-1
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s (contains nitric acid)
Other means of identification	S100041-1

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Use according to manufacturer's directions.
--------------------------	---

Details of the manufacturer/importer

Registered company name	High-Purity Standards
Address	P.O. Box 41727 Charleston, SC 29423 United States
Telephone	(843) 767-7900
Fax	(843) 767-7906
Website	highpuritystandards.com
Email	Not Available

Emergency telephone number

Association / Organisation	INFOTRAC
Emergency telephone numbers	800-535-5053
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

GHS Classification	Metal Corrosion Category 1, Skin Corrosion/Irritation Category 1A, Serious Eye Damage Category 1
Label elements	
GHS label elements	
SIGNAL WORD	DANGER
Hazard statement(s)	
H290	May be corrosive to metals

1000 µg/mL Potassium in 1% HNO3

H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
Precautionary statement(s)	Prevention
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
Precautionary statement(s)	Response
Precautionary statement(s)) Response
Precautionary statement(s) P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P301+P330+P331 Precautionary statement(s)	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Dispose of contents/container to authorised chemical landfill or if organic to high temperature incineration

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

P501

Mixtures

CAS No	%[weight]	Name
7697-37-2	1	nitric acid
7732-18-5	balance	water
584-08-7	0.1	potassium carbonate

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Indication of any immediate medical attention and special treatment needed

For acute or short term repeated exposures to strong acids:

- ▶ Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- ▶ Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.
- Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues. INGESTION:
- Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.

Page 3 of 7

1000 µg/mL Potassium in 1% HNO3

- ▶ Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- Charcoal has no place in acid management.
- Some authors suggest the use of lavage within 1 hour of ingestion.

SKIN:

- · Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- Deep second-degree burns may benefit from topical silver sulfadiazine.

EYE:

- Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or
- any other additives. Several litres of saline are required.
 Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

Water spray or fog.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.

Advice for firefighters

Fire Fighting	Alert Fire Brigade and tell them location and nature of hazard.
Fire/Explosion Hazard	► Non combustible.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Minor Spills	Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material.
Major Spills	 Clear area of personnel and move upwind.
	Personal Protective Equipment advice is contained in Section 8 of the MSDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	Avoid all personal contact, including inhalation.
Other information	 Store in original containers.

Conditions for safe storage, including any incompatibilities

Suitable container	 DO NOT use aluminium or galvanised containers Check regularly for spills and leaks Lined metal can, lined metal pail/ can. 	
Storage incompatibility	Inorganic acids are generally soluble in water with the release of hydrogen ions.	

PACKAGE MATERIAL INCOMPATIBILITIES

Not Available

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Levels (PELs) - Table Z1	nitric acid	Nitric acid	5 mg/m3 / 2 ppm	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	nitric acid	Nitric acid	2 ppm	4 ppm	Not Available	TLV® Basis: URT & eye irr; dental erosion
US NIOSH Recommended Exposure Limits (RELs)	nitric acid	Aqua fortis, Engravers acid, Hydrogen nitrate, Red fuming nitric acid (RFNA), White fuming nitric acid (WFNA)	5 mg/m3 / 2 ppm	10 mg/m3 / 4 ppm	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
nitric acid	Nitric acid	Not Available	Not Available	Not Available

Not Available

Not Available

Exposure controls

potassium carbonate

water

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	 Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.
Skin protection	See Hand protection below
Hands/feet protection	 Elbow length PVC gloves When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.
Body protection	See Other protection below
Other protection	► Overalls.
Thermal hazards	Not Available

Respiratory protection

Type AE-P Filter of sufficient capacity.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Not Available

Not Available

Information on basic physical and chemical properties

Appearance	colorless		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	<2	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Contact with alkaline material liberates heat Unstable in the presence of incompatible materials.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

Issue Date: 06/22/2015 Print Date: 06/26/2015

1000 µg/mL Potassium in 1% HNO3

SECTION 11 TOXICOLOGICAL INFORMATION

Inhaled	Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage.					
Ingestion	Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus.					
Skin Contact	Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue.					
Eye	If applied to the eyes, this material causes severe eye damage.					
Chronic	Repeated or prolonged exposure to acids may result in the erosion of t	eeth, swelling and/or ulcera	ation of mouth linir	ng.		
1000 µg/mL Potassium in	TOXICITY	IRRITATION				
1% HNO3	Not Available	Not Available				
	TOXICITY			IRRITATION		
nitric acid	Inhalation (rat) LC50: 0.13 mg/L/4h ^[2]			* DuPont		
	Inhalation (rat) LC50: 2500 ppm/1h *t ^[2]			Nil reported		
	TOXICITY		IR	RITATION		
water	Oral (rat) LD50: >90000 mg/kg ^[2]		No	ot Available		
	TOXICITY	IRRITATION				
potassium carbonate	Dermal (rabbit) LD50: >2000 mg/kg ^[1]	Not Available				
	Oral (rat) LD50: 1870 mg/kgd ^[2]					
Legend:	1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's msds. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances					
NITRIC ACID	Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers]					
1000 µg/mL Potassium in 1% HNO3 & WATER	No significant acute toxicological data identified in literature search.					
NITRIC ACID & POTASSIUM CARBONATE	Asthma-like symptoms may continue for months or even years after e	xposure to the material cea	ses.			
Acute Toxicity	O	Carcinogenicity	\odot			
Skin Irritation/Corrosion	*	Reproductivity	0			
Serious Eye Damage/Irritation	✓ S ³	FOT - Single Exposure	\otimes			
Respiratory or Skin sensitisation		- Repeated Exposure	0			
Mutagenicity	0	Aspiration Hazard	\otimes			
				to make classification available but does not fill the criteria for cla	assific	

CMR STATUS

RESPIRATORY

nitric acid US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) - Respiratory X

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Ecotoxicity:

The tolerance of water organisms towards pH margin and variation is diverse.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
water	LOW (LogKOW = -1.38)

1000 µg/mL Potassium in 1% HNO3

_

Mobility in soil

Ingredient	Mobility	
water	LOW (KOC = 14.3)	

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

Recycle wherever possible.

SECTION 14 TRANSPORT INFORMATION

Labels Required



Land transport (DOT)

UN number	3264
Packing group	ll
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s (contains nitric acid)
Environmental hazard	No relevant data
Transport hazard class(es)	Class 8 Subrisk Not Applicable
Special precautions for user	Special provisions B2, IB2, T11, TP2, TP27

Air transport (ICAO-IATA / DGR)

UN number	3264	3264			
Packing group	II	I			
UN proper shipping name	Corrosive liquid, acidio	, inorganic, n.o.s. * (contains nitric acid	i)		
Environmental hazard	No relevant data				
Transport hazard class(es)	ICAO/IATA Class ICAO / IATA Subrisk ERG Code	8 Not Applicable 8L			
	Special provisions		A3A803]	
	Cargo Only Packing Instructions		855		
	Cargo Only Maximum	Cargo Only Maximum Qty / Pack		-	
Special precautions for user	Passenger and Cargo	Passenger and Cargo Packing Instructions		-	
	Passenger and Cargo	Maximum Qty / Pack	1 L		
	Passenger and Cargo	Limited Quantity Packing Instructions	Y840		
	Passenger and Cargo	Limited Maximum Qty / Pack	0.5 L		

Sea transport (IMDG-Code / GGVSee)

UN number	3264
Packing group	II
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains nitric acid)
Environmental hazard	Not Applicable
Transport hazard class(es)	IMDG Class8IMDG SubriskNot Applicable

Page 7 of 7

1000 µg/mL Potassium in 1% HNO3

Transport in bulk according to Annex II of MARPOL 73 / 78 and the IBC code

Source	Ingredient	Pollution Category
IMO MARPOL 73/78 (Annex II) - List of Noxious Liquid Substances Carried in Bulk	nitric acid	Y

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

nitric acid(7697-37-2) is found on the following regulatory lists	"US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants","US - Hawaii Air Contaminant Limits", "US - California Permissible Exposure Limits for Chemical Contaminants", "US - Idaho - Limits for Air Contaminants", "US EPCRA Section 313 Chemical List", "US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants", "US - Oregon Permissible Exposure Limits (Z-1)", "US - Michigan Exposure Limits for Air Contaminants", "US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)", "US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values", "US - Alaska Limits for Air Contaminants", "US NIOSH Recommended Exposure Limits (RELs)", "US - Washington Permissible exposure limits of air contaminants", "US ACGIH Threshold Limit Values (TLV)", "US - Wormont Permissible Exposure Limits for Air Contaminants", "US ACGIH Threshold Limit Values (TLV)", "US OSHA Permissible Exposure Levels Table Z-1 A Transitional Limits for Air Contaminants", "US ACGIH Threshold Limit Values (TLV)", "US OSHA Permissible Exposure Levels (PELs) - Table Z1"
water(7732-18-5) is found on the following regulatory lists	"US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory"
potassium carbonate(584-08-7) is found on the following regulatory lists	"US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory"
National Inventory	Status
•	
Australia - AICS	V

Australia - AICS	Y
Canada - DSL	Y
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (water)
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	Y
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory $N = N$ of determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

Name	CAS No
potassium carbonate	584-08-7, 6381-79-9

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chernwatch Classification committee using available literature references.

The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

This document is copyright.