

Page 1/11

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Reviewed on 07/13/2021

	entifier
Trade name	e: Potassium Dichromate as Cr+6 (1000µg/mL in H2O)
	iber: 100012-7
Manufactu High-Purity 7221 Invest Telephone: Fax: +1-84 highpuritys	he supplier of the safety data sheet rer/Supplier: 2 Standards ment Drive, North Charleston, SC 29418 United States +1-843-767-7900 3-767-7906 tandards.com @highpuritystandards.com
	n department: Product safety department
Emergency INFOTRAC	telephone number:
Emergency	telephone numbers1-800-535-5053
Other emerg	gency telephone numbers 1-352-323-3500
	GHS08 Health hazard
-	1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Muta. 1B Carc. 1B	H340 May cause genetic defects.
Carc. 1B Repr. 1B	H350 May cause cancer. H360 May damage fertility or the unborn child.
	THS07
	GHS07
	GHS07 1 H317 May cause an allergic skin reaction.
Skin Sens. 1 Label elema GHS label	H317 May cause an allergic skin reaction. ents elements The product is classified and labeled according to the Globally Harmonized System (GHS).
Skin Sens. 1 Label elem	H317 May cause an allergic skin reaction. ents elements The product is classified and labeled according to the Globally Harmonized System (GHS).
Skin Sens. 1 Label elema GHS label	H317 May cause an allergic skin reaction. ents elements The product is classified and labeled according to the Globally Harmonized System (GHS).



Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Potassium Dichromate as Cr+6 (1000µg/mL in H2O)

(Contd. of page 1) · Hazard-determining components of labeling: potassium dichromate · Hazard statements H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H340 May cause genetic defects. H350 May cause cancer. H360 May damage fertility or the unborn child. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. [In case of inadequate ventilation] wear respiratory protection. If on skin: Wash with plenty of water. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. · Classification system: · NFPA ratings (scale 0 - 4) Health = 0Fire = 0Reactivity = 0· HMIS-ratings (scale 0 - 4) HEALTH *0 Health = *0FIRE 0 Fire = 0**REACTIVITY O** Reactivity = 0• Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients

· Chemical characterization: Mixtures

• Description: Mixture of the substances listed below with nonhazardous additions.

(Contd. on page 3)

US

Page 2/11



Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Potassium Dichromate as Cr+6 (1000µg/mL in H2O)

(Contd. of page 2) · Dangerous components: 7778-50-9 potassium dichromate 0.1% · Chemical identification of the substance/preparation 99.9%

7732-18-5 water, distilled, conductivity or of similar purity

4 First-aid measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

- In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

· Extinguishing media

- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

7778-50-9 potassium dichromate

 0.42 mg/m^3

(Contd. on page 4) US



Page 4/11

(Contd. of page 3)

 7.4 mg/m^3

 44 mg/m^3

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Potassium Dichromate as Cr+6 (1000µg/mL in H2O)

· PAC-2:

7778-50-9 potassium dichromate

• PAC-3:

7778-50-9 potassium dichromate

7 Handling and storage

· Handling:

- · Precautions for safe handling
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Prevent formation of aerosols.
- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- \cdot Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit	values that require	e monitoring at the workplace.	:
-------------------------	---------------------	--------------------------------	---

7778-50-9 potassium dichromate

- PEL Long-term value: 0.005* mg/m³ Ceiling limit value: 0.1** mg/m³ *as Cr(VI) **as CrO3; see 29 CFR 1910.1026
- REL Long-term value: 0.0002 mg/m³ as Cr; See Pocket Guide Apps. A and C TLV Short-term value: 0.0005 mg/m³
- Long-term value: 0.0002 mg/m³ as Cr(VI); inhalable, Skin; BEI, DSEN, RSEN

(Contd. on page 5)



Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Potassium Dichromate as Cr+6 (1000µg/mL in H20)

Ingr	edients with biological limit values:
-	-50-9 potassium dichromate
	25 μg/L
	Medium: urine
	Time: end of shift at end of workweek
	Parameter: Total chromium (fume)
	10 µg/L
	Medium: urine
	Time: increase during shift
	Parameter: Total chromium (fume)
Addi	tional information: The lists that were valid during the creation were used as basis.
Expe	osure controls
	onal protective equipment:
Gen	eral protective and hygienic measures:
	away from foodstuffs, beverages and feed.
Imm	ediately remove all soiled and contaminated clothing.
Wasi	h hands before breaks and at the end of work.
	protective clothing separately.
	thing equipment:
	use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us
	ratory protective device that is independent of circulating air.
	ection of hands:
1////	Protective gloves
V	
The g	glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
	to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the
	tion of the glove material on consideration of the penetration times, rates of diffusion and the degradation
	rial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality an
	is from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of
	love material can not be calculated in advance and has therefore to be checked prior to the application.
	tove material can not be calculated in davance and has therefore to be checked prior to the application.
	exact break through time has to be found out by the manufacturer of the protective gloves and has to b
	exact break inrougn time has to be jound out by the manufacturer of the protective gloves and has to t rved.
Juse	(Contd. on page

Page 5/11



Printing date 07/13/2021

Reviewed on 07/13/2021

(Contd. of page 5)

Trade name: Potassium Dichromate as Cr+6 (1000µg/mL in H2O)

• Eye protection:

Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and c · General Information	nemicai properates	
· Appearance:		
Form:	Fluid	
Color:	colorless	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)	
Density at 20 °C (68 °F):	1.00168 g/cm ³ (8.35902 lbs/gal)	
Bulk density:	1,002 kg/m ³	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
		l. on page

Page 6/11



Printing date 07/13/2021

Reviewed on 07/13/2021

Page 7/11

Trade name: Potassium Dichromate as Cr+6 (1000µg/mL in H2O)

		(Contd. of page 6)
Kinematic:	Not determined.	
· Solvent content:		
Water:	<i>99.9 %</i>	
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	0.1 %	
• Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- $\cdot \textit{Incompatible materials:} No further relevant information available.$
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

7778-50-9 potassium dichromate

Oral LD50 190 mg/kg (mouse)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization:

Sensitization possible through inhalation.

Sensitization possible through skin contact.

• Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant The product can cause inheritable damage.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

7778-50-9 potassium dichromate

(Contd. on page 8)

1

US



Page 8/11

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Potassium Dichromate as Cr+6 (1000µg/mL in H2O)

(Contd. of page 7)

Κ

·NTP (National Toxicology Program)

7778-50-9 potassium dichromate

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

• Aquatic toxicity: No further relevant information available.

- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground.

- Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

UN-Number DOT, ADR, IMDG, IATA	not regulated	
	norregulated	
UN proper shipping name DOT, ADR, IMDG, IATA	not regulated	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA		
Class	not regulated	



Printing date 07/13/2021

Reviewed on 07/13/2021

Page 9/11

Trade name: Potassium Dichromate as Cr+6 (1000µg/mL in H2O)

		(Contd. of page 8)
· Packing group · DOT, ADR, IMDG, IATA	not regulated	
· Environmental hazards:	Not applicable.	
• Special precautions for user	Not applicable.	
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
· UN "Model Regulation":	not regulated	

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

7778-50-9 potassium dichromate

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

7778-50-9 potassium dichromate

· Proposition 65

• Chemicals known to cause cancer:

7778-50-9 potassium dichromate

Chemicals known to cause reproductive toxicity for females:

7778-50-9 potassium dichromate

· Chemicals known to cause reproductive toxicity for males:

7778-50-9 potassium dichromate

· Chemicals known to cause developmental toxicity:

7778-50-9 potassium dichromate

· Carcinogenic categories

· EPA (Environmental Protection Agency)

7778-50-9 potassium dichromate

• TLV (Threshold Limit Value established by ACGIH)

7778-50-9 potassium dichromate

·NIOSH-Ca (National Institute for Occupational Safety and Health)

7778-50-9 potassium dichromate

A(inh), D(oral), K/L(inh), CBD(oral)

Al

(Contd. on page 10)



Page 10/11

Safety Data Sheet acc. to OSHA HCS

Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Potassium Dichromate as Cr+6 (1000µg/mL in H2O)

(Contd. of page 9) • *GHS label elements* The product is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger · Hazard-determining components of labeling: potassium dichromate · Hazard statements H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled. H317 May cause an allergic skin reaction. H340 May cause genetic defects. H350 May cause cancer. H360 May damage fertility or the unborn child. · Precautionary statements Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray Contaminated work clothing must not be allowed out of the workplace. *Wear protective gloves/protective clothing/eye protection/face protection.* [In case of inadequate ventilation] wear respiratory protection. If on skin: Wash with plenty of water. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. *IF exposed or concerned: Get medical advice/attention.* Specific treatment (see on this label). If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a poison center/doctor. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. *Exceptions can be made by the authorities in certain cases.*

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Environment protection department.

(Contd. on page 11)

<u>us</u>



Printing date 07/13/2021

Reviewed on 07/13/2021

Trade name: Potassium Dichromate as Cr+6 (1000µg/mL in H2O)

	(Contd. of page 10)
Contact:	
High-Purity Standards	
Tel: 843-767-7900	
Fax: 843-767-7906	
Date of preparation / last revision 07/13/2021 / -	
Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agre	ement concerning the Internationa
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value	
PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
BEI: Biological Exposure Limit	
Resp. Sens. 1: Respiratory sensitisation – Category 1	
Skin Sens. 1: Skin sensitisation – Category 1	
Muta. 1B: Germ cell mutagenicity – Category 1B	
Carc. 1B: Carcinogenicity – Category 1B	
<i>Repr. 1B: Reproductive toxicity – Category 1B</i>	

Page 11/11