

10M17-1 Europium (10,000μg/mL in 4% HNO3)

High-Purity Standards

Catalogue number: 10M17-1

Version No: 2.2

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 3

Issue Date: **09/02/2016** Print Date: **09/02/2016** S.GHS.USA.EN

SECTION 1 IDENTIFICATION

Product Identifier

Product name	10M17-1 Europium (10,000μg/mL in 4% HNO3)
Synonyms	10,000μg/mL Europium in 4% HNO3
Other means of identification	10M17-1

Recommended use of the chemical and restrictions on use

e according to manufacturer's directions.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	High-Purity Standards
Address	PO Box 41727 SC 29423 United States
Telephone	843-767-7900
Fax	843-767-7906
Website	highpuritystandards.com
Email	Not Available

Emergency phone number

Association / Organisation	INFOTRAC
Emergency telephone numbers	1-800-535-5053
Other emergency telephone numbers	1-352-323-3500

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

Classification

Skin Corrosion/Irritation Category 1B, Serious Eye Damage Category 1, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation)

Label elements

GHS label elements





SIGNAL WORD

DANGER

Hazard statement(s)

H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

Hazard(s) not otherwise specified

Not Applicable

Catalogue number: 10M17-1 Page 2 of 7

Version No: 2.2

10M17-1 Europium (10,000µg/mL in 4% HNO3)

Precautionary statement(s) Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Precautionary statement(s) Response

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
1308-96-9	1 (as Eu)	europium(III) oxide
7697-37-2	4	nitric acid
7732-18-5	balance	water

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.
Inhalation	 If furnes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay.
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

Issue Date: 09/02/2016

Print Date: 09/02/2016

10M17-1 Europium (10,000μg/mL in 4% HNO3)

Issue Date: **09/02/2016**Print Date: **09/02/2016**

Fire Fighting	▶ Alert Fire Brigade and tell them location and nature of hazard.
Fire/Explosion Hazard	Non combustible. May emit poisonous fumes.May emit corrosive fumes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	▶ Clean up all spills immediately.
Major Spills	Moderate hazard.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

- ▶ Avoid all personal contact, including inhalation.
- ▶ DO NOT allow clothing wet with material to stay in contact with skin

Other information

Conditions for safe storage, including any incompatibilities

Suitable container	▶ Polyethylene or polypropylene container.
Storage incompatibility	None known

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Levels (PELs) - Table Z1	nitric acid	Nitric acid	5 mg/m3 / 2 ppm	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	nitric acid	Nitric acid	2 ppm	4 ppm	Not Available	TLV® Basis: URT & eye irr; dental erosion
US NIOSH Recommended Exposure Limits (RELs)	nitric acid	Aqua fortis, Engravers acid, Hydrogen nitrate, Red furning nitric acid (RFNA), White furning nitric acid (WFNA)	5 mg/m3 / 2 ppm	10 mg/m3 / 4 ppm	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3	
europium(III) oxide	Europium oxide	15 mg/m3	170 mg/m3	990 mg/m3	
nitric acid	Nitric acid	Not Available	Not Available	Not Available	
Ingredient	Original IDLH		Revised IDLH		
europium(III) oxide	Not Available	Not Available			
nitric acid	100 ppm	100 ppm		25 ppm	

Exposure controls

water

Appropriate engineering controls Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Personal protection Eye and face protection Chemical goggles.

Skin protection

See Hand protection below

Not Available

Hands/feet protection

Wear chemical protective gloves, e.g. PVC.
 When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer.

Not Available

Page 4 of 7

10M17-1 Europium (10,000μg/mL in 4% HNO3)

Issue Date: **09/02/2016**Print Date: **09/02/2016**

Body protection	See Other protection below
Other protection	► Overalls.
Thermal hazards	Not Available

Respiratory protection

Type A Filter of sufficient capacity.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties	Information	on basic pl	nvsical and	chemical	properties
---	-------------	-------------	-------------	----------	------------

Appearance	Not Available		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	<2	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	► Unstable in the presence of incompatible materials.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material can cause respiratory irritation in some persons. The material has NOT been classified by EC Directives or other classification systems as "harmful by inhalation". Exposure to vapours of some rare earth salts can cause sensitivity to heat, itching, and increased sensitivity of smell and taste.
Ingestion	The material can produce chemical burns within the oral cavity and gastrointestinal tract following ingestion. The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion".
Skin Contact	The material can produce chemical burns following direct contact with the skin. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.
Eye	The material can produce chemical burns to the eye following direct contact.
Chronic	Repeated or prolonged exposure to corrosives may result in the erosion of teeth, inflammatory and ulcerative changes in the mouth and necrosis (rarely) of the jaw. Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

10M17-1 Europium
(10,000µg/mL in 4% HNO3)

TOXICITY	IRRITATION
Not Available	Not Available

Page 5 of 7 Catalogue number: 10M17-1

Version No: 2.2

10M17-1 Europium (10,000µg/mL in 4% HNO3)

Issue Date: 09/02/2016 Print Date: 09/02/2016

europium(III) oxide	TOXICITY	IF	RRITATION	
our opium(m) oznao	Oral (rat) LD50: >5000 mg/kg ^[2] Not Available			
	TOXICITY		IRRITATION	
nitric acid	Inhalation (rat) LC50: 0.13 mg/L/4hr ^[2]		* DuPont	
	Inhalation (rat) LC50: 2500 ppm/1h *t ^[2]		Nil reported	
	TOXICITY		RRITATION	
water	Oral (rat) LD50: >90000 mg/kg ^[2]		Not Available	
Legend:	Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from Europe ECHA Registered from Echa Registered from Europe ECHA Registered from Echa Registe	alue obtained from manufactu	rer's SDS. Unless otherwise specified data	
	extracted from RTECS - Register of Toxic Effect of chemical Substances			
EUROPIUM(III) OXIDE	Lauthanida naisaning agunga improdicts defracation unithing incoordination labor	ured broothing and inactivity		
EUROPIUM(III) OXIDE	Lanthanide poisoning causes immediate defaecation, writhing, inco-ordination, labo for acid mists, aerosols, vapours	bured breathing, and mactivity.		
	Data from assays for genotoxic activity in vitro suggest that eukaryotic cells are susceptible to genetic damage when the pH falls to about 6.5.			
NITRIC ACID	The material may produce severe irritation to the eye causing pronounced inflammation. The material may produce respiratory tract irritation, and result in damage to the lung including reduced lung function.			
	The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of			
	The material may cause severe skin irritation after prolonged or repeated exposure a vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers]			
10M17-1 Europium	vesicles, scaling and thickening of the skin.			
(10,000μg/mL in 4% HNO3)	vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers]	and may produce on contact s		
	vesicles, scaling and thickening of the skin.	and may produce on contact s		
(10,000µg/mL in 4% HNO3) & EUROPIUM(III) OXIDE &	vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers]	and may produce on contact s		
(10,000µg/mL in 4% HNO3) & EUROPIUM(III) OXIDE & NITRIC ACID	vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] Asthma-like symptoms may continue for months or even years after exposure to the right of the significant acute toxicological data identified in literature search.	and may produce on contact s		
(10,000µg/mL in 4% HNO3) & EUROPIUM(III) OXIDE & NITRIC ACID EUROPIUM(III) OXIDE & WATER	vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] Asthma-like symptoms may continue for months or even years after exposure to the right of the significant acute toxicological data identified in literature search.	and may produce on contact s		
(10,000µg/mL in 4% HNO3) & EUROPIUM(III) OXIDE & NITRIC ACID EUROPIUM(III) OXIDE & WATER	vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] Asthma-like symptoms may continue for months or even years after exposure to the right of the significant acute toxicological data identified in literature search.	material ceases. inogenicity orductivity		
(10,000µg/mL in 4% HNO3) & EUROPIUM(III) OXIDE & NITRIC ACID EUROPIUM(III) OXIDE & WATER Acute Toxicity Skin Irritation/Corrosion Serious Eye	vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] Asthma-like symptoms may continue for months or even years after exposure to the right of the significant acute toxicological data identified in literature search. Carci Repr	material ceases. inogenicity Oroductivity Oroductivity		

Legend:

X − Data available but does not fill the criteria for classification
 ✓ − Data required to make classification available

O - Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
nitric acid	EC50	48	Crustacea	490mg/L	2
nitric acid	EC50	96	Crustacea	39mg/L	2
nitric acid	NOEC	2160	Fish	97.8mg/L	2
water	LC50	96	Fish	897.520mg/L	3
water	EC50	96	Algae or other aquatic plants	8768.874mg/L	3
water	EC50	384	Crustacea	199.179mg/L	3
Legend:			HA Registered Substances - Ecotoxicological database - Aquatic Toxicity Data 5. ECETOC		

Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
water	LOW (LogKOW = -1.38)

Version No: 2.2

10M17-1 Europium (10,000µg/mL in 4% HNO3)

Issue Date: 09/02/2016 Print Date: 09/02/2016

Ingredient	Mobility
water	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal Legislation addressing waste disposal requirements may differ by country, state and/ or territory,

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains
- Recycle wherever possible.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant

NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Source	Product name	Pollution Category	Ship Type
IMO MARPOL (Annex II) - List of Noxious Liquid Substances Carried in Bulk	Nitric acid (70% and over) Nitric acid (less than 70%)	Y; Y	2 2

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

EUROPIUM(III) OXIDE(1308-96-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

NITRIC ACID(7697-37-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft US - Alaska Limits for Air Contaminants US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) US - California Permissible Exposure Limits for Chemical Contaminants US - Hawaii Air Contaminant Limits US - Idaho - Limits for Air Contaminants US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs) US - Oregon Permissible Exposure Limits (Z-1)

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US SARA Section 302 Extremely Hazardous Substances US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD CATEGORIES

Immediate (acute) health hazard	Yes
Delayed (chronic) health hazard	
Fire hazard No	
Pressure hazard No	
Reactivity hazard	No

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
Nitric acid	1000	454

State Regulations

US. CALIFORNIA PROPOSITION 65

None Reported

National Inventory	Status
ivational inventory	Jiaius

Catalogue number: 10M17-1 Page 7 of 7 Issue Date: 09/02/2016 Version No: 2.2 Print Date: 09/02/2016

10M17-1 Europium (10,000µg/mL in 4% HNO3)

Australia - AICS	Y
Canada - DSL	Υ
Canada - NDSL	N (europium(III) oxide; water; nitric acid)
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (water)
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	N (europium(III) oxide)
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.