

10M35-1 Neodymium (10,000µg/mL in 4% HNO3)

High-Purity Standards

Catalogue number: 10M35-1

Version No: 4.4

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 3

Issue Date: 11/15/2016 Print Date: 11/15/2016 S.GHS.USA.EN

SECTION 1 IDENTIFICATION

Product Identifier

Product name	25-1 Neodymium (10,000µg/mL in 4% HNO3)	
Synonyms	10,000μg/mL Neodymium in 4% HNO3	
Proper shipping name	osive liquid, acidic, inorganic, n.o.s (contains nitric acid)	
Other means of identification	10M35-1	

Recommended use of the chemical and restrictions on use

Relevant identified uses Use according to manufacturer's directions.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	High-Purity Standards
Address	PO Box 41727 SC 29423 United States
Telephone	843-767-7900
Fax	843-767-7906
Website	highpuritystandards.com
Email	Not Available

Emergency phone number

- · ·	
Association / Organisation	INFOTRAC
Emergency telephone numbers	1-800-535-5053
Other emergency telephone numbers	1-352-323-3500

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

Classification

Metal Corrosion Category 1, Skin Corrosion/Irritation Category 1A, Serious Eye Damage Category 1

Label elements

GHS label elements



SIGNAL WORD

DANGER

Hazard statement(s)

H290	May be corrosive to metals.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	

Hazard(s) not otherwise specified

Not Applicable

Page 2 of 8
10M35-1 Neodymium (10,000μg/mL in 4% HNO3)

Catalogue number: **10M35-1** Version No: **4.4** Issue Date: 11/15/2016 Print Date: 11/15/2016

Precautionary statement(s) Prevention

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Precautionary statement(s) Response

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
1313-97-9	1 (as Nd)	neodymium(III) oxide
7697-37-2	4	nitric acid
7732-18-5	balance	water

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: ► Immediately hold eyelids apart and flush the eye continuously with running water. ► Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. ► Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. ► Transport to hospital or doctor without delay. ► Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.
Inhalation	 If furnes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. Inhalation of vapours or aerosols (mists, furnes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

For acute or short term repeated exposures to strong acids:

- Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.
- Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues. INGESTION:
- Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- ▶ DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- ▶ Charcoal has no place in acid management.

Chemwatch: 9-247895 Page 3 of 8

Catalogue number: 10M35-1

10M35-1 Neodymium (10,000µg/mL in 4% HNO3)

Issue Date: 11/15/2016 Print Date: 11/15/2016

Some authors suggest the use of lavage within 1 hour of ingestion.

SKIN:

Version No: 4.4

- ▶ Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- ▶ Deep second-degree burns may benefit from topical silver sulfadiazine.

FYF.

- ► Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- ► There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility

None known.

Special protective equipment and precautions for fire-fighters

	Fire Fighting	
 Non combustible. 	Fire/Explosion Hazard	

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

	Minor	Spills
--	-------	--------

- Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material.
- ► Clean up all spills immediately.

Major Spills

Personal Protective Equipment advice is contained in Section 8 of the SDS

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	► Avoid all personal contact, including inhalation.	
Other information	► Store in original containers.	

Conditions for safe storage, including any incompatibilities

Suitable container

- ▶ DO NOT use aluminium or galvanised containers
- Check regularly for spills and leaksLined metal can, lined metal pail/ can.

For low viscosity materials

Drums and jerricans must be of the non-removable head type.

Storage incompatibility

Drums and jerricans must be of the non-removable nead type.
 Inorganic acids are generally soluble in water with the release of hydrogen ions.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Levels (PELs) - Table Z1	nitric acid	Nitric acid	5 mg/m3 / 2 ppm	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	nitric acid	Nitric acid	2 ppm	4 ppm	Not Available	TLV® Basis: URT & eye irr; dental erosion
US NIOSH Recommended Exposure Limits (RELs)	nitric acid	Aqua fortis, Engravers acid, Hydrogen nitrate, Red furning nitric acid (RFNA), White furning nitric acid (WFNA)	5 mg/m3 / 2 ppm	10 mg/m3 / 4 ppm	Not Available	Not Available

Catalogue number: 10M35-1

Version No: 4.4

10M35-1 Neodymium (10,000µg/mL in 4% HNO3)

Issue Date: 11/15/2016 Print Date: 11/15/2016

Ingredient	Material name	TEEL-1	TE	TEEL-2		TEEL-3	
		Waterial Hairie					
neodymium(III) oxide	Neodymium(III) oxide	e 15 mg/m3		170 mg/m3		mg/m3	
nitric acid	Nitric acid	Not Available		Not Available		Available	
		<u> </u>			'		
Ingredient	Original IDLH	Original IDLH		Revised IDLH			
neodymium(III) oxide	Not Available	Not Available			Not Available		
nitric acid	100 ppm	100 ppm					
water		Not Available			Not Available		

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	► Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.
Skin protection	See Hand protection below
Hands/feet protection	 Elbow length PVC gloves When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.
Body protection	See Other protection below
Other protection	► Overalls.
Thermal hazards	Not Available

Respiratory protection

Type A Filter of sufficient capacity.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	clear to light purple		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	<2	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	► Contact with alkaline material liberates heat
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

Version No: 4.4

Page 5 of 8

10M35-1 Neodymium (10,000 μ g/mL in 4% HNO3)

Issue Date: 11/15/2016 Print Date: 11/15/2016

SECTION 11 TOXICOLOGICAL INFORMATION

	SIGAL IN ORMANION			
formation on toxicologic	cal effects			
Inhaled	The material can cause respiratory irritation in some persons. Corrosive acids can cause irritation of the respiratory tract, with coughing, choking The material has NOT been classified by EC Directives or other classification sys			
Ingestion	Ingestion of acidic corrosives may produce burns around and in the mouth, the thro. The material has NOT been classified by EC Directives or other classification sys		estion".	
Skin Contact	Skin contact with acidic corrosives may result in pain and burns; these may be deel Skin contact is not thought to have harmful health effects (as classified under EC I through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may page 1.	Directives); the material	may still prod	duce health damage following entry
Eye	If applied to the eyes, this material causes severe eye damage. Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light	and burns.		
Chronic	Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling Long-term exposure to respiratory irritants may result in disease of the airways invisual Substance accumulation, in the human body, may occur and may cause some conditions.	olving difficult breathing	and related	
10M35-1 Neodymium	TOXICITY	RRITATION		
(10,000μg/mL in 4% HNO3)	Not Available	Not Available		
	TOXICITY		IRRITA	ATION
neodymium(III) oxide	Oral (rat) LD50: >5000 mg/kg ^[2]		Not Av	ailable
	, , , , ,			
	тохісіту			RRITATION
nitric acid	Inhalation (rat) LC50: 0.13 mg/L/4hr ^[2]			DuPont
mine acid	Inhalation (rat) LC50: 2500 ppm/1h *\[^{2}\]			Nil reported
	Illinatation (rat) ECSO. 2500 ppin/ in (* -		''	vii reported
	тохісіту		IRRIT	TATION
water	TOXICITY IRRITATION Oral (rat) LD50: >90000 mg/kg ^[2] Not Available			
	Oral (ray) EDSO. 200000 Highlig			
Legend:	Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Vextracted from RTECS - Register of Toxic Effect of chemical Substances	/alue obtained from mar	nufacturer's S	SDS. Unless otherwise specified data
NEODYMIUM(III) OXIDE	Lanthanida poisoning causes immediate defaccation, writhing, inco-ordination, labelland	soured breathing, and in	activity	
NEOD I MIOM(III) OXIDE	Lanthanide poisoning causes immediate defaecation, writhing, inco-ordination, lab The material may produce severe irritation to the eye causing pronounced inflamm		activity.	
NITRIC ACID	The material may produce respiratory tract irritation, and result in damage to the little material may cause severe skin irritation after prolonged or repeated exposure vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers]	ung including reduced lu	-	
10M35-1 Neodymium (10,000µg/mL in 4% HNO3) & NITRIC ACID	Asthma-like symptoms may continue for months or even years after exposure to the	e material ceases.		
10M35-1 Neodymium (10,000µg/mL in 4% HNO3) & NITRIC ACID	for acid mists, aerosols, vapours Data from assays for genotoxic activity in vitro suggest that eukaryotic cells are sus	sceptible to genetic dam	age when th	ne pH falls to about 6.5.
NEODYMIUM(III) OXIDE & WATER	No significant acute toxicological data identified in literature search.			
Acute Toxicity	○ Car	cinogenicity		
Skin Irritation/Corrosion		productivity 🛇		
Serious Eye Damage/Irritation	✓ STOT - Sing	_		
Respiratory or Skin sensitisation	○ STOT - Repeate	ed Exposure		
Mutagenicity		ation Hazard		

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Ingredient Endpoint Test Duration (hr) Species Value Source

Data Not Available to make classification

Page 6 of 8

Catalogue number: 10M35-1

10M35-1 Neodymium (10,000µg/mL in 4% HNO3)

Issue Date: 11/15/2016 Print Date: 11/15/2016

Version No: 4.4

nitric acid	NOEC	16	Crustacea	107mg/L	4
Legend:	Aquatic Toxicity Data (Estima	ricity Data 2. Europe ECHA Registered Subs ted) 4. US EPA, Ecotox database - Aquatic T TI (Japan) - Bioconcentration Data 8. Vendor	oxicity Data 5. ECETOC Aquation	,	

Ecotoxicity:

The tolerance of water organisms towards pH margin and variation is diverse.

Prevent, by any means available, spillage from entering drains or water courses.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
water	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

► Recycle wherever possible.

SECTION 14 TRANSPORT INFORMATION

Labels Required



Marine Pollutant

NO

Land transport (DOT)

UN number	3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s (contains nitric acid)
Transport hazard class(es)	Class 8 Subrisk Not Applicable
Packing group	II .
Environmental hazard	Not Applicable
Special precautions for user	Hazard Label 8 Special provisions 386, B2, IB2, T11, TP2, TP27

Air transport (ICAO-IATA / DGR)

7	,				
UN number	3264	3264			
UN proper shipping name	Corrosive liquid, acidio	Corrosive liquid, acidic, inorganic, n.o.s. * (contains nitric acid)			
Transport hazard class(es)	ICAO/IATA Class ICAO / IATA Subrisk ERG Code	8 Not Applicable 8L			
Packing group	II				
Environmental hazard	Not Applicable	Not Applicable			
Special precautions for user	Special provisions Cargo Only Packing I	Instructions		A3A803 855	

Chemwatch: 9-247895 Page 7 of 8

Catalogue number: 10M35-1

Version No: 4.4

10M35-1 Neodymium (10,000µg/mL in 4% HNO3)

Issue Date: 11/15/2016 Print Date: 11/15/2016

Cargo Only Maximum Qty / Pack 30 L Passenger and Cargo Packing Instructions 851 Passenger and Cargo Maximum Qty / Pack 1 L Passenger and Cargo Limited Quantity Packing Instructions Y840 Passenger and Cargo Limited Maximum Qty / Pack 0.5 L

Sea transport (IMDG-Code / GGVSee)

UN number	3264				
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains nitric acid)				
Transport hazard class(es)	IMDG Class 8 IMDG Subrisk Not Applicable				
Packing group	II				
Environmental hazard	Not Applicable				
Special precautions for user	EMS Number F-A, S-B Special provisions 274 Limited Quantities 1 L				

Transport in bulk according to Annex II of MARPOL and the IBC code

Source	Product name	Pollution Category	Ship Type
IMO MARPOL (Annex II) - List of Noxious Liquid Substances Carried in Bulk	Nitric acid (70% and over) Nitric acid (less than 70%)	Y; Y	2 2

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

\parallel NEODYMIUM(III) OXIDE(1313-97-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

NITRIC ACID(7697-37-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

THE TOTAL PROPERTY OF THE TOTAL PROPERTY ELECT
International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft
US - Alaska Limits for Air Contaminants
US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)
US - California Permissible Exposure Limits for Chemical Contaminants
US - Hawaii Air Contaminant Limits
US - Idaho - Limits for Air Contaminants
US - Michigan Exposure Limits for Air Contaminants
US - Minnesota Permissible Exposure Limits (PELs)
US - Oregon Permissible Exposure Limits (Z-1)
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air
Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US SARA Section 302 Extremely Hazardous Substances

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

SECTION 311/312 HAZARD CATEGORIES

Immediate (acute) health hazard	Yes
Delayed (chronic) health hazard	No
Fire hazard	No
Pressure hazard	No
Reactivity hazard	No

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
Nitric acid	1000	454

State Regulations

US. CALIFORNIA PROPOSITION 65

Chemwatch: **9-247895** Page **8** of **8**

Catalogue number: 10M35-1

Version No: 4.4

10M35-1 Neodymium (10,000µg/mL in 4% HNO3)

Issue Date: 11/15/2016 Print Date: 11/15/2016

None Reported

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (water; neodymium(III) oxide; nitric acid)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (water)
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	Y
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

This document is copyright.