

High-Purity Standards

Catalogue number: 10M44-2

Version No: 2.2 Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

SECTION 1 IDENTIFICATION

Product Identifier

Product name	10M44-2 Rhodium (10,000µg/mL in 10% HCI)
Synonyms	10,000 μg/mL Rh in 10% HCl
Proper shipping name	Hydrochloric acid
Other means of identification	10M44-2

Recommended use of the chemical and restrictions on use

Relevant identified uses Use according to manufacturer's directions.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	High-Purity Standards
Address	PO Box 41727 SC 29423 United States
Telephone	843-767-7900
Fax	843-767-7906
Website	highpuritystandards.com
Email	Not Available

Emergency phone number

Association / Organisation	INFOTRAC
Emergency telephone numbers	1-800-535-5053
Other emergency telephone numbers	1-352-323-3500

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

Classification Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation), Metal Corrosion Category 1, Skin Corrosion/Irritation Category 1A, Serious Eye Damage Category 1

Label elements

GHS label elements	

DANGER

Hazard statement(s)

SIGNAL WORD

H335	May cause respiratory irritation.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

Chemwatch Hazard Alert Code: 3

Issue Date: 09/07/2016 Print Date: 09/07/2016

S.GHS.USA.EN

Hazard(s) not otherwise specified

Not Applicable

Precautionary statement(s) Prevention

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
Precautionary statement(s) Response	
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
Precautionary statement(s)) Storage
P405	Store locked up.
Precautionary statement(s) Disposal	
P501	Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
10049-07-7	1 (as Rh)	rhodium(III) chloride
7647-01-0	10	hydrochloric acid
7732-18-5	balance	water

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	 If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

For acute or short term repeated exposures to strong acids:

- Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- + Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.

• Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues. INGESTION:

- ▶ Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- Charcoal has no place in acid management.
- Some authors suggest the use of lavage within 1 hour of ingestion.

SKIN:

- Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- Deep second-degree burns may benefit from topical silver sulfadiazine

EYE:

- Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

Special protective equipment and precautions for fire-fighters

Fire Fighting	
Fire/Explosion Hazard	Non combustible. Decomposition may produce toxic fumes of; hydrogen chloride

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material. Clean up all spills immediately.
Major Spills	#

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	Safe handling Avoid all personal contact, including inhalation. D NOT allow clothing wet with material to stay in contact with skin	
Other information	► Store in original containers.	

Conditions for safe storage, including any incompatibilities

Suitable container	 DO NOT use aluminium or galvanised containers Check regularly for spills and leaks Lined metal can, lined metal pail/ can. For low viscosity materials Drums and jerricans must be of the non-removable head type.
Storage incompatibility	 Several platinum compounds, including trimethylplatinum derivatives are explosively unstable. Inorganic acids are generally soluble in water with the release of hydrogen ions. Hydrogen chloride: reacts strongly with strong oxidisers (releasing chlorine gas), acetic anhydride, caesium cyanotridecahydrodecaborate(2-), ethylidene difluoride, hexalithium disilicide, metal acetylide, sodium, silicon dioxide, tetraselenium tetranitride, and many organic materials is incompatible with alkaline materials, acetic anhydride, acetylides, aliphatic amines, alkanolamines, alkylene oxides, aluminium, aluminium-titanium alloys, aromatic amines, amines, amines, amines, anices, 2-aminoethanol, ammonia, ammonium hydroxide, borides, calcium phosphide, carbides, carbonates, cyanides, chlorosulfonic acid, ethylenediamine, ethyleneimine, epichlorohydrin, formaldehyde, isocyanates, metal axides, metal hydroxides, metal acetylides, potassium permanganate, perchloric acid, phosphides, 3-propiolactone, silicides, sulfites, sulfuric acid, uranium phosphide, vinyl acetate, vinylidene fluoride attacks most metals forming flammable hydrogen gas, and some plastics, rubbers and coatings reacts with zinc, brass, galvanised iron, aluminium, copper and copper alloys WARNING: Avoid or control reaction with peroxides. Reacts vigorously with alkalis

Issue Date: 09/07/2016 Print Date: 09/07/2016

10M44-2 Rhodium (10,000µg/mL in 10% HCI)

• Reacts with mild steel, galvanised steel / zinc producing hydrogen gas which may form an explosive mixture with air.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name		TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Levels (PELs) - Table Z1	rhodium(III) chloride	Rhodium ;metal fume and insoluble compounds		0.1 mg/m3	Not Available	Not Available	(as Rh)
US ACGIH Threshold Limit Values (TLV)	rhodium(III) chloride	Rhodium, as Rh - Metal and Insoluble compounds So compounds	bluble	1 mg/m3	Not Available	Not Available	TLV® Basis: Metal = URT irr; Insoluble = LRT irr
US OSHA Permissible Exposure Levels (PELs) - Table Z1	hydrochloric acid	Hydrogen chloride		Not Available	Not Available	7 mg/m3 / 5 ppm	Not Available
US ACGIH Threshold Limit Values (TLV)	hydrochloric acid	Hydrogen chloride		Not Available	Not Available	2 ppm	TLV® Basis: URT ir
US NIOSH Recommended Exposure Limits (RELs)	hydrochloric acid	Anhydrous hydrogen chloride; Aqueous hydrogen ch (i.e., Hydrochloric acid, Muriatic acid) [Note: Often u an aqueous solution.]		Not Available	Not Available	7 mg/m3 / 5 ppm	Not Available
EMERGENCY LIMITS							
Ingredient	Material name		TEEL	-1	TEEL-2		TEEL-3
hydrochloric acid	Hydrogen chlori	de; (Hydrochloric acid)	Not A	vailable	Not Avai	able	Not Available
hydrochloric acid	Deuterochloric a	Deuterochloric acid; (Deuterium chloride)		m	22 ppm		100 ppm
Ingredient	Original IDLH	Original IDLH		Revised IDLH			
rhodium(III) chloride	N.E. / N.E.	N.E. / N.E.		100 mg/m3			
hydrochloric acid	100 ppm	100 ppm		50 ppm			
water	Not Available			Not Available			

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.
Skin protection	See Hand protection below
Hands/feet protection	 Elbow length PVC gloves When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots. The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer.
Body protection	See Other protection below
Other protection	► Overalls.
Thermal hazards	Not Available

Respiratory protection

Type B-P Filter of sufficient capacity.

76b-p()

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	colorless		
			
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	<2	Decomposition temperature	Not Available

Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Contact with alkaline material liberates heat
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material can cause respiratory irritation in some persons. Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. The material has NOT been classified by EC Directives or other classification systems as "harmful by inhalation". Hydrogen chloride (HCI) vapour or fumes present a hazard from a single acute exposure.			
Ingestion	Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". Platinoids are poorly absorbed from the gut, skin and other routes not directly in the blood stream.			
Skin Contact	Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.			
Eye	If applied to the eyes, this material causes severe eye damage. Direct eye contact with acid corrosives may produce pain, tears, sensitivity to li	ight and burns.		
Chronic	Repeated or prolonged exposure to acids may result in the erosion of teeth, so Long-term exposure to respiratory irritants may result in disease of the airways There has been some concern that this material can cause cancer or mutations Substance accumulation, in the human body, may occur and may cause some of Chronic minor exposure to hydrogen chloride (HCI) vapour or fume may cause	s involving diffic s but there is no concern followi	cult breathing and ot enough data to r ng repeated or lon	related systemic problems. nake an assessment. g-term occupational exposure.
	ulceration of the nasal mucous membranes. Rhodium compounds may damage the kidney, brain and spinal cord.			
10M44-2 Rhodium	ulceration of the nasal mucous membranes.	IRRITATIO	N	
10M44-2 Rhodium (10,000µg/mL in 10% HCl)	ulceration of the nasal mucous membranes. Rhodium compounds may damage the kidney, brain and spinal cord.	IRRITATION Not Availabl		
	ulceration of the nasal mucous membranes. Rhodium compounds may damage the kidney, brain and spinal cord. TOXICITY Not Available		IRRITATION	Sanada I (d.)
	ulceration of the nasal mucous membranes. Rhodium compounds may damage the kidney, brain and spinal cord. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: >2000 mg/kg ^[2]		le	Canada Ltd.]
(10,000µg/mL in 10% HCI)	ulceration of the nasal mucous membranes. Rhodium compounds may damage the kidney, brain and spinal cord. TOXICITY Not Available		IRRITATION *[Englehard C	Canada Ltd.]
(10,000µg/mL in 10% HCI)	ulceration of the nasal mucous membranes. Rhodium compounds may damage the kidney, brain and spinal cord. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: >2000 mg/kg ^[2] Inhalation (rat) LC50: >200 mg/kg ^[2]	Not Availabl	IRRITATION *[Englehard C	Canada Ltd.]
(10,000µg/mL in 10% HCI)	ulceration of the nasal mucous membranes. Rhodium compounds may damage the kidney, brain and spinal cord. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: >2000 mg/kg ^[2] Inhalation (rat) LC50: >200 mg/l1h *j ^[2] Oral (rat) LD50: 1302 mg/kg ^[2]	Not Availabl	le IRRITATION '[Englehard C Nil reported	
(10,000µg/mL in 10% HCI) rhodium(III) chloride	ulceration of the nasal mucous membranes. Rhodium compounds may damage the kidney, brain and spinal cord. TOXICITY Not Available TOXICITY Dermal (rabbit) LD50: >2000 mg/kg ^[2] Inhalation (rat) LC50: >200 mg/l/1h *] ^[2] Oral (rat) LD50: 1302 mg/kg ^[2] TOXICITY	Not Availabl	le IRRITATION ICRITATION ICRICATION ICRICATI	
(10,000µg/mL in 10% HCI) rhodium(III) chloride	ulceration of the nasal mucous membranes. Rhodium compounds may damage the kidney, brain and spinal cord. TOXICITY Not Available	Not Availabl	le IRRITATION ICRITATION ICRICATION ICRICATI	

Legend:	 Value obtained from Europe ECHA Registered Substances - Acute to extracted from RTECS - Register of Toxic Effect of chemical Substance 		from manufacturer's SDS. Unless otherwise specified data
RHODIUM(III) CHLORIDE	NOTE: Substance has been shown to be mutagenic in at least one assa Respiratory stimulation, tumors, leukaemia, effects on spermatogenesi		
HYDROCHLORIC ACID	The material may be irritating to the eye, with prolonged contact causing inflammation. The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans.		
10M44-2 Rhodium (10,000µg/mL in 10% HCI) & RHODIUM(III) CHLORIDE & HYDROCHLORIC ACID	Asthma-like symptoms may continue for months or even years after expo	osure to the material cease	25.
10M44-2 Rhodium (10,000µg/mL in 10% HCI) & HYDROCHLORIC ACID	for acid mists, aerosols, vapours Data from assays for genotoxic activity in vitro suggest that eukaryotic cells are susceptible to genetic damage when the pH falls to about 6.5.		
HYDROCHLORIC ACID & WATER	No significant acute toxicological data identified in literature search.		
Acute Toxicity	0	Carcinogenicity	0
Skin Irritation/Corrosion	✓	Reproductivity	0
Serious Eye Damage/Irritation	✓ ST	OT - Single Exposure	*
Respiratory or Skin sensitisation	⊗ stot	- Repeated Exposure	0
Mutagenicity	\odot	Aspiration Hazard	0
			 Data available but does not fill the criteria for classification Data required to make classification available

 \bigcirc – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
hydrochloric acid	LC50	96	Fish	70.057mg/L	3
hydrochloric acid	EC50	96	Algae or other aquatic plants	344.947mg/L	3
hydrochloric acid	EC50	9.33	Fish	0.014000mg/L	4
hydrochloric acid	NOEC	0.08	Fish	10mg/L	4
water	LC50	96	Fish	897.520mg/L	3
water	EC50	96	Algae or other aquatic plants	8768.874mg/L	3
water	EC50	384	Crustacea	199.179mg/L	3
Legend:	Aquatic Toxicity Da	-	HA Registered Substances - Ecotoxicological database - Aquatic Toxicity Data 5. ECETOC / ation Data 8. Vendor Data		

Ecotoxicity:

The tolerance of water organisms towards pH margin and variation is diverse.

For Chloride: Although inorganic chloride ions are not normally considered toxic they can exist in effluents at acutely toxic levels.

Rhodium is too rare for the amount of it in soils or natural waters to be assessed, and so its effect on the environment can be assumed to be nil.

For Platinum Group Metals (PGM):

Environmental Fate: The PGMs are a group of rare elements including platinum, palladium, rhodium, ruthenium, iridium, and osmium. Prevent, by any means available, spillage from entering drains or water courses.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
hydrochloric acid	LOW	LOW
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
hydrochloric acid	LOW (LogKOW = 0.5392)
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
hydrochloric acid	LOW (KOC = 14.3)
water	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal Legislation addressing waste disposal requirements may differ by country, state and/ or territory. DO NOT allow wash water from cleaning or process equipment to enter drains. Recycle wherever possible.

SECTION 14 TRANSPORT INFORMATION

Labels Required



Land transport (DOT)

UN number	1789	
UN proper shipping name	Hydrochloric acid	
Transport hazard class(es)	Class8SubriskNot Applicable	
Packing group	II.	
Environmental hazard	Not Applicable	
Special precautions for user	Hazard Label8Special provisionsA3, A6, B3, B15, IB2, N41, T8, TP2	

Air transport (ICAO-IATA / DGR)

UN number	1789	
UN proper shipping name	Hydrochloric acid	
Transport hazard class(es)	ICAO/IATA Class8ICAO / IATA SubriskNot ApplicableERG Code8L	
Packing group	Ш	
Environmental hazard	Not Applicable	
Special precautions for user	Special provisions Cargo Only Packing Instructions Cargo Only Maximum Qty / Pack Passenger and Cargo Packing Instructions Passenger and Cargo Maximum Qty / Pack Passenger and Cargo Limited Quantity Packing Instructions Passenger and Cargo Limited Maximum Qty / Pack	A3A803 855 30 L 851 1 L Y840 0.5 L

Sea transport (IMDG-Code / GGVSee)

UN number	1789
UN proper shipping name	HYDROCHLORIC ACID
Transport hazard class(es)	IMDG Class8IMDG SubriskNot Applicable
Packing group	I
Environmental hazard	Not Applicable
Special precautions for user	EMS NumberF-A, S-BSpecial provisionsNot ApplicableLimited Quantities1 L

Transport in bulk according to Annex II of MARPOL and the IBC code

Source	Product name	Pollution Category	Ship Type
IMO MARPOL (Annex II) - List of Noxious Liquid Substances Carried in Bulk	Hydrochloric acid	Z	3

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

RHODIUM(III) CHLORIDE(10049-07-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS US - Alaska Limits for Air Contaminants US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants US - Hawaii Air Contaminant Limits US - Washington Permissible exposure limits of air contaminants US - Idaho - Limits for Air Contaminants US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants US - Michigan Exposure Limits for Air Contaminants US ACGIH Threshold Limit Values (TLV) US - Minnesota Permissible Exposure Limits (PELs) US ACGIH Threshold Limit Values (TLV) - Carcinogens US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants US OSHA Permissible Exposure Levels (PELs) - Table Z1 US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory HYDROCHLORIC ACID(7647-01-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS International Agency for Research on Cancer (IARC) - Agents Classified by the IARC US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Monographs Contaminants US - Alaska Limits for Air Contaminants US - Washington Permissible exposure limits of air contaminants US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants (CRELs) US ACGIH Threshold Limit Values (TLV) US - California Permissible Exposure Limits for Chemical Contaminants US ACGIH Threshold Limit Values (TLV) - Carcinogens US - Hawaii Air Contaminant Limits US EPCRA Section 313 Chemical List US - Idaho - Limits for Air Contaminants US NIOSH Recommended Exposure Limits (RELs) US - Michigan Exposure Limits for Air Contaminants US OSHA Permissible Exposure Levels (PELs) - Table Z1

US SARA Section 302 Extremely Hazardous Substances

US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Minnesota Permissible Exposure Limits (PELs) US - Oregon Permissible Exposure Limits (Z-1)

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD CATEGORIES

Immediate (acute) health hazard	Yes
Delayed (chronic) health hazard	No
Fire hazard	No
Pressure hazard	No
Reactivity hazard	No

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

Name	Reportable Quantity in Pounds (Ib)	Reportable Quantity in kg
Hydrochloric acid	5000	2270

State Regulations

US. CALIFORNIA PROPOSITION 65

None Reported

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (rhodium(III) chloride; hydrochloric acid; water)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (water)
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	Y
USA - TSCA	Y

Legend:

Y = All ingredients are on the inventory

N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

rhodium(III) chloride 10049-07-7, 20765-98-4, 13569-65-8	Name	CAS No
		10049-07-7, 20765-98-4, 13569-65-8

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC – TWA: Permissible Concentration-Time Weighted Average PC – STEL: Permissible Concentration-Short Term Exposure Limit IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit, IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

