

Oyster Tissue

High-Purity Standards

Catalogue number: CRM-OT

Version No: 2.2

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 3

Issue Date: **06/06/2017**Print Date: **06/06/2017**S GHS USA EN

SECTION 1 IDENTIFICATION

Product Identifier

Product name	Oyster Tissue
Synonyms	CRM-OT
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Other means of identification	CRM-OT

Recommended use of the chemical and restrictions on use

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	High-Purity Standards
Address	PO Box 41727 SC 29423 United States
Telephone	843-767-7900
Fax	843-767-7906
Website	highpuritystandards.com
Email	Not Available

Emergency phone number

• • •	
Association / Organisation	INFOTRAC
Emergency telephone numbers	1-800-535-5053
Other emergency telephone numbers	1-352-323-3500

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

Classification

Metal Corrosion Category 1, Skin Corrosion/Irritation Category 1A, Serious Eye Damage Category 1

Label elements

Hazard pictogram(s)



SIGNAL WORD D

DANGER

Hazard statement(s)

nazaru statement(s)		
	H290	May be corrosive to metals.
	H314	Causes severe skin burns and eye damage.

Hazard(s) not otherwise specified

Not Applicable

Precautionary statement(s) Prevention

Chemwatch: 9-407234 Page 2 of 22

Catalogue number: CRM-OT

Oyster Tissue

Issue Date: **06/06/2017**Print Date: **06/06/2017**

Version No: 2.2

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Precautionary statement(s) Response

P301+P330+P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Precautionary statement(s) Storage

P405

Store locked up.

Precautionary statement(s) Disposal

P501

Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name	
7429-90-5	0.0003	aluminium	
7440-38-2	<0.001	arsenic	
7440-39-3	<0.001	<u>barium</u>	
7440-43-9	<0.001	cadmium	
7440-70-2	0.0015	calcium	
7440-47-3	<0.001	chromium	
7440-48-4	<0.001	cobalt	
7440-50-8	<0.001	copper	
7439-89-6	0.0002	<u>iron</u>	
7439-92-1	<0.001	<u>lead</u>	
7439-95-4	0.0012	magnesium	
638-38-0	<0.001 (as Mn)	manganese(II) acetate	
7440-02-0	<0.001	nickel	
7722-76-1	0.008 (as P)	ammonium phosphate, monobasic	
7440-09-7	0.01	potassium	
10139-58-9	<0.001 (as Rb)	rhodium(III) nitrate	
7782-49-2	0.00001	selenium	
16919-19-0	0.001 (as Si)	ammonium fluorosilicate	
7440-23-5	0.005	sodium	
7664-93-9	0.007 (as S)	<u>sulfuric acid</u>	
7440-66-6	0.0009	zinc	
7697-37-2	4	nitric acid	
7732-18-5	balance	<u>water</u>	
12124-97-9	<0.001 (as bromide)	ammonium bromide	
12125-02-9	0.01 (as chloride)	ammonium chloride	

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

If this product comes in contact with the eyes:

► Immediately hold eyelids apart and flush

► Ensure complete irrigation of the eye by I

- Immediately hold eyelids apart and flush the eye continuously with running water.
 Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
- ► Transport to hospital or doctor without delay.
- Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

If skin or hair contact occurs:

Skin Contact

- ▶ Immediately flush body and clothes with large amounts of water, using safety shower if available.
- ▶ Quickly remove all contaminated clothing, including footwear.
- ► Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre.
- ► Transport to hospital, or doctor.
- If fumes or combustion products are inhaled remove from contaminated area.
- Inhalation
- Lay patient down. Keep warm and rested.
 Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- ▶ Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if

Chemwatch: 9-407234 Page 3 of 22 Issue Date: 06/06/2017 Catalogue number: CRM-OT Print Date: 06/06/2017

Version No: 2.2

	 necessary. Transport to hospital, or doctor, without delay. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)
Ingestion	 For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay.

Ovster Tissue

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

For acute or short term repeated exposures to strong acids:

- ▶ Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise
- > Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues. INGESTION:
- $\blacksquare \ \ \, \text{Immediate dilution (milk or water) within 30 minutes post ingestion is recommended. }$
- ▶ DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- ▶ Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- ► Charcoal has no place in acid management.
- ▶ Some authors suggest the use of lavage within 1 hour of ingestion.

SKIN:

- ▶ Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- ▶ Deep second-degree burns may benefit from topical silver sulfadiazine.

EYE:

- Fey e injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any Several litres of saline are required.
- ▶ Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- ▶ Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility None known

Special protective equipment and precautions for fire-fighters

Fire Fighting				
Fire/Explosion Hazard	 Non combustible. Not considered to be a significant fire risk. Acids may react with metals to produce hydrogen, a highly flammable and explosive gas. Heating may cause expansion or decomposition leading to violent rupture of containers. May emit corrosive, poisonous furnes. May emit acrid smoke. When aluminium oxide dust is dispersed in air, firefighters should wear protection against inhalation of dust particles, which can also contain hazardous substances from the fire absorbed on the alumina particles. 			

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills

▶ Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material. Check regularly for spills and leaks.

Chemwatch: 9-407234 Page 4 of 22 Catalogue number: CRM-OT

Version No: 2.2

	▶ Clean up all spills immediately.
	 Avoid breathing vapours and contact with skin and eyes.
	 Control personal contact with the substance, by using protective equipment.
	► Contain and absorb spill with sand, earth, inert material or vermiculite.
	▶ Wipe up.
	▶ Place in a suitable, labelled container for waste disposal.
Major Snills	#

Ovster Tissue

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Other information

Storage incompatibility

- Wear protective clothing when risk of exposure occurs. ▶ Use in a well-ventilated area. WARNING: To avoid violent reaction, ALWAYS add material to water and NEVER water to material. Avoid smoking, naked lights or ignition sources. Avoid contact with incompatible materials. When handling, **DO NOT** eat, drink or smoke Safe handling Keep containers securely sealed when not in use. Avoid physical damage to containers. Always wash hands with soap and water after handling.
 - ▶ Work clothes should be laundered separately. Launder contaminated clothing before re-use.
 - Use good occupational work practice. Observe manufacturer's storage and handling recommendations contained within this SDS.
 - Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.
 - Store in original containers. Keep containers securely sealed.
 - Store in a cool, dry, well-ventilated area.

Avoid all personal contact, including inhalation.

- Store away from incompatible materials and foodstuff containers.
- Protect containers against physical damage and check regularly for leaks.
- Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

- ► DO NOT use aluminium or galvanised containers Check regularly for spills and leaks
- ▶ Lined metal can, lined metal pail/ can.
- Plastic pail.
- ▶ Polyliner drum.
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

For low viscosity materials

- ▶ Drums and jerricans must be of the non-removable head type. Suitable container
 - ▶ Where a can is to be used as an inner package, the can must have a screwed enclosure.

For materials with a viscosity of at least 2680 cSt. (23 deg. C) and solids (between 15 C deg. and 40 deg C.):

- Removable head packaging:
- ► Cans with friction closures and
- low pressure tubes and cartridges

may be used.

Where combination packages are used, and the inner packages are of glass, porcelain or stoneware, there must be sufficient inert cushioning material in contact with inner and outer packages unless the outer packaging is a close fitting moulded plastic box and the substances are not incompatible with the plastic.

For aluminas (aluminium oxide):

Incompatible with hot chlorinated rubber.

In the presence of chlorine trifluoride may react violently and ignite.

-May initiate explosive polymerisation of olefin oxides including ethylene oxide.

-Produces exothermic reaction above 200 C with halocarbons and an exothermic reaction at ambient temperatures with halocarbons in the presence of other metals.

-Produces exothermic reaction with oxygen difluoride.

-May form explosive mixture with oxygen difluoride.

-Forms explosive mixtures with sodium nitrate.

-Reacts vigorously with vinyl acetate

Aluminium oxide is an amphoteric substance, meaning it can react with both acids and bases, such as hydrofluoric acid and sodium hydroxide, acting as an acid with a base and a base with an acid, neutralising the other and producing a salt.

- ▶ Inorganic acids are generally soluble in water with the release of hydrogen ions. The resulting solutions have pH's of less than 7.0.
 - Inorganic acids neutralise chemical bases (for example: amines and inorganic hydroxides) to form salts neutralisation can generate dangerously large amounts of heat in small spaces.
 - ▶ The dissolution of inorganic acids in water or the dilution of their concentrated solutions with additional water may generate significant heat.
 - ► The addition of water to inorganic acids often generates sufficient heat in the small region of mixing to cause some of the water to boil explosively. The resulting "bumping" can spatter the acid.
 - Inorganic acids react with active metals, including such structural metals as aluminum and iron, to release hydrogen, a flammable gas.
 - Inorganic acids can initiate the polymerisation of certain classes of organic compounds.
 - Inorganic acids react with cyanide compounds to release gaseous hydrogen cyanide.
 - Inorganic acids generate flammable and/or toxic gases in contact with dithiocarbamates, isocyanates, mercaptans, nitrides, nitriles, sulfides, and strong reducing agents. Additional gas-generating reactions occur with sulfites, nitrites, thiosulfates (to give H2S and SO3), dithionites (SO2), and even carbonates
 - Acids often catalyse (increase the rate of) chemical reactions.
 - Reacts with mild steel, galvanised steel / zinc producing hydrogen gas which may form an explosive mixture with air.
 - Avoid strong acids, acid chlorides, acid anhydrides and chloroformates

Issue Date: 06/06/2017

Print Date: 06/06/2017

Oyster Tissue

Issue Date: 06/06/2017 Print Date: 06/06/2017

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Version No: 2.2

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Levels (PELs) - Table Z1	aluminium	Aluminum, metal	15 mg/m3	Not Available	Not Available	Total dust; (as Al)
US OSHA Permissible Exposure Levels (PELs) - Table Z1	aluminium	Aluminum, metal- Respirable fraction	5 mg/m3	Not Available	Not Available	(as Al)
US NIOSH Recommended Exposure Limits (RELs)	aluminium	Aluminium, Aluminum metal, Aluminum powder, Elemental aluminum	10 (total), 5 (resp) mg/m3	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	arsenic	Arsenic metal: Arsenia	Not Available	Not Available	0.002 mg/m3	Ca See Appendix A
US OSHA Permissible Exposure Levels (PELs) - Table Z1	cadmium	Cadmium	0.005 mg/m3	Not Available	Not Available	see 1910.1027;(as Cd)
US NIOSH Recommended Exposure Limits (RELs)	cadmium	Cadmium metal: Cadmium	0.01 mg/m3	Not Available	Not Available	Ca See Appendix A [*Note: The REL applies to all Cadmium compounds (as Cd).]
US ACGIH Threshold Limit Values (TLV)	cadmium	Cadmium	Not Available	Not Available	Not Available	TLV® Basis: Kidney dam; BEI
US NIOSH Recommended Exposure Limits (RELs)	chromium	Chrome, Chromium	0.5 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	cobalt	Cobalt metal, dust, and fume	0.1 mg/m3	Not Available	Not Available	(as Co)
US NIOSH Recommended Exposure Limits (RELs)	cobalt	Cobalt metal dust, Cobalt metal fume	0.05 mg/m3	Not Available	Not Available	TLV® Basis: Pneumonitis
US ACGIH Threshold Limit Values (TLV)	cobalt	Hard metals containing Cobalt and Tungsten carbide, as Co	0.005 mg/m3	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	copper	Copper metal dusts, Copper metal fumes	1 mg/m3	Not Available	Not Available	[*Note: The REL also applies to other copper compounds (as Cu) except Copper fume.]
US ACGIH Threshold Limit Values (TLV)	copper	Copper - Fume, as Cu	0.2 mg/m3	Not Available	Not Available	TLV® Basis: Irr; GI; metal fume fever; BEI
US ACGIH Threshold Limit Values (TLV)	copper	Copper - Dusts and mists, as Cu	1 mg/m3	Not Available	Not Available	TLV® Basis: Irr; GI; metal fume fever; BEI
US NIOSH Recommended Exposure Limits (RELs)	lead	Lead metal, Plumbum	0.050 mg/m3	Not Available	Not Available	See Appendix C [*Note: The REL also applies to other lead compounds (as Pb) see Appendix C.]
US NIOSH Recommended Exposure Limits (RELs)	nickel	Nickel metal: Elemental nickel, Nickel catalyst	0.015 mg/m3	Not Available	Not Available	Ca See Appendix A [*Note: The REL does not apply to Nickel carbonyl.]
US ACGIH Threshold Limit Values (TLV)	nickel	Nickel and inorganic compounds including Nickel subsulfide, as Ni - Elemental	1.5 mg/m3	Not Available	Not Available	TLV® Basis: Dermatitis; pneumoconiosis
US NIOSH Recommended Exposure Limits (RELs)	selenium	Elemental selenium, Selenium alloy	0.2 mg/m3	Not Available	Not Available	[*Note: The REL also applies to other selenium compounds (as Se) except Selenium hexafluoride.]
US OSHA Permissible Exposure Levels (PELs) - Table Z1	sulfuric acid	Sulfuric acid	1 mg/m3	Not Available	Not Available	TLV® Basis: Pulm func
US NIOSH Recommended Exposure Limits (RELs)	sulfuric acid	Battery acid, Hydrogen sulfate, Oil of vitriol, Sulfuric acid (aqueous)	1 mg/m3	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	sulfuric acid	Sulfuric acid	0.2 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	nitric acid	Nitric acid	5 mg/m3 / 2 ppm	10 mg/m3 / 4 ppm	Not Available	TLV® Basis: URT & eye irr; dental erosion
US NIOSH Recommended Exposure Limits (RELs)	nitric acid	Aqua fortis, Engravers acid, Hydrogen nitrate, Red furning nitric acid (RFNA), White furning nitric acid (WFNA)	5 mg/m3 / 2 ppm	4 ppm	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	nitric acid	Nitric acid	2 ppm	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	ammonium chloride	Ammonium chloride, Ammonium muriate fume, Sal ammoniac fume	10 mg/m3	20 mg/m3	Not Available	TLV® Basis: Eye & URT irr
US ACGIH Threshold Limit Values (TLV)	ammonium chloride	Ammonium chloride, fume	10 mg/m3	20 mg/m3	Not Available	Not Available

Version No: 2.2

Page 6 of 22

Oyster Tissue

Catalogue number: CRM-OT

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3	
barium	Barium	1.5 mg/m3	180 mg/m3	1,100 mg/m3	
cadmium	Cadmium	Not Available	Not Available	Not Available	
chromium	Chromium		17 mg/m3	99 mg/m3	
cobalt	Cobalt	0.18 mg/m3	2 mg/m3	20 mg/m3	
copper	Copper	3 mg/m3	33 mg/m3	200 mg/m3	
iron	Iron	3.2 mg/m3	35 mg/m3	150 mg/m3	
lead	Lead	0.15 mg/m3	120 mg/m3	700 mg/m3	
magnesium	Magnesium	18 mg/m3	200 mg/m3	1,200 mg/m3	
manganese(II) acetate	Acetic acid, manganese(II) salt (2:1)	9.4 mg/m3	16 mg/m3	96 mg/m3	
nickel	Nickel	4.5 mg/m3	50 mg/m3	99 mg/m3	
ammonium phosphate, monobasic	Ammonium dihydrogen phosphate; (Monoammonium phosphate)	17 mg/m3	190 mg/m3	1,100 mg/m3	
potassium	Potassium	2.3 mg/m3	25 mg/m3	150 mg/m3	
selenium	Selenium	0.6 mg/m3	6.6 mg/m3	40 mg/m3	
ammonium fluorosilicate	Ammonium hexafluorosilicate; (Ammonium silicofluoride)	12 mg/m3	130 mg/m3	780 mg/m3	
sodium	Sodium	13 mg/m3	140 mg/m3	870 mg/m3	
sulfuric acid	Sulfuric acid	Not Available	Not Available	Not Available	
zinc	Zinc	6 mg/m3	21 mg/m3	120 mg/m3	
nitric acid	Nitric acid	Not Available	Not Available	Not Available	
ammonium bromide	Ammonium bromide	8.1 mg/m3	89 mg/m3	530 mg/m3	
ammonium chloride	Ammonium chloride	20 mg/m3	110 mg/m3	330 mg/m3	
Ingredient	Original IDLH	Revised IDLH			
aluminium	Not Available	Not Available			
arsenic	100 mg/m3	5 mg/m3	5 mg/m3		
barium	1,100 mg/m3	50 mg/m3	-		
cadmium	50 mg/m3 / 9 mg/m3	9 mg/m3 / 9 [Unch] m	9 mg/m3 / 9 [Unch] mg/m3		
calcium	Not Available	Not Available			
chromium	N.E. / N.E.	250 mg/m3			
cobalt	20 mg/m3	20 [Unch] mg/m3			
copper	N.E. / N.E.	100 mg/m3			
iron	Not Available	Not Available			
lead	700 mg/m3	100 mg/m3			
magnesium	Not Available	Not Available			
manganese(II) acetate	N.E. / N.E.	500 mg/m3			
nickel	N.E. / N.E.	10 mg/m3			
ammonium phosphate, monobasic	Not Available	Not Available			
potassium	Not Available	Not Available			
rhodium(III) nitrate	N.E. / N.E.	2 mg/m3			
selenium	Unknown mg/m3 / Unknown ppm	1 mg/m3			
ammonium fluorosilicate	Not Available	Not Available			
sodium	Not Available	Not Available			
sulfuric acid	80 mg/m3	15 mg/m3			
zinc	Not Available	Not Available			
nitric acid	100 ppm	25 ppm			
water	Not Available	Not Available			
ammonium broi-l-	Nat Augustala	Niet Ausliebie	Net Auglieble		

Exposure controls

Appropriate engineering

controls

ammonium bromide ammonium chloride

> Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

Not Available

Not Available

The basic types of engineering controls are:

Not Available

Not Available

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Employers may need to use multiple types of controls to prevent employee overexposure.

Local exhaust ventilation usually required. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection. Supplied-air type respirator may be required in special circumstances. Correct fit is essential to ensure adequate protection. An approved self contained breathing apparatus (SCBA) may be required in some situations.

Issue Date: 06/06/2017

Print Date: 06/06/2017

Oyster Tissue

Issue Date: **06/06/2017** Print Date: **06/06/2017**

Provide adequate ventilation in warehouse or closed storage area. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.

Type of Contaminant:	Air Speed:
solvent, vapours, degreasing etc., evaporating from tank (in still air).	0.25-0.5 m/s (50-100 f/min.)
aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)	0.5-1 m/s (100-200 f/min.)
direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)	1-2.5 m/s (200-500 f/min.)
grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion).	2.5-10 m/s (500-2000 f/min.)

Within each range the appropriate value depends on:

Lower end of the range	Upper end of the range
1: Room air currents minimal or favourable to capture	1: Disturbing room air currents
2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity
3: Intermittent, low production.	3: High production, heavy use
4: Large hood or large air mass in motion	4: Small hood-local control only

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.

Personal protection











Eye and face protection

- Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.
- Chemical goggles.whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted.
- Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face protection.
- ► Alternatively a gas mask may replace splash goggles and face shields.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]

Skin protection See

► Elbow length PVC gloves

- Hands/feet protection

 | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands/feet protection | Hands
 - ▶ When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.

Body protection

See Other protection below

Other protection

- Overalls.PVC Apron.
- PVC Apron.
 PVC protective suit may be required if exposure severe.
- Eyewash unit.
- Ensure there is ready access to a safety shower.
- Thermal hazards

Not Available

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Colourless		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	<2	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available

Chemwatch: 9-407234
Catalogue number: CRM-OT
Version No: 2.2

Oyster Tissue

Issue Date: **06/06/2017** Print Date: **06/06/2017**

Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	► Contact with alkaline material liberates heat
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

mormation on toxicologic	al ellects						
Inhaled	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. There may be dizziness, headache, nausea and weakness. The material has NOT been classified by EC Directives or other classification systems as "harmful by inhalation". This is because of the lack of corroborating animal or human evidence.						
Ingestion	Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. Immediate pain and difficulties in swallowing and speaking may also be evident. The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.						
Skin Contact	Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Though considered non-harmful, slight irritation may result from contact because of the abrasive nature of the aluminium oxide particles. Thus it may cause itching and skin reaction and inflammation. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.						
Еуе	If applied to the eyes, this material causes severe eye damage. Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light and burns. Mild burns of the epithelia generally recover rapidly and completely.						
Chronic	Repeated or prolonged exposure to acids may result in the erosion of teeth, sw and inflammation of lung tissue often occurs. Long-term exposure to respiratory irritants may result in airways disease, involv Substance accumulation, in the human body, may occur and may cause some of Animal testing shows long term exposure to aluminium oxides may cause lung the greater the tendencies of causing harm.	ring difficulty breathing and relat oncern following repeated or lor	ed whole-body problems.				
	TOXICITY	IRRITATION					
Oyster Tissue	Not Available	Not Available					
	TOXICITY		IRRITATION				
aluminium	Oral (rat) LD50: >2000 mg/kg ^[1]		Not Available				
	TOXICITY	IR	RITATION				
arsenic	Oral (rat) LD50: 763 mg/kg ^[2] Not Available						
	TOXICITY	IRRITATION					
barium	Not Available	Not Available					
	TOVICITY		IDDITATION				
cadmium	TOXICITY		IRRITATION				
	Oral (rat) LD50: >63<259 mg/kg> ^[1]		Not Available				

Oyster Tissue

of 22 Issue Date: 06/06/2017
Print Date: 06/06/2017

	TOXICITY		IDDITATION		
مسننماهم	Dermal (rabbit) LD50: >2500 mg/kg ^[1]		IRRITATION Not Available		
calcium	Oral (rat) LD50: >2000 mg/kg ^[1]		Not Available		
	Oral (rat) LD50: >2000 mg/kg ^{- 7}				
	TOXICITY	IRRITATION			
chromium	Not Available	Not Available			
	111111111111111111111111111111111111111				
	TOXICITY		IRRITATION		
cobalt	dermal (rat) LD50: >2000 mg/kg ^[1]		Not Available		
	Oral (rat) LD50: 6170 mg/kgd ^[2]				
	TOXICITY		IRRITATION		
	dermal (rat) LD50: >2000 mg/kg ^[1]		Not Available		
	Inhalation (rat) LC50: 0.733 mg/l/4hr ^[1]				
copper	Inhalation (rat) LC50: 1.03 mg/l/4hr ^[1]				
	Inhalation (rat) LC50: 1.67 mg/l/4hr ^[1]				
	Oral (rat) LD50: 300-500 mg/kg ^[1]				
	TOXICITY		IRRITATION		
iron	Oral (rat) LD50: 98600 mg/kg] ^[2]		Not Available		
	TOXICITY		IRRITATION		
lead	dermal (rat) LD50: >2000 mg/kg ^[1]		Not Available		
iead	Inhalation (rat) LC50: >5.05 mg/l/4hr ^[1]				
	Oral (rat) LD50: >2000 mg/kg ^[1]				
magnesium	TOXICITY		IRRITATION		
·	Oral (rat) LD50: >2000 mg/kg ^[1]		Not Available		
manganese(II) acetate	TOXICITY		RRITATION		
	Oral (rat) LD50: 2940 mg/kga ^[2]		Not Available		
nickel	TOXICITY [2]		Ot Available		
	Oral (rat) LD50: 5000 mg/kg ^[2]		ot Available		
	TOXICITY		IRRITATION		
ammonium phosphate,	dermal (rat) LD50: >5000 mg/kg ^[1]		Not Available		
monobasic	Oral (rat) LD50: >2000 mg/kg ^[1]		Trochitaliano		
	Ordin (rail) EDGG. >2000 Highlig				
	TOXICITY	IRRITATION			
potassium	Not Available	Not Available			
ph a dissa (III) arisa s	TOXICITY	IRRITATION			
rhodium(III) nitrate	Not Available	Not Available			
selenium	TOXICITY		RRITATION		
Scientiff	Oral (rat) LD50: 6700 mg/kgd ^[2]		Not Available		
ammonium fluorosilicate	TOXICITY		IRRITATION		
	Oral (mouse) LD50: 70 mg/kg ^[2]		Not Available		

Catalogue number: CRM-OT **Oyster Tissue** Version No: 2.2

TOXICITY IRRITATION sodium Not Available Not Available TOXICITY IRRITATION sulfuric acid Oral (rat) LD50: 2140 mg/kgE^[2] Eye (rabbit): 1.38 mg SEVERE Eye (rabbit): 5 mg/30sec SEVERE TOXICITY IRRITATION Not Available Dermal (rabbit) LD50: 1130 mg/kg^[2] zinc Oral (rat) LD50: >2000 mg/kg^[1] TOXICITY IRRITATION nitric acid Inhalation (rat) LC50: 625 ppm/1h*t^[2] Not Available TOXICITY IRRITATION wate Not Available Not Available TOXICITY IRRITATION ammonium bromide Oral (rat) LD50: 2700 mg/kg^[2] Not Available TOXICITY IRRITATION Eye (rabbit): 100 mg SEVERE ammonium chloride dermal (rat) LD50: >2000 mg/kg^[1] Oral (rat) LD50: 1650 mg/kgE^[2] Eye (rabbit): 500 mg/24h SEVERE 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data Legend: extracted from RTECS - Register of Toxic Effect of chemical Substances Arsenic compounds are classified by the European Union as toxic by inhalation and ingestion and toxic to aquatic life and long lasting in the environment. ARSENIC WARNING: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS. Tumorigenic - Carcinogenic by RTECS criteria. The solid may react violently on contact with wet skin tissue, i.e. eyes, mouth, causing chemical and thermal burns. The acute effects include burns, ulceration, CALCIUM or tissue death, severe eye damage (corneal burns or opacification), and probable blindness. Inhalation of dust or fumes (especially from a fire involving calcium) will cause shortness of breath, nausea, headache, nose and respiratory tract irritation and in extreme, pneumonitis On skin and inhalation exposure, chromium and its compounds (except hexavalent) can be a potent sensitiser, as particulates. Tenth Annual Report on Carcinogens: Substance known to be Carcinogenic **CHROMIUM** [National Toxicology Program: U.S. Dep. Gastrointestinal tumours, lymphoma, musculoskeletal tumours and tumours at site of application recorded. Allergic reactions involving the respiratory tract are usually due to interactions between IgE antibodies and allergens and occur rapidly. Attention should be paid to atopic diathesis, characterised by increased susceptibility to nasal inflammation, asthma and eczema COBALT Exogenous allergic alveolitis is induced essentially by allergen specific immune-complexes of the IgG type; cell-mediated reactions (T lymphocytes) may be for copper and its compounds (typically copper chloride): Acute toxicity: There are no reliable acute oral toxicity results available. COPPER WARNING: Inhalation of high concentrations of copper fume may cause "metal fume fever", an acute industrial disease of short duration. tiredness, influenza like respiratory tract irritation with fever LEAD WARNING: Lead is a cumulative poison and has the potential to cause abortion and intellectual impairment to unborn children of pregnant workers. MANGANESE(II) ACETATE Laboratory tests have shown mutagenic effects: Positive B. rec. Tenth Annual Report on Carcinogens: Substance anticipated to be Carcinogen **NICKEL** [National Toxicology Program: U.S. Dep. Oral (rat) TDLo: 500 mg/kg/5D-I Inhalation (rat) TCLo: 0.1 mg/m3/24H/17W-C WARNING: For inhalation exposure ONLY: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS SULFURIC ACID Occupational exposures to strong inorganic acid mists of sulfuric acid: The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, ZINC scaling and thickening of the skin. For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the pH falls to about 6.5. The material may produce respiratory tract irritation, and result in damage to the lung including reduced lung function. NITRIC ACID The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers]

Issue Date: 06/06/2017

Print Date: 06/06/2017

Issue Date: 06/06/2017 Print Date: 06/06/2017

Version No: 2.2

ALUMINIUM & BARIUM & CALCIUM & CHROMIUM & AMMONIUM PHOSPHATE, MONOBASIC & POTASSIUM & SODIUM & WATER	No significant acute toxicological data identified in literature search.					
BARIUM & CALCIUM & AMMONIUM PHOSPHATE, MONOBASIC & POTASSIUM & RHODIUM(III) NITRATE & SODIUM & SULFURIC ACID & NITRIC ACID	sthma-like symptoms may continue for months or even years after exposure to the material ends.					
CHROMIUM & SELENIUM	The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans.					
COBALT & NICKEL	The following information refers to contact allergens as a group and may not be specific to this product.					
COBALT & NICKEL	WARNING: This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans.					
NITRIC ACID & AMMONIUM CHLORIDE	The material may produce severe irritation to the eye causing pronounced inflammation.					
Acute Toxicity	0	Carcinogenicity	0			
Skin Irritation/Corrosion	✓	Reproductivity	0			
Serious Eye Damage/Irritation	→	STOT - Single Exposure	0			
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure	0			
Mutagenicity	0	Aspiration Hazard	0			

Legend: X − Data available but does not fill the criteria for classification
✓ − Data available to make classification

O – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Oueter Tierre	ENDPOINT		TEST DURATION (HR)		SPECIES	VALUE	VALUE		SOURCE		
Oyster Tissue	Not Applicable	Not Applicable Not		Not Applicable Not Applicable		Not Ap	Not Applicable N		Not App	Not Applicable	
	ENDPOINT	TEST	TEST DURATION (HR)		ES .		VALUI	E		SOURCE	
	LC50	96		Fish			0.078-0	0.108mg/L		2	
aluminium	EC50	48		Crustac	ea		0.7364	lmg/L		2	
	EC50	96		Algae o	r other aquatic plants		0.0054	lmg/L		2	
	BCF	360		Algae o	r other aquatic plants		9mg/L			4	
	EC50	120		Fish			0.0000	051mg/L		5	
	NOEC	72		Algae o	r other aquatic plants		>=0.00	04mg/L		2	
arsenic	ENDPOINT	TES	TEST DURATION (HR)		SPECIES			VALUE		SOURCE	
	LC50	96	96		Fish			9.9mg/L		4	
	EC50	336	336		Algae or other aquatic plants			0.63mg/L		4	
	NOEC	336		Alga	Algae or other aquatic plants <0.75mg/L			4			
	ENDROINE	TEC	T DUD ATION (UD)	epec.	IEC		\/A1	ue.		SOURCE	
	ENDPOINT		T DURATION (HR)		SPECIES			VALUE >500mg/L			
	LC50	96			Fish					4	
barium	EC50	96			Algae or other aquatic plants 26n				4		
	BCF	24		Crusta			_	00002mg/L		4	
	EC50	240			or other aquatic plants		_	0306mg/L		4	
	NOEC	48		Crusta	acea		68m	ng/L		4	
	ENDPOINT	TES	Γ DURATION (HR)	SPECII	ES .		VALU	E		SOURCE	
	LC50	96	, ,	Fish			0.001r	mg/L		4	
cadmium	EC50	48		Crustad	ea		0.0033			5	
Gaimain	EC50	72		Algae o	r other aquatic plants		0.018r			2	
	BCF	960		Fish			500mg	g/L		4	

Oyster Tissue

Issue Date: 06/06/2017 Print Date: 06/06/2017

EC50 0.00065mg/L 336 Crustacea 5 168 0.00001821mg/L NOEC Fish 4 **TEST DURATION (HR)** SOURCE **ENDPOINT SPECIES** VALUE calcium EC50 24 6934mg/L 5 Crustacea NOEC 48 Crustacea 33.3mg/L 2 ENDPOINT TEST DURATION (HR) **SPECIES** SOURCE VALUE LC50 96 Fish 13.9mg/L 4 EC50 48 Crustacea 0.0225mg/L 5 72 0.104mg/L 4 chromium EC50 Algae or other aquatic plants BCF 1440 Algae or other aquatic plants 0.0495mg/L 4 EC50 48 0.0245mg/L 5 Crustacea 672 0.00019mg/L 4 NOEC Fish ENDPOINT SPECIES SOURCE TEST DURATION (HR) VALUE LC50 96 Fish 1.406mg/L 48 EC50 Crustacea >0.89mg/L 2 cobalt EC50 72 0.144mg/L 2 Algae or other aquatic plants BCF 1344 0.99mg/L 4 EC50 70 0.02mg/L 2 Algae or other aquatic plants NOEC 0.0018mg/L 2 168 Algae or other aquatic plants **ENDPOINT** TEST DURATION (HR) **SPECIES** VALUE SOURCE LC50 Fish 0.0028mg/L 2 96 EC50 48 Crustacea 0.001mg/L 5 EC50 72 4 Algae or other aquatic plants 0.013335mg/L copper BCF 960 Fish 200mg/L 4 EC50 96 5 Crustacea 0.001mg/L NOEC 96 Crustacea 0.0008mg/L 4 **ENDPOINT** TEST DURATION (HR) SPECIES VALUE SOURCE LC50 96 Fish 0.05mg/L 2 3.7mg/L 4 EC50 96 Algae or other aquatic plants iron BCF 24 Crustacea 0.0000002mg/L 4 EC50 504 Crustacea 4.49mg/L 2 NOEC 504 Fish 0.52mg/L 2 **ENDPOINT TEST DURATION (HR) SPECIES** VALUE SOURCE LC50 Fish 0.0079mg/L EC50 48 Crustacea 0.029mg/L 2 EC50 72 Algae or other aquatic plants 0.0205mg/L 2 BCFD 8 4 4.324mg/L FC50 48 Algae or other aquatic plants 0.0217mg/L 2 4 NOEC 672 Fish 0.00003mg/L **ENDPOINT TEST DURATION (HR)** SPECIES SOURCE VALUE LC50 96 Fish 541mg/L 2 EC50 72 magnesium Algae or other aquatic plants >20mg/L 2 EC50 72 Algae or other aquatic plants 2 >20mg/L NOEC 72 Algae or other aquatic plants >25.5mg/L 2 ENDPOINT **TEST DURATION (HR) SPECIES** VALUE SOURCE manganese(II) acetate Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable

Issue Date: **06/06/2017** Print Date: **06/06/2017**

	EC50	48		Crustacea			0	0.013mg/L		5
nickel	EC50	72		Algae or	other aq	uatic plants	0	.0407mg/L		2
	BCF	1440		Algae or	other aq	uatic plants	0	.47mg/L		4
	EC50	720		Crustace	ea		0	.0062mg/L		2
	NOEC	72		Algae or	other aq	uatic plants	0	.0035mg/L		2
	ENDPOINT	TES	ST DURATION (HR)	SPEC	IES			VALUE		SOURCE
	LC50	96	,	Fish				>85.9mg/L		2
ammonium phosphate,	EC50	72			or other	aquatic plants		>97.1mg/L		2
monobasic	EC50	72				aquatic plants		>97.1mg/L		2
	NOEC	72				aquatic plants		3.57mg/L		2
	ENDPOINT		TEST DURATION (UR)			SPECIES	1/4	LUE	80	DURCE
potassium			TEST DURATION (HR)							JURGE
	EC50		24			Crustacea	40	0mg/L	5	
	ENDPOINT	TES	T DURATION (HR)	SPECIE	S			VALUE		SOURCE
rhodium(III) nitrate	LC50	96		Fish				213.366mg/L		3
modium(m) mitrate	EC50	96		Algae or	r other ac	uatic plants		1181.887mg/L		3
	EC50	384		Crustac	ea			49.116mg/L		3
	ENDPOINT	TES	T DURATION (HR)	SPECIE	S		,	VALUE		SOURCE
selenium	LC50	96		Fish				>0.0262mg/L		2
	EC50	48		Crustace	ea			>0.1603mg/L		2
	EC50	72		Algae or	other aq	uatic plants		>0.00173mg/L		2
	BCF	504		Crustace	ea			0.711mg/L		4
	EC50	96		Algae or	other aq	uatic plants		0.355mg/L		2
	NOEC	72		Algae or other aquatic plants				0.000547mg/L		2
	ENDPOINT		TEST DURATION (HR)		SPECIE	S	VALUE		SOU	RCE
	Not Applicable		Not Applicable		Not Applicable		Not Applica	ble	Not A	pplicable
ammonium fluorosilicate	. rot / tpp://dabio		тог, фрисаль				. tot/ ippiioo		11017	,pp.iiodbio
ammonium fluorosilicate										
ammonium fluorosilicate	ENDPOINT		TEST DURATION (HR)			SPECIES	VAL	UE	S	OURCE
ammonium fluorosilicate	ENDPOINT EC50		TEST DURATION (HR) 48			SPECIES Crustacea		UE Omg/L	4	OURCE
							1640			OURCE
	EC50	TES	48	SPECI	IES	Crustacea	1640)mg/L	4	SOURCE
	EC50 EC50	TES 96	48 504	SPECI Fish	IES	Crustacea	1640	Omg/L Omg/L	4	
	EC50 EC50		48 504			Crustacea	1640	Omg/L Omg/L VALUE	4	SOURCE
sodium	EC50 EC50 ENDPOINT LC50	96	48 504 ST DURATION (HR)	Fish Crusta	ıcea	Crustacea	1640	VALUE =8mg/L	4	SOURCE 1
sodium	EC50 EC50 ENDPOINT LC50 EC50	96 48	48 504 ST DURATION (HR)	Fish Crusta	ıcea	Crustacea Crustacea	1640	Omg/L Omg/L VALUE =8mg/L =42.5mg/L	4	SOURCE 1
sodium	EC50 EC50 ENDPOINT LC50 EC50 EC50	96 48 240 720	48 504 ST DURATION (HR)	Fish Crusta Algae	or other a	Crustacea Crustacea	1640	VALUE =8mg/L =42.5mg/L 2.5000mg/L	4	SOURCE 1 1 4
sodium	EC50 EC50 ENDPOINT LC50 EC50 EC50 NOEC	96 48 240 720	48 504 ST DURATION (HR)	Fish Crusta Algae (or other a	Crustacea Crustacea	1640	VALUE =8mg/L =42.5mg/L 2.5000mg/L 0.13mg/L	4	SOURCE 1 1 4 2
sodium	EC50 EC50 ENDPOINT LC50 EC50 EC50 NOEC	96 48 240 720	48 504 ST DURATION (HR)	Fish Crusta Algae	or other a	Crustacea Crustacea	1640	omg/L omg/L VALUE =8mg/L =42.5mg/L 2.5000mg/L 0.13mg/L VALUE	4	SOURCE 1 1 4 2 SOURCE
sodium	EC50 EC50 ENDPOINT LC50 EC50 EC50 NOEC ENDPOINT LC50	96 48 240 720 TES 96	48 504 ST DURATION (HR)	Fish Crusta Algae e Fish SPECIE Fish Crustac	or other a	Crustacea Crustacea	1640	VALUE	4	SOURCE 1 1 4 2 SOURCE 4
sodium sulfuric acid	EC50 EC50 ENDPOINT LC50 EC50 NOEC ENDPOINT LC50 EC50 NOEC	96 48 240 720 TES 96 48	48 504 ST DURATION (HR)	Fish Crusta Algae of Fish SPECIE Fish Crustac Algae of	or other a	Crustacea Crustacea	1640	VALUE = 8mg/L = 42.5mg/L 2.5000mg/L 0.13mg/L VALUE 0.00272mg/L 0.04mg/L	4	SOURCE 1 1 4 2 SOURCE 4 5
sodium sulfuric acid	EC50 EC50 ENDPOINT LC50 EC50 NOEC ENDPOINT LC50 EC50 EC50 EC50 EC50 EC50	96 48 240 720 TES 96 48 72	48 504 ST DURATION (HR)	Fish Crusta Algae of Fish SPECIE Fish Crustac Algae of	or other a	Crustacea Crustacea quatic plants	1640	VALUE =8mg/L =42.5mg/L 2.5000mg/L 0.13mg/L VALUE 0.00272mg/L 0.04mg/L 0.106mg/L	4	SOURCE 1 1 4 2 SOURCE 4 5 4
sodium sulfuric acid	EC50 EC50 ENDPOINT LC50 EC50 EC50 NOEC ENDPOINT LC50 EC50 EC50 EC50 EC50 EC50	96 48 240 720 TES 96 48 72 360	48 504 ST DURATION (HR)	Fish Crusta Algae of Fish Crustac Algae of Algae of Fish	essea crother a	Crustacea Crustacea quatic plants	1640	VALUE	4	SOURCE 1 1 4 2 SOURCE 4 5 4 4
sodium sulfuric acid	EC50 EC50 ENDPOINT LC50 EC50 EC50 NOEC ENDPOINT LC50 EC50 EC50 EC50 EC50 EC50	96 48 240 720 TES 96 48 72 360 120	48 504 ST DURATION (HR)	Fish Crusta Algae of Fish Crustac Algae of Algae of Fish	essea crother a	Crustacea Crustacea quatic plants quatic plants	1640	VALUE =8mg/L =42.5mg/L 2.5000mg/L 0.13mg/L 0.00272mg/L 0.106mg/L 0.00033mg/L 0.00033mg/L	4 4	SOURCE 1 1 4 2 SOURCE 4 5 4 5 5

Catalogue number: CRM-OT

Version No: 2.2

Oyster Tissue

Issue Date: **06/06/2017**Print Date: **06/06/2017**

water	ENDPOINT		TEST DURATION (HR)	S	SPEC	CIES VALUE		SOURCE		CE
Water	Not Applicable		Not Applicable	N	Not Applicable		Not Applicable I		Not Applicable	
ammonium bromide	ENDPOINT		TEST DURATION (HR)		SPECIES VALUE			SOURCE		
ammonium promide	NOEC 50		504		Crustacea	<=3-19n	ng/L	2		
ammonium chloride	ENDPOINT LC50 EC50 EC50	96 48 72	ST DURATION (HR)	SPECIE Fish Crustace Algae or	ea	er aquatic plants		0.08mg/L 0.261mg/L 166.5mg/L		SOURCE 4 4
	EC0	168		Crustacea				=0.025mg/L		1
	NOEC	720	1	Fish				0.006mg/L		4
Legend:	Extracted from 1. IL	JCLID To	oxicity Data 2. Europe ECHA Regi	stered Substa	nces	s - Ecotoxicological Info	ormation - Ad	quatic Toxicity 3.	EPIW	'IN Suite V3

Ecotoxicity:

The tolerance of water organisms towards pH margin and variation is diverse. Recommended pH values for test species listed in OECD guidelines are between 6.0 and almost 9. Acute testing with fish showed 96h-LC50 at about pH 3.5

For Fluorides: Small amounts of fluoride have beneficial effects however; excessive intake over long periods may cause dental and/or skeletal fluorosis. Fluorides are absorbed by humans following inhalation of workplace and ambient air that has been contaminated, ingestion of drinking water and foods and dermal contact. Populations living in areas with high fluoride levels in groundwater may be exposed to higher levels of fluorides in their drinking water or in beverages prepared with the water. Among these populations, outdoor labourers, people living in hot climates, and people with excessive thirst will generally have the greatest daily intake of fluorides because they consume greater amounts of water.

Atmospheric Fate: Both hydrogen fluoride and particulate fluorides will be transported in the atmosphere and deposited on land or water by wet and dry deposition. Non-volatile inorganic fluoride particulates are removed from the atmosphere via condensation or nucleation processes. Fluorides adsorbed on particulate matter in the atmosphere are generally stable and are not readily hydrolyzed, although they may be degraded by radiation if they persist in the atmosphere. Fluorine and the silicon fluorides (fluosilicates, silicofluorides) are hydrolyzed in the atmosphere to form hydrogen fluoride may combine with water vapour to produce an aerosol or fog of aqueous hydrofluoric acid. Inorganic fluoride compounds, with the exception of sulfur hexafluoride, are not expected to remain in the troposphere for long periods or to migrate to the stratosphere. Estimates of the residence time of sulfur hexafluoride in the atmosphere range from 500 to several thousand years. Fluoride in aerosols can be transported over large distances by wind or as a result of atmospheric turbulence. Fluorosilicic acid and hydrofluoric acid in high aquatic concentrations such as may be found in industrial waste ponds may volatilize, releasing silicon tetrafluoride and hydrogen fluoride into the atmosphere. Soluble inorganic fluorides may also form aerosols at the air/water interface or vaporize into the atmosphere whereas undissolved species generally undergo sedimentation.

Terrestrial Fate: Soils - Atmospheric fluorides may be transported to soils and surface waters through both wet and dry deposition processes where they may form complexes and bind strongly to soil and sediment. Solubilisation of inorganic fluorides from minerals may also be enhanced by the presence of bentonite clays and humic acid. Factors that influence the mobility of inorganic fluorides in soil are pH and the formation of aluminium and calcium complexes. In more acidic soils, concentrations of inorganic fluoride were considerably higher in the deeper horizons. The low affinity of fluorides for organic material results in leaching from the more acidic surface horizon and increased retention by clay minerals and silts in the more alkaline, deeper horizons. The maximum adsorption of fluoride to soil was reported to occur at pH 5.5. In acidic soils with pH below 6, most of the fluoride is in complexes with either aluminium or iron. Fluoride in alkaline soils at pH 6.5 and above is almost completely fixed in soils as calcium fluoride, if sufficient calcium carbonate is available. Fluoride is extremely immobile in soil.

Aquatic Fate: Fresh Water: - In water, the transport and transformation of inorganic fluorides are influenced by pH, water hardness and the presence of ion-exchange materials such as clays. In natural water, fluoride forms strong complexes with aluminium in water, and fluorine chemistry in water is largely regulated by aluminium concentration and pH. Below pH 5, fluoride is almost entirely complexed with aluminium and consequently, the concentration of free F- is low. Once dissolved, inorganic fluorides remain in solution under conditions of low pH and hardness and in the presence of ion-exchange material. Sea Water - Fluoride forms stable complexes with calcium and magnesium, which are present in sea water. Calcium carbonate precipitation dominates the removal of dissolved fluoride from sea water. The residence time for fluoride in ocean sediment is calculated to be 2-3 million years.

Ecotoxicity: Fluorides have been shown to accumulate in animals that consume fluoride-containing foliage. However, accumulation is primarily in skeletal tissue and therefore, it is unlikely that fluoride will biomagnify up the food chain.

Prevent, by any means available, spillage from entering drains or water courses.

DO NOT discharge into sewer or waterways

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
ammonium phosphate, monobasic	HIGH	HIGH
rhodium(III) nitrate	LOW	LOW
water	LOW	LOW

Bioaccumulative potential

Ingredient	Bioaccumulation
ammonium phosphate, monobasic	LOW (LogKOW = -0.7699)
rhodium(III) nitrate	LOW (LogKOW = 0.209)
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
ammonium phosphate, monobasic	HIGH (KOC = 1)
rhodium(III) nitrate	LOW (KOC = 14.3)
water	LOW (KOC = 14.3)

Oyster Tissue

Issue Date: 06/06/2017 Print Date: 06/06/2017

Version No: 2.2

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging

Recycle wherever possible.

- Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility
 can be identified.
- Treat and neutralise at an approved treatment plant. Treatment should involve: Neutralisation with soda-ash or soda-lime followed by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material).
- ▶ Decontaminate empty containers with 5% aqueous sodium hydroxide or soda ash, followed by water. Observe all label safeguards until containers are cleaned and destroyed.

SECTION 14 TRANSPORT INFORMATION

disposal

Labels Required



Marine Pollutant

NO

Land transport (DOT)

Land transport (DOT)	
UN number	3264
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Transport hazard class(es)	Class 8 Subrisk Not Applicable
Packing group	П
Environmental hazard	Not Applicable
Special precautions for user	Hazard Label 8 Special provisions 386, B2, IB2, T11, TP2, TP27

Air transport (ICAO-IATA / DGR)

UN number	3264	
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. *	
Transport hazard class(es)	ICAO/IATA Class 8 ICAO / IATA Subrisk Not Applicable ERG Code 8L	
Packing group	II	
Environmental hazard	Not Applicable	
Special precautions for user	Special provisions Cargo Only Packing Instructions Cargo Only Maximum Qty / Pack Passenger and Cargo Packing Instructions	A3A803 855 30 L 851
	Passenger and Cargo Maximum Qty / Pack	1 L
	Passenger and Cargo Limited Quantity Packing Instructions	Y840
	Passenger and Cargo Limited Maximum Qty / Pack	0.5 L

Sea transport (IMDG-Code / GGVSee)

• •	•
UN number	3264
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Transport hazard class(es)	IMDG Class 8 IMDG Subrisk Not Applicable
Packing group	II .
Environmental hazard	Not Applicable

Oyster Tissue

Catalogue number: CRM-OT

Version No: 2.2

Special precautions for user

EMS Number	F-A, S-B
Special provisions	274
Limited Quantities	1 L

Transport in bulk according to Annex II of MARPOL and the IBC code

Source	Product name	Pollution Category	Ship Type
IMO MARPOL (Annex II) - List of Noxious Liquid Substances Carried in Bulk	Nitric acid (70% and over) Nitric acid (less than 70%)	Y; Y	2 2

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

ALUMINIUM(7429-90-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS			
US - Alaska Limits for Air Contaminants	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air		
US - California Permissible Exposure Limits for Chemical Contaminants	Contaminants		
US - Hawaii Air Contaminant Limits	US - Washington Permissible exposure limits of air contaminants		
US - Massachusetts - Right To Know Listed Chemicals	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants		
US - Michigan Exposure Limits for Air Contaminants	US ACGIH Threshold Limit Values (TLV)		
US - Minnesota Permissible Exposure Limits (PELs)	US ACGIH Threshold Limit Values (TLV) - Carcinogens		
US - Oregon Permissible Exposure Limits (Z-1)	US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)		
US - Pennsylvania - Hazardous Substance List	US EPCRA Section 313 Chemical List		
US - Rhode Island Hazardous Substance List	US NIOSH Recommended Exposure Limits (RELs)		
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	US OSHA Permissible Exposure Levels (PELs) - Table Z1		
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory		

ARSENIC(7440-38-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC	US - Washington Permissible exposure limits of air contaminants
Monographs	US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values
US - Alaska Limits for Air Contaminants	US ACGIH Threshold Limit Values (TLV)
US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)	US ACGIH Threshold Limit Values (TLV) - Carcinogens

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs
(CRELs)
US - California Permissible Exposure Limits for Chemical Contaminants
US - California Permissible Exposure Limits for Chemical Contaminants
US - California Permissible Exposure Limits for Chemical Contaminants
US - California Permissible Exposure Limits for Chemical Contaminants
US - California Permissible Exposure Limits for Chemical Contaminants
US - California Permissible Exposure Limits for Chemical Contaminants

US - California Permissible Exposure Limits for Chemical Contaminants
US - Hawaii Air Contaminant Limits
US - Hawaii Air Contaminant Limits
US - Idaho - Limits for Air Contaminants
US - Idaho - Limits for Air Contaminants
US - Massachusetts - Right To Know Listed Chemicals
US - Massachusetts - Right To Know Listed Chemicals
US - Massachusetts - Right To Know Listed Chemicals
US - Massachusetts - Right To Know Listed Chemicals

US - Minnesota Permissible Exposure Limits (PELs)
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL):
US C

Carcinogens
US - Pennsylvania - Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

OS EFCRA Section 313 Chemical List
US National Toxicology Program (NTP) 14th Report Part A Known to be Human Carcinogens
LIS NIOSH Pagammanded Expansion Limits (PELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

BARIUM(7440-39-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air
US - Hawaii Air Contaminant Limits	Contaminants
US - Idaho - Limits for Air Contaminants	US - Washington Permissible exposure limits of air contaminants
US - Massachusetts - Right To Know Listed Chemicals	US ACGIH Threshold Limit Values (TLV)
US - Minnesota Permissible Exposure Limits (PELs)	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - Pennsylvania - Hazardous Substance List	US EPA Carcinogens Listing
US - Rhode Island Hazardous Substance List	US EPCRA Section 313 Chemical List
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

CADMIUM(7440-43-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Issue Date: 06/06/2017

Print Date: 06/06/2017

Chemwatch: 9-407234 Page 17 of 22

Catalogue number: **CRM-OT** Version No: **2.2**

Oyster Tissue

Issue Date: **06/06/2017**Print Date: **06/06/2017**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

- US Alaska Limits for Air Contaminants
- US California Proposition 65 Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity
- US California OEHHA/ARB Chronic Reference Exposure Levels and Target Organs (CRELs)
- US California Permissible Exposure Limits for Chemical Contaminants
- US California Proposition 65 Carcinogens
- US California Proposition 65 Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity
- US California Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens
- US California Proposition 65 Reproductive Toxicity
- US Hawaii Air Contaminant Limits
- US Idaho Acceptable Maximum Peak Concentrations
- US Idaho Limits for Air Contaminants
- US Massachusetts Right To Know Listed Chemicals
- US Michigan Exposure Limits for Air Contaminants
- US Minnesota Permissible Exposure Limits (PELs)
- US New Jersey Right to Know Special Health Hazard Substance List (SHHSL): Carcinogens
- US Oregon Permissible Exposure Limits (Z-1)
- US Oregon Permissible Exposure Limits (Z-2)
- US Pennsylvania Hazardous Substance List
- US Rhode Island Hazardous Substance List
- US Tennessee Occupational Exposure Limits Limits For Air Contaminants

- US Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
- US Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
- US Washington Permissible exposure limits of air contaminants
- US Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values
- US Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
- US Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift
- US ACGIH Threshold Limit Values (TLV)
- US ACGIH Threshold Limit Values (TLV) Carcinogens
- US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)
- US Clean Air Act Hazardous Air Pollutants
- US CWA (Clean Water Act) Priority Pollutants
- US CWA (Clean Water Act) Toxic Pollutants
- US EPA Carcinogens Listing
- US EPCRA Section 313 Chemical List
- US National Toxicology Program (NTP) 14th Report Part A Known to be Human Carcinogens
- US NIOSH Recommended Exposure Limits (RELs)
- US OSHA Carcinogens Listing
- US OSHA Permissible Exposure Levels (PELs) Table Z1
- US OSHA Permissible Exposure Levels (PELs) Table Z2
- US Toxic Substances Control Act (TSCA) Chemical Substance Inventory

CALCIUM(7440-70-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

- US Massachusetts Right To Know Listed Chemicals
- US Pennsylvania Hazardous Substance List

- US Rhode Island Hazardous Substance List
- US Toxic Substances Control Act (TSCA) Chemical Substance Inventory

CHROMIUM(7440-47-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

- US Alaska Limits for Air Contaminants
- US California Permissible Exposure Limits for Chemical Contaminants
- US Hawaii Air Contaminant Limits
- US Idaho Limits for Air Contaminants
- US Massachusetts Right To Know Listed Chemicals
- US Michigan Exposure Limits for Air Contaminants
- US Oregon Permissible Exposure Limits (Z-1)
 US Pennsylvania Hazardous Substance List
- US Rhode Island Hazardous Substance List
- US Tennessee Occupational Exposure Limits Limits For Air Contaminants
- US Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

- US Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
- US Washington Permissible exposure limits of air contaminants
- US Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
- US ACGIH Threshold Limit Values (TLV)
- US ACGIH Threshold Limit Values (TLV) Carcinogens
 US Clean Air Act Hazardous Air Pollutants
- US CWA (Clean Water Act) Priority Pollutants
- US CWA (Clean Water Act) Toxic Pollutants
- US EPCRA Section 313 Chemical List
- US NIOSH Recommended Exposure Limits (RELs)
- US OSHA Permissible Exposure Levels (PELs) Table Z1
- US Toxic Substances Control Act (TSCA) Chemical Substance Inventory

COBALT(7440-48-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

- US Alaska Limits for Air Contaminants
- US California Permissible Exposure Limits for Chemical Contaminants
- US California Proposition 65 Carcinogens
- US Hawaii Air Contaminant Limits
- US Idaho Limits for Air Contaminants
- US Massachusetts Right To Know Listed Chemicals
- US Michigan Exposure Limits for Air Contaminants
- US Minnesota Permissible Exposure Limits (PELs)
- US New Jersey Right to Know Special Health Hazard Substance List (SHHSL): Carcinogens
- US Oregon Permissible Exposure Limits (Z-1)
- US Pennsylvania Hazardous Substance List
- US Rhode Island Hazardous Substance List
- US Tennessee Occupational Exposure Limits Limits For Air Contaminants
- US Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

- US Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
- US Washington Permissible exposure limits of air contaminants
- US Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values
- US Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
- US ACGIH Threshold Limit Values (TLV)
- US ACGIH Threshold Limit Values (TLV) Carcinogens
- US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)
- US Clean Air Act Hazardous Air Pollutants
- US EPCRA Section 313 Chemical List
- US National Toxicology Program (NTP) 14th Report Part B.
- US NIOSH Recommended Exposure Limits (RELs)
- US OSHA Permissible Exposure Levels (PELs) Table Z1
- US Priority List for the Development of Proposition 65 Safe Harbor Levels No Significant Risk Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for
- Chemicals Causing Reproductive Toxicity
 US Toxic Substances Control Act (TSCA) Chemical Substance Inventory

COPPER(7440-50-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Chemwatch: 9-407234 Page 18 of 22

Ovster Tissue

Print Date: 06/06/2017 Catalogue number: CRM-OT

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

Version No: 2.2

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

Issue Date: 06/06/2017

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

IRON(7439-89-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Michigan Exposure Limits for Air Contaminants

US - Oregon Permissible Exposure Limits (Z-1)

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

LEAD(7439-92-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - California Proposition 65 - Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens

US - California Proposition 65 - Reproductive Toxicity

US - Hawaii Air Contaminant Limits

US - Idaho - Acceptable Maximum Peak Concentrations

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL):

Carcinogens

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US Clean Air Act - Hazardous Air Pollutants US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part B.

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

MAGNESIUM(7439-95-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

MANGANESE(II) ACETATE(638-38-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits US - Idaho - Limits for Air Contaminants

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1) US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US Clean Air Act - Hazardous Air Pollutants

US EPCRA Section 313 Chemical List US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

NICKEL(7440-02-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Catalogue number: CRM-OT **Ovster Tissue** Version No: 2.2

Issue Date: 06/06/2017 Print Date: 06/06/2017

US - Alaska Limits for Air Contaminants US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) US - Washington Permissible exposure limits of air contaminants US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs) US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants US - California Permissible Exposure Limits for Chemical Contaminants US ACGIH Threshold Limit Values (TLV) US - California Proposition 65 - Carcinogens US ACGIH Threshold Limit Values (TLV) - Carcinogens US - Hawaii Air Contaminant Limits US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs) US - Idaho - Limits for Air Contaminants US Clean Air Act - Hazardous Air Pollutants US - Massachusetts - Right To Know Listed Chemicals US CWA (Clean Water Act) - Priority Pollutants US - Michigan Exposure Limits for Air Contaminants US CWA (Clean Water Act) - Toxic Pollutants US - Minnesota Permissible Exposure Limits (PELs) US EPCRA Section 313 Chemical List US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): US National Toxicology Program (NTP) 14th Report Part B. Carcinogens US NIOSH Recommended Exposure Limits (RELs) US - Oregon Permissible Exposure Limits (Z-1) US OSHA Permissible Exposure Levels (PELs) - Table Z1 US - Pennsylvania - Hazardous Substance List US Priority List for the Development of Proposition 65 Safe Harbor Levels - No Significant Risk US - Rhode Island Hazardous Substance List Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

AMMONIUM PHOSPHATE, MONOBASIC(7722-76-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

POTASSIUM(7440-09-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

- US Massachusetts Right To Know Listed Chemicals
- US Pennsylvania Hazardous Substance List

US - Rhode Island Hazardous Substance List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

RHODIUM(III) NITRATE(10139-58-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants

US - Hawaii Air Contaminant Limits

- US Idaho Limits for Air Contaminants
- US Michigan Exposure Limits for Air Contaminants
- US Minnesota Permissible Exposure Limits (PELs)
- US Oregon Permissible Exposure Limits (Z-1)
- US Tennessee Occupational Exposure Limits Limits For Air Contaminants
- US Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
- US Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
- US Washington Permissible exposure limits of air contaminants
- US Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
- US ACGIH Threshold Limit Values (TLV)
- US ACGIH Threshold Limit Values (TLV) Carcinogens
- US NIOSH Recommended Exposure Limits (RELs)
- US OSHA Permissible Exposure Levels (PELs) Table Z1 US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

SELENIUM(7782-49-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

- US Alaska Limits for Air Contaminants
- US California OEHHA/ARB Acute Reference Exposure Levels and Target Organs (RELs)
- US California OEHHA/ARB Chronic Reference Exposure Levels and Target Organs (CRELs)
- US Hawaii Air Contaminant Limits
- US Idaho Limits for Air Contaminants
- US Massachusetts Right To Know Listed Chemicals
- US Minnesota Permissible Exposure Limits (PELs)
- US Pennsylvania Hazardous Substance List
- US Rhode Island Hazardous Substance List
- US Tennessee Occupational Exposure Limits Limits For Air Contaminants
- US Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
- US Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air

- US Washington Permissible exposure limits of air contaminants
- US Washington Toxic air pollutants and their ASIL. SQER and de minimis emission values
- US ACGIH Threshold Limit Values (TLV)
- US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)
- US Clean Air Act Hazardous Air Pollutants US CWA (Clean Water Act) - Priority Pollutants
- US CWA (Clean Water Act) Toxic Pollutants
- US EPA Carcinogens Listing
- US EPCRA Section 313 Chemical List
- US NIOSH Recommended Exposure Limits (RELs)
- US OSHA Permissible Exposure Levels (PELs) Table Z1
- US Toxic Substances Control Act (TSCA) Chemical Substance Inventory

AMMONIUM FLUOROSILICATE(16919-19-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

- US California OEHHA/ARB Chronic Reference Exposure Levels and Target Organs (CRELs)
- US Hawaii Air Contaminant Limits
- US Idaho Limits for Air Contaminants
- US Massachusetts Right To Know Listed Chemicals
- US Oregon Permissible Exposure Limits (Z-2) US - Pennsylvania - Hazardous Substance List
- US Oregon Permissible Exposure Limits (Z-1)

SODIUM(7440-23-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

- US Massachusetts Right To Know Listed Chemicals
- US Pennsylvania Hazardous Substance List

- US Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
- US Washington Permissible exposure limits of air contaminants
- US Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
- US Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift
- US CWA (Clean Water Act) List of Hazardous Substances
- US OSHA Permissible Exposure Levels (PELs) Table Z1
- US OSHA Permissible Exposure Levels (PELs) Table Z2
- US Toxic Substances Control Act (TSCA) Chemical Substance Inventory

US - Rhode Island Hazardous Substance List

- US CWA (Clean Water Act) List of Hazardous Substances
- US Toxic Substances Control Act (TSCA) Chemical Substance Inventory

SULFURIC ACID(7664-93-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Chemwatch: 9-407234 Page 20 of 22

Catalogue number: CRM-OT

Version No: 2.2

Ovster Tissue

Issue Date: 06/06/2017 Print Date: 06/06/2017

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL):

Carcinogens

US - Oregon Permissible Exposure Limits (Z-1)

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US CWA (Clean Water Act) - List of Hazardous Substances

US Drug Enforcement Administration (DEA) List I and II Regulated Chemicals

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part A Known to be Human Carcinoge

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US SARA Section 302 Extremely Hazardous Substances

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

ZINC(7440-66-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

NITRIC ACID(7697-37-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air

Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US CWA (Clean Water Act) - List of Hazardous Substances

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs) US OSHA Permissible Exposure Levels (PELs) - Table Z1

US SARA Section 302 Extremely Hazardous Substances

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Pennsylvania - Hazardous Substance List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

AMMONIUM BROMIDE(12124-97-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Massachusetts - Right To Know Listed Chemicals

US - Rhode Island Hazardous Substance List US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

AMMONIUM CHLORIDE(12125-02-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants

US - Pennsylvania - Hazardous Substance List

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Massachusetts - Right To Know Listed Chemicals

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List US - Rhode Island Hazardous Substance List

US - Michigan Exposure Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants US ACGIH Threshold Limit Values (TLV)

US CWA (Clean Water Act) - List of Hazardous Substances

US NIOSH Recommended Exposure Limits (RELs)

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD CATEGORIES

Immediate (acute) health hazard	Yes
Delayed (chronic) health hazard	No
Fire hazard	No
Pressure hazard	No
Reactivity hazard	No

Catalogue number: CRM-OT

Issue Date: 06/06/2017 Print Date: 06/06/2017 **Oyster Tissue**

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
Arsenic	1	0.454
Cadmium	10	4.54
Chromium	5000	2270
Copper	5000	2270
Lead	10	4.54
Nickel	100	45.4
Selenium	100	45.4
Ammonium silicofluoride	1000	454
Sodium	10	4.54
Sulfuric acid	1000	454
Zinc	1000	454
Nitric acid	1000	454
Ammonium chloride	5000	2270

State Regulations

US. CALIFORNIA PROPOSITION 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm

US - CALIFORNIA PREPOSITION 65 - CARCINOGENS & REPRODUCTIVE TOXICITY (CRT): LISTED SUBSTANCE

 $Cadmium\ and\ cadmium\ compounds:\ Cadmium,\ Cobalt\ metal\ powder,\ Lead\ and\ lead\ compounds:\ Lead,\ Nickel\ (Metallic)\ Listed$

National Inventory	Status
Australia - AICS	N (rhodium(III) nitrate)
Canada - DSL	N (rhodium(III) nitrate)
Canada - NDSL	N (sodium; lead; calcium; zinc; ammonium chloride; potassium; ammonium bromide; magnesium; copper; ammonium phosphate, monobasic; water; barium; selenium; ammonium fluorosilicate; aluminium; arsenic; cobalt; nickel; sulfuric acid; iron; chromium; cadmium; manganese(II) acetate; nitric acid)
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (sodium; calcium; zinc; potassium; magnesium; copper; ammonium phosphate, monobasic; water, barium; selenium; ammonium fluorosilicate; aluminium; arsenic; cobalt; nickel; iron; chromium; rhodium(III) nitrate; cadmium; manganese(II) acetate; nitric acid)
Korea - KECI	Υ
New Zealand - NZIoC	N (rhodium(III) nitrate)
Philippines - PICCS	N (rhodium(III) nitrate; manganese(II) acetate)
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

Name	CAS No
aluminium	7429-90-5, 91728-14-2
calcium	7440-70-2, 8047-59-4
copper	7440-50-8, 133353-46-5, 133353-47-6, 195161-80-9, 65555-90-0, 72514-83-1
rhodium(III) nitrate	10139-58-9, 13465-43-5
ammonium fluorosilicate	16919-19-0, 1309-32-6
ammonium chloride	12125-02-9, 152128-19-3

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

 ${\sf PC-STEL} : {\sf Permissible Concentration-Short Term Exposure Limit}$

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit $_{\circ}$

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

Chemwatch: 9-407234 Catalogue number: CRM-OT

Page **22** of **22 Oyster Tissue** Issue Date: 06/06/2017 Print Date: 06/06/2017

NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Version No: 2.2

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.