

# **Trace Metals in Fish**

**High-Purity Standards** 

Catalogue number: CRM-TMF

Version No: 1.2

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 3

Issue Date: **09/20/2017** Print Date: **09/20/2017** S.GHS.USA.EN

# **SECTION 1 IDENTIFICATION**

### **Product Identifier**

Product name	Trace Metals in Fish				
Synonyms	MF				
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.				
Other means of identification	CRM-TMF				

#### Recommended use of the chemical and restrictions on use

### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	High-Purity Standards			
Address	Box 41727 Charleston, SC 29423 United States			
Telephone	57-7900			
Fax	843-767-7906			
Website	highpuritystandards.com			
Email	Not Available			

### **Emergency phone number**

• • •	
Association / Organisation	INFOTRAC
Emergency telephone numbers	1-800-535-5053
Other emergency telephone numbers	1-352-323-3500

### **SECTION 2 HAZARD(S) IDENTIFICATION**

### Classification of the substance or mixture

Classification

Metal Corrosion Category 1, Skin Corrosion/Irritation Category 1A, Serious Eye Damage Category 1

# Label elements

Hazard pictogram(s)



SIGNAL WORD

DANGER

### Hazard statement(s)

• •	
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.

### Hazard(s) not otherwise specified

Not Applicable

Trace Metals in Fish

Issue Date: **09/20/2017** Print Date: **09/20/2017** 

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Precautionary statement(s) Response

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Precautionary statement(s) Storage

P405 Store locked up.

Precautionary statement(s) Disposal

P501 Dispose of contents/container in accordance with local regulations.

# **SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**

#### Substances

Version No: 1.2

See section below for composition of Mixtures

### Mixtures

CAS No	%[weight]	Name
7440-38-2	0.01	arsenic
7440-43-9	0.0005	cadmium
7440-70-2	0.01	calcium
7440-47-3	0.002	chromium
7440-50-8	0.005	copper
7439-89-6	0.01	<u>iron</u>
7439-92-1	0.001	lead
7697-37-2	<2.01	nitric acid
7439-97-6	<0.01	mercury (elemental)
7440-02-0	0.002	nickel
7722-76-1	0.01	ammonium phosphate, monobasic
7782-49-2	0.001	selenium
7440-66-6	0.1	zinc

# **SECTION 4 FIRST-AID MEASURES**

### Description of first aid measures

Description of first aid file	asures
Eye Contact	If this product comes in contact with the eyes:  Immediately hold eyelids apart and flush the eye continuously with running water.  Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.  Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.  Transport to hospital or doctor without delay.  Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin or hair contact occurs:  Immediately flush body and clothes with large amounts of water, using safety shower if available.  Quickly remove all contaminated clothing, including footwear.  Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre.  Transport to hospital, or doctor.
Inhalation	<ul> <li>If furnes or combustion products are inhaled remove from contaminated area.</li> <li>Lay patient down. Keep warm and rested.</li> <li>Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>Transport to hospital, or doctor, without delay.</li> <li>Inhalation of vapours or aerosols (mists, furnes) may cause lung oedema.</li> <li>Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs).</li> <li>As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested.</li> <li>Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered.</li> <li>This must definitely be left to a doctor or person authorised by him/her. (ICSC13719)</li> </ul>
Ingestion	<ul> <li>For advice, contact a Poisons Information Centre or a doctor at once.</li> <li>Urgent hospital treatment is likely to be needed.</li> <li>If swallowed do NOT induce vomiting.</li> <li>If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>Observe the patient carefully.</li> <li>Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>Transport to hospital or doctor without delay.</li> </ul>

Trace Metals in Fish

Issue Date: **09/20/2017**Print Date: **09/20/2017** 

See Section 11

Version No: 1.2

#### Indication of any immediate medical attention and special treatment needed

For acute or short term repeated exposures to strong acids

- ▶ Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.
- Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues. INGESTION:
- ▶ Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- ▶ DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury
- ▶ Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- ▶ Charcoal has no place in acid management.
- ▶ Some authors suggest the use of lavage within 1 hour of ingestion.

#### SKIN:

- ▶ Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.
- ▶ Deep second-degree burns may benefit from topical silver sulfadiazine.

#### EYE:

- Fey injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

### **SECTION 5 FIRE-FIGHTING MEASURES**

#### **Extinguishing media**

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

#### Special hazards arising from the substrate or mixture

Fire Incompatibility None known.

#### Special protective equipment and precautions for fire-fighters

Fire Fighting	
Fire/Explosion Hazard	·

▶ Non combustible.

### **SECTION 6 ACCIDENTAL RELEASE MEASURES**

# Personal precautions, protective equipment and emergency procedures

See section 8

### **Environmental precautions**

See section 12

### Methods and material for containment and cleaning up

Personal Protective Equipment advice is contained in Section 8 of the SDS.

### **SECTION 7 HANDLING AND STORAGE**

Major Spills #

### Precautions for safe handling

Safe handling	Avoid all personal contact, including inhalation.
Other information	► Store in original containers.

### Conditions for safe storage, including any incompatibilities

Suitable container	<ul> <li>DO NOT use aluminium or galvanised containers</li> <li>Check regularly for spills and leaks</li> <li>Lined metal can, lined metal pail/ can.</li> <li>For low viscosity materials</li> <li>Drums and jerricans must be of the non-removable head type.</li> </ul>
Storage incompatibility	▶ Inorganic acids are generally soluble in water with the release of hydrogen ions.

# **SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**

### Control parameters

Chemwatch: 9-455629

Catalogue number: CRM-TMF

Version No: 1.2

# Page 4 of 15 Trace Metals in Fish

Issue Date: **09/20/2017**Print Date: **09/20/2017** 

INGREDIENT DATA

INGREDIENT DATA						
Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US NIOSH Recommended Exposure Limits (RELs)	arsenic	Arsenic metal: Arsenia	Not Available	Not Available	0.002 mg/m3	Ca See Appendix A
US NIOSH Recommended Exposure Limits (RELs)	cadmium	Cadmium metal: Cadmium	Not Available	Not Available	Not Available	Ca See Appendix A [*Note: The REL applies to a Cadmium compounds (as Cd).]
US ACGIH Threshold Limit Values (TLV)	cadmium	Cadmium	0.01 mg/m3	Not Available	Not Available	TLV® Basis: Kidney dam; BEI
US OSHA Permissible Exposure Levels (PELs) - Table Z1	cadmium	Cadmium	Not Available	Not Available	Not Available	see 1910.1027;(as Cd)
US OSHA Permissible Exposure Levels (PELs) - Table Z2	cadmium	Cadmium dust	0.2 mg/m3	Not Available	0.6 mg/m3	(Z37.5-1970);This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not effect
US OSHA Permissible Exposure Levels (PELs) - Table Z2	cadmium	Cadmium fume	0.1 mg/m3	Not Available	0.3 mg/m3	(Z37.5-1970);This standard applies to any operations or sectors for which the Cadmium standard, 1910.1027, is stayed or otherwise not effect
US NIOSH Recommended Exposure Limits (RELs)	chromium	Chrome, Chromium	0.5 mg/m3	Not Available	Not Available	See Appendix C
US NIOSH Recommended Exposure Limits (RELs)	copper	Copper metal dusts, Copper metal fumes	1 mg/m3	Not Available	Not Available	[*Note: The REL also applies to other copper compounds (as Cu) except Copper fume.]
US ACGIH Threshold Limit Values (TLV)	copper	Copper - Dusts and mists, as Cu	1 mg/m3	Not Available	Not Available	TLV® Basis: Irr; GI; metal fume fever; BEI
US ACGIH Threshold Limit Values (TLV)	copper	Copper - Fume, as Cu	0.2 mg/m3	Not Available	Not Available	TLV® Basis: Irr; GI; metal fume fever; BEI
US OSHA Permissible Exposure Levels (PELs) - Table Z1	copper	Copper - Fume	0.1 mg/m3	Not Available	Not Available	(as Cu)
US OSHA Permissible Exposure Levels (PELs) - Table Z1	copper	Copper - Dusts and mists	1 mg/m3	Not Available	Not Available	(as Cu)
US NIOSH Recommended Exposure Limits (RELs)	lead	Lead metal, Plumbum	0.050 mg/m3	Not Available	Not Available	See Appendix C [*Note: The REL also applies to other lead compounds (as Pb) see Appendix C.]
US NIOSH Recommended Exposure Limits (RELs)	nitric acid	Aqua fortis, Engravers acid, Hydrogen nitrate, Red fuming nitric acid (RFNA), White fuming nitric acid (WFNA)	5 mg/m3 / 2 ppm	10 mg/m3 / 4 ppm	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	nitric acid	Nitric acid	2 ppm	4 ppm	Not Available	TLV® Basis: URT & eye irr; dental erosion
US OSHA Permissible Exposure Levels (PELs) - Table Z1	nitric acid	Nitric acid	5 mg/m3 / 2 ppm	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	mercury (elemental)	Mercury metal: Colloidal mercury, Metallic mercury, Quicksilver	Hg Vapor: 0.05 mg/m3	Not Available	Other:0.1 mg/m3	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	mercury (elemental)	Mercury (vapor)	Not Available	Not Available	Not Available	(as Hg);2 See Table Z-2.
US OSHA Permissible Exposure Levels (PELs) - Table Z2	mercury (elemental)	Mercury	Not Available	Not Available	0.1 mg/m3	(Z37.8-1971)
US NIOSH Recommended Exposure Limits (RELs)	nickel	Nickel metal: Elemental nickel, Nickel catalyst	0.015 mg/m3	Not Available	Not Available	Ca See Appendix A [*Note: The REL does not apply to Nickel carbonyl.]
US ACGIH Threshold Limit Values (TLV)	nickel	Nickel and inorganic compounds including Nickel subsulfide, as Ni - Elemental	1.5 mg/m3	Not Available	Not Available	TLV® Basis: Dermatitis; pneumoconiosis
US NIOSH Recommended Exposure Limits (RELs)	selenium	Elemental selenium, Selenium alloy	0.2 mg/m3	Not Available	Not Available	[*Note: The REL also applies to other selenium compounds (as Se) except Selenium hexafluoride.]

# EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
cadmium	Cadmium	Not Available	Not Available	Not Available
chromium	Chromium	1.5 mg/m3	17 mg/m3	99 mg/m3
copper	Copper	3 mg/m3	33 mg/m3	200 mg/m3
iron	Iron	3.2 mg/m3	35 mg/m3	150 mg/m3
lead	Lead	0.15 mg/m3	120 mg/m3	700 mg/m3
nitric acid	Nitric acid	Not Available	Not Available	Not Available
mercury (elemental)	Mercury vapor	0.15 mg/m3	Not Available	Not Available

Page **5** of **15** 

**Trace Metals in Fish** 

Version No: 1.2

Issue Date: **09/20/2017**Print Date: **09/20/2017** 

nickel	Nickel	Nickel			99 mg/m3	
ammonium phosphate, monobasic	Ammonium dihydrogen phosphate; (Monoammonium phosp	Ammonium dihydrogen phosphate; (Monoammonium phosphate)			1,100 mg/m3	
selenium	Selenium		0.6 mg/m3	6.6 mg/m3	40 mg/m3	
zinc	Zinc		6 mg/m3	21 mg/m3	120 mg/m3	
Ingredient	Original IDLH	Revise	ed IDLH			
arsenic	Not Available	Not Av	railable			
cadmium	9 mg/m3	Not Av	railable			
calcium	Not Available	Not Av	railable			
chromium	250 mg/m3 Not Available					
copper	100 mg/m3 Not Available					
iron	Not Available Not Available					
lead	Not Available	Not Av	Not Available			
nitric acid	25 ppm	Not Available				
mercury (elemental)	Not Available	Not Available				
nickel	Not Available Not Available					
ammonium phosphate, monobasic	Not Available	Not Av	Not Available			
selenium	Not Available	Not Av	railable			
zinc	Not Available Not Available					

# **Exposure controls**

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	<ul> <li>Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.</li> </ul>
Skin protection	See Hand protection below
Hands/feet protection	<ul> <li>Elbow length PVC gloves</li> <li>When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.</li> </ul>
Body protection	See Other protection below
Other protection	▶ Overalls.
Thermal hazards	Not Available

# Respiratory protection

Type A Filter of sufficient capacity.

# **SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**

# Information on basic physical and chemical properties

Appearance	Colourless		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	<2	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available

Page 6 of 15

Catalogue number: CRM-TMF

Version No: 1.2

### **Trace Metals in Fish**

Issue Date: **09/20/2017** Print Date: **09/20/2017** 

Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

# **SECTION 10 STABILITY AND REACTIVITY**

Reactivity	See section 7
Chemical stability	► Contact with alkaline material liberates heat
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

# **SECTION 11 TOXICOLOGICAL INFORMATION**

# Information on toxicological effects

Inhaled	The material can cause respiratory irritation in some persons.  Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage.  The material has NOT been classified by EC Directives or other classification systems as "harmful by inhalation".
Ingestion	Ingestion of acidic corrosives may produce bums around and in the mouth, the throat and oesophagus.  The material has <b>NOT</b> been classified by EC Directives or other classification systems as "harmful by ingestion".
Skin Contact	Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue.  Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions.  Open cuts, abraded or irritated skin should not be exposed to this material  Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.
Eye	If applied to the eyes, this material causes severe eye damage.  Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light and burns.
Chronic	Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling and/or ulceration of mouth lining.  Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems.  Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

<b>-</b>	Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light and burns.						
Chronic	Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling and/or ulceration of mouth lining.  Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems.  Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.						
Torres Marrels to First	TOXICITY IRRITATION						
Trace Metals in Fish	Not Available	Not Available					
	TOXICITY	II	RRITATION				
arsenic	Oral (rat) LD50: 763 mg/kg <sup>[2]</sup>	N	lot Available				
	TOXICITY		IRI	RITATION			
cadmium	Inhalation (rat) LC50: 3.125E-6 mg/L/30m <sup>[2]</sup>			t Available			
	Oral (rat) LD50: >63<259 mg/kg> <sup>[1]</sup>						
	The control of the co						
	TOXICITY		IRRITA	ATION			
calcium				Not Available			
Calcium	Oral (rat) LD50: >2000 mg/kg <sup>[1]</sup>						
	Oral (rat) ED50. >2000 mg/kg-						
		1					
chromium		TOXICITY IRRITATION					
	Not Available	Not Available					
				TION			
copper	domai (id.) 2500. 72000 mg/mg			ailable			
	Inhalation (rat) LC50: 0.733 mg/4 h <sup>[1]</sup>						
	Oral (rat) LD50: 300-500 mg/kg <sup>[1]</sup>						
iron	TOXICITY		IRRITATION				
11011	Oral (rat) I D50: 98600 mg/kg <sup>[2]</sup>			lot Available			

Oral (rat) LD50: 98600 mg/kg<sup>[2]</sup>

Not Available

Trace Metals in Fish

Issue Date: **09/20/2017** Print Date: **09/20/2017** 

TOXICITY IRRITATION dermal (rat) LD50: >2000 mg/kg<sup>[1]</sup> Not Available Inhalation (rat) LC50: >5.05 mg/l4  $h^{[1]}$ Oral (rat) LD50: >2000 mg/kg<sup>[1]</sup> TOXICITY IRRITATION  $50-500 \text{ mg/kg}^{[2]}$ Not Available nitric acid Inhalation (rat) LC50: 0.00013 mg/L/4h $^{[2]}$ TOXICITY IRRITATION mercury (elemental) Oral (rat) LD50: >9.2 mg/kg<sup>[1]</sup> Not Available TOXICITY IRRITATION nickel Oral (rat) LD50: 5000 mg/kg<sup>[2]</sup> Not Available TOXICITY IRRITATION ammonium phosphate dermal (rat) LD50: >5000 mg/kg<sup>[1]</sup> Not Available monobasic Oral (rat) LD50: >2000 mg/kg<sup>[1]</sup> TOXICITY IRRITATION selenium Not Available Oral (rat) LD50: 6700 mg/kg<sup>[2]</sup> IRRITATION Dermal (rabbit) LD50: 1130 mg/kg<sup>[2]</sup> Not Available zinc Oral (rat) LD50: >2000 mg/kg[1] Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.\* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances Arsenic compounds are classified by the European Union as toxic by inhalation and ingestion and toxic to aquatic life and long lasting in the environment. ARSENIC WARNING: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS. Tumorigenic - Carcinogenic by RTECS criteria. The solid may react violently on contact with wet skin tissue, i.e. eyes, mouth, causing chemical and thermal burns. The acute effects include burns, ulceration, CALCIUM or tissue death, severe eye damage (corneal burns or opacification), and probable blindness. Inhalation of dust or fumes (especially from a fire involving calcium) will cause shortness of breath, nausea, headache, nose and respiratory tract irritation and in extreme, pneumonitis On skin and inhalation exposure, chromium and its compounds (except hexavalent) can be a potent sensitiser, as particulates. Tenth Annual Report on Carcinogens: Substance known to be Carcinogenic CHROMIUM [National Toxicology Program: U.S. Dep. Gastrointestinal tumours, lymphoma, musculoskeletal tumours and tumours at site of application recorded. for copper and its compounds (typically copper chloride): Acute toxicity: There are no reliable acute oral toxicity results available COPPER WARNING: Inhalation of high concentrations of copper fume may cause "metal fume fever", an acute industrial disease of short duration. tiredness, influenza like respiratory tract irritation with fever. LEAD WARNING: Lead is a cumulative poison and has the potential to cause abortion and intellectual impairment to unborn children of pregnant workers. For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the pH falls to about 6.5. The material may produce severe irritation to the eye causing pronounced inflammation. NITRIC ACID The material may produce respiratory tract irritation, and result in damage to the lung including reduced lung function. The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg \* [Various Manufacturers] **MERCURY (ELEMENTAL)** nimal studies have shown that mercury may be a reproductive effector The following information refers to contact allergens as a group and may not be specific to this product. WARNING: This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans. NICKEL Tenth Annual Report on Carcinogens: Substance anticipated to be Carcinogen [National Toxicology Program: U.S. Dep. Oral (rat) TDLo: 500 mg/kg/5D-I Inhalation (rat) TCLo: 0.1 mg/m3/24H/17W-C The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, ZINC scaling and thickening of the skin.

Issue Date: 09/20/2017 Print Date: 09/20/2017

CALCIUM & CHROMIUM & AMMONIUM PHOSPHATE, MONOBASIC	No significant acute toxicological data identified in literature search.					
CALCIUM & NITRIC ACID & MERCURY (ELEMENTAL) & AMMONIUM PHOSPHATE, MONOBASIC	Asthma-like symptoms may continue for months or even years after exposure to the material ends.					
CHROMIUM & SELENIUM	The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans.					
Acute Toxicity	$\otimes$	Carcinogenicity	○			
Skin Irritation/Corrosion	✓	Reproductivity	0			
Serious Eye Damage/Irritation	<b>✓</b>	STOT - Single Exposure	0			
Respiratory or Skin sensitisation	0	STOT - Repeated Exposure   STOT - Repeated Exposure				
Mutagenicity	0	Aspiration Hazard	0			

X − Data available but does not fill the criteria for classification
 v − Data available to make classification

O – Data Not Available to make classification

# **SECTION 12 ECOLOGICAL INFORMATION**

# Toxicity

Trace Metals in Fish	ENDPOINT		TEST DURATION (HR)		SPEC	CIES	VALUE		SOURC	E
Trace metals III I Isli	Not Available		Not Available		Not A	vailable	Not Availal	ole	Not Avai	ilable
	ENDPOINT	TE	ST DURATION (HR)		SPECIES			VALUE	S	SOURCE
arsenic	LC50	96			Fish			9.9mg/L	4	1
	NOEC	336	5			aquatic plants		<0.75mg/L	4	1
	ENDPOINT	TEC	T DUDATION (UD)	CI	PECIES		WA	LUE		SOURCE
	LC50		ST DURATION (HR)							
		96			ish			01mg/L		4
cadmium	EC50 EC50	48 72			rustacea	uotio planta		033mg/L 18mg/L		2
	BCF	960			lgae or other aq ish	ualic piants		)mg/L		4
	NOEC	168			ish			0001821mg/L		4
	NOLO	100			1311		0.0	000 102 IIIIg/L		-
	ENDPOINT		TEST DURATION (HR)			SPECIES	VAL	UE	SOUF	RCE
calcium	NOEC	48			Crustacea	Crustacea 33.3mg/L		2		
	=11555115				22222					
	ENDPOINT		ST DURATION (HR)		SPECIES			VALUE		SOURCE
	LC50	96	48		Fish			13.9mg/L		4
chromium	EC50		72		Crustacea			0.0225mg/L		5
	BCF		1440		Algae or other			0.104mg/L		4
	NOEC	672			Algae or other a	aquatic plants		0.0495mg/L 0.00019mg/L		4
	ENDPOINT	TES	T DURATION (HR)	SI	PECIES		VA	LUE		SOURCE
	LC50	96		Fi	Fish		0.0	0.0028mg/L		2
	EC50	48		C	Crustacea		0.0	0.001mg/L		5
copper	EC50	72		Al	Algae or other aquatic plants		0.0	0.013335mg/L		4
	BCF	960		Fi	ish		200	200mg/L		4
	EC25	6		Al	Algae or other aquatic plants		0.0	0.00150495mg/L		4
	NOEC	96		C	Crustacea		0.0	0.0008mg/L		4
	ENDPOINT	TES	ST DURATION (HR)	S	SPECIES		V	ALUE		SOURCE
	LC50	96			Fish			0.05mg/L		2
iron	EC50	96			algae or other ac	quatic plants		7mg/L		4
	BCF	24			Crustacea	•		0000002mg/L		4

#### Trace Metals in Fish

Issue Date: **09/20/2017**Print Date: **09/20/2017** 

NOEC 504 Fish 0.52mg/L 2 TEST DURATION (HR) SPECIES SOURCE **ENDPOINT** VALUE LC50 96 Fish 0.0079mg/L 2 EC50 48 Crustacea 0.029mg/L 2 lead EC50 72 Algae or other aquatic plants 0.0205mg/L 2 BCFD 8 Fish 4.324mg/L 4 NOEC Fish 0.00003mg/L 672 4 ENDPOINT **TEST DURATION (HR) SPECIES** VALUE SOURCE nitric acid 4 NOEC Crustacea 107mg/L ENDPOINT TEST DURATION (HR) **SPECIES** SOURCE VALUE LC50 0.004mg/L 96 Fish 4 EC50 48 Crustacea 0.0035mg/L 5 mercury (elemental) EC50 72 4 0.0025mg/L Algae or other aquatic plants BCF 720 0.001mg/L 4 2 NOEC 0.00025mg/L 2688 Crustacea ENDPOINT TEST DURATION (HR) SPECIES VALUE SOURCE LC50 Fish 96 0.0000475mg/L EC50 48 Crustacea 0.013mg/L 5 nickel 0.0407mg/L 2 FC50 72 Algae or other aquatic plants **BCF** 1440 Algae or other aquatic plants 0.47mg/L 4 72 2 NOEC Algae or other aquatic plants 0.0035mg/L **ENDPOINT TEST DURATION (HR) SPECIES** VALUE SOURCE >85.9mg/L LC50 96 Fish 2 ammonium phosphate, monobasic EC50 72 Algae or other aquatic plants >97.1mg/L 2 72 2 NOEC Algae or other aquatic plants 3.57mg/L **ENDPOINT** TEST DURATION (HR) **SPECIES** VALUE SOURCE LC50 >0.0262mg/L 96 Fish 2 EC50 48 Crustacea >0.1603mg/L 2 selenium EC50 72 >0.00173mg/L 2 Algae or other aquatic plants BCF 504 Crustacea 0.711mg/L 4 0.000547mg/L NOEC 72 2 Algae or other aquatic plants ENDPOINT TEST DURATION (HR) **SPECIES** VALUE SOURCE LC50 96 Fish 0.00272mg/L 4 FC50 48 Crustacea 0.04mg/L 5 EC50 72 0.106mg/L 4 Algae or other aquatic plants BCF 360 Algae or other aquatic plants 9mg/L 4 NOEC 336 Algae or other aquatic plants 0.00075mg/L 4

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

# Ecotoxicity:

The tolerance of water organisms towards pH margin and variation is diverse. Prevent, by any means available, spillage from entering drains or water courses.

### Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
ammonium phosphate, monobasic	HIGH	HIGH

Page **10** of **15** 

**Trace Metals in Fish** 

Version No: 1.2

Issue Date: **09/20/2017** Print Date: **09/20/2017** 

# Bioaccumulative potential

Ingredient	Bioaccumulation
ammonium phosphate, monobasic	LOW (LogKOW = -0.7699)

# Mobility in soil

Ingredient	Mobility
ammonium phosphate, monobasic	HIGH (KOC = 1)

# **SECTION 13 DISPOSAL CONSIDERATIONS**

### Waste treatment methods

Product / Packaging disposal

► Recycle wherever possible.

### **SECTION 14 TRANSPORT INFORMATION**

### **Labels Required**



Marine Pollutant

NO

# Land transport (DOT)

UN number	3264		
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.		
Transport hazard class(es)	Class 8 Subrisk Not Applicable		
Packing group			
Environmental hazard	Not Applicable		
Special precautions for user	Hazard Label 8 Special provisions 386, B2, IB2, T11, TP2, TP27		

# Air transport (ICAO-IATA / DGR)

UN number	3264			
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. *			
Transport hazard class(es)	ICAO/IATA Class ICAO / IATA Subrisk ERG Code	8 Not Applicable 8L		
Packing group	II			
Environmental hazard	Not Applicable			
Special precautions for user		Qty / Pack D Packing Instructions	A3 A803 855 30 L 851 1 L Y840 0.5 L	

### Sea transport (IMDG-Code / GGVSee)

UN number	3264
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Issue Date: 09/20/2017

Print Date: 09/20/2017

IMDG Class 8 Transport hazard class(es) IMDG Subrisk Not Applicable Packing group **Environmental hazard** Not Applicable F-A, S-B **EMS Number** Special precautions for user Special provisions 274 Limited Quantities 1 L

#### Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

### **SECTION 15 REGULATORY INFORMATION**

#### Safety, health and environmental regulations / legislation specific for the substance or mixture

ARSENIC(7440-38-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS	
International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
US - Alaska Limits for Air Contaminants	US - Washington Permissible exposure limits of air contaminants
US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)	US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs	US ACGIH Threshold Limit Values (TLV)
(CRELs)	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - California Permissible Exposure Limits for Chemical Contaminants	US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)
US - Hawaii Air Contaminant Limits	US Clean Air Act - Hazardous Air Pollutants
US - Idaho - Limits for Air Contaminants	US CWA (Clean Water Act) - Priority Pollutants
US - Massachusetts - Right To Know Listed Chemicals	US CWA (Clean Water Act) - Toxic Pollutants
US - Minnesota Permissible Exposure Limits (PELs)	US EPCRA Section 313 Chemical List
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL):	US National Toxicology Program (NTP) 14th Report Part A Known to be Human Carcinogens
Carcinogens	US NIOSH Recommended Exposure Limits (RELs)
US - Pennsylvania - Hazardous Substance List	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	, ,

# CADMIUM(7440-43-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRFLs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - California Proposition 65 - Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens

US - California Proposition 65 - Reproductive Toxicity

US - Hawaii Air Contaminant Limits

US - Idaho - Acceptable Maximum Peak Concentrations

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Oregon Permissible Exposure Limits (Z-1)

US - Oregon Permissible Exposure Limits (Z-2)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

# US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part A Known to be Human Carcinogens

US NIOSH Recommended Exposure Limits (RELs)

US Office of Environmental Health Hazard Assessment Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US OSHA Carcinogens Listing

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US OSHA Permissible Exposure Levels (PELs) - Table Z2

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

### CALCIUM(7440-70-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Massachusetts - Right To Know Listed Chemicals

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

# CHROMIUM(7440-47-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Catalogue number: CRM-TMF

Version No: 1.2

#### Trace Metals in Fish

Issue Date: 09/20/2017 Print Date: 09/20/2017

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC

- US Alaska Limits for Air Contaminants
- US California Permissible Exposure Limits for Chemical Contaminants
- US Hawaii Air Contaminant Limits
- US Idaho Limits for Air Contaminants
- US Massachusetts Right To Know Listed Chemicals
- US Michigan Exposure Limits for Air Contaminants
- US Oregon Permissible Exposure Limits (Z-1)
- US Pennsylvania Hazardous Substance List
- US Rhode Island Hazardous Substance List
- US Tennessee Occupational Exposure Limits Limits For Air Contaminants
- US Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
- US Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

- US Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
- US ACGIH Threshold Limit Values (TLV)
- US ACGIH Threshold Limit Values (TLV) Carcinogens
- US ACGIH Threshold Limit Values (TLV) Notice of Intended Changes
- US Clean Air Act Hazardous Air Pollutants
- US CWA (Clean Water Act) Priority Pollutants
- US CWA (Clean Water Act) Toxic Pollutants
- US EPCRA Section 313 Chemical List
- US NIOSH Recommended Exposure Limits (RELs)
- US OSHA Permissible Exposure Levels (PELs) Table Z1
- US Toxic Substances Control Act (TSCA) Chemical Substance Inventory

### COPPER(7440-50-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

- US Alaska Limits for Air Contaminants
- US California OEHHA/ARB Acute Reference Exposure Levels and Target Organs (RELs)
- US California Permissible Exposure Limits for Chemical Contaminants
- US Hawaii Air Contaminant Limits
- US Idaho Limits for Air Contaminants
- US Massachusetts Right To Know Listed Chemicals
- US Michigan Exposure Limits for Air Contaminants
- US Minnesota Permissible Exposure Limits (PELs)
- US Oregon Permissible Exposure Limits (Z-1)
- US Pennsylvania Hazardous Substance List
- US Rhode Island Hazardous Substance List
- US Tennessee Occupational Exposure Limits Limits For Air Contaminants
- US Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

- US Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air
- US Washington Permissible exposure limits of air contaminants
- US Washington Toxic air pollutants and their ASIL. SQER and de minimis emission values
- US Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
- US ACGIH Threshold Limit Values (TLV)
- US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)
- US CWA (Clean Water Act) Priority Pollutants
- US CWA (Clean Water Act) Toxic Pollutants
- US EPA Carcinogens Listing
- US EPCRA Section 313 Chemical List
- US NIOSH Recommended Exposure Limits (RELs) US OSHA Permissible Exposure Levels (PELs) - Table Z1
- US Toxic Substances Control Act (TSCA) Chemical Substance Inventory

### IRON(7439-89-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

#### LEAD(7439-92-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

- US Alaska Limits for Air Contaminants
- US California Proposition 65 Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity
- US California Permissible Exposure Limits for Chemical Contaminants
- US California Proposition 65 Carcinogens
- US California Proposition 65 Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity
- US California Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens
- US California Proposition 65 Reproductive Toxicity
- US Hawaii Air Contaminant Limits
- US Idaho Acceptable Maximum Peak Concentrations
- US Idaho Limits for Air Contaminants
- US Massachusetts Right To Know Listed Chemicals
- US Minnesota Permissible Exposure Limits (PELs)
- US New Jersey Right to Know Special Health Hazard Substance List (SHHSL): Carcinogens
- US Pennsylvania Hazardous Substance List
- US Rhode Island Hazardous Substance List

- US Tennessee Occupational Exposure Limits Limits For Air Contaminants US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
- US Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
- US Washington Permissible exposure limits of air contaminants
- US Washington Toxic air pollutants and their ASIL, SQER and de minimis emission value
- US ACGIH Threshold Limit Values (TLV)
- US ACGIH Threshold Limit Values (TLV) Carcinogens
- US Clean Air Act Hazardous Air Pollutants
- US CWA (Clean Water Act) Priority Pollutants
- US CWA (Clean Water Act) Toxic Pollutants
- US EPA Carcinogens Listing
- US EPCRA Section 313 Chemical List
- US National Toxicology Program (NTP) 14th Report Part B.
- US NIOSH Recommended Exposure Limits (RELs)
- US Office of Environmental Health Hazard Assessment Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity
- US Toxic Substances Control Act (TSCA) Chemical Substance Inventory

# NITRIC ACID(7697-37-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

- US Alaska Limits for Air Contaminants
- US California OEHHA/ARB Acute Reference Exposure Levels and Target Organs (RELs)
- US California Permissible Exposure Limits for Chemical Contaminants
- US Hawaii Air Contaminant Limits
- US Idaho Limits for Air Contaminants US - Massachusetts - Right To Know Listed Chemicals
- US Michigan Exposure Limits for Air Contaminants
- US Minnesota Permissible Exposure Limits (PELs)
- US Oregon Permissible Exposure Limits (Z-1) US - Pennsylvania - Hazardous Substance List
- US Rhode Island Hazardous Substance List
- US Tennessee Occupational Exposure Limits Limits For Air Contaminants

- US Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
- US Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
- US Washington Permissible exposure limits of air contaminants
- US Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values
- US Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
- US ACGIH Threshold Limit Values (TLV)
- US CWA (Clean Water Act) List of Hazardous Substances
- US EPCRA Section 313 Chemical List US NIOSH Recommended Exposure Limits (RELs)
- US OSHA Permissible Exposure Levels (PELs) Table Z1
- US SARA Section 302 Extremely Hazardous Substances US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

### MERCURY (ELEMENTAL)(7439-97-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Page 13 of 15 Chemwatch: 9-455629

Catalogue number: CRM-TMF

Version No: 1.2

#### Trace Metals in Fish

Issue Date: 09/20/2017 Print Date: 09/20/2017

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC	US - Washington Permissible exposure limits of air contaminants
Monographs	US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values
US - Alaska Limits for Air Contaminants	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)	US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration,
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs	Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift
(CRELs)	US ACGIH Threshold Limit Values (TLV)
US - California Permissible Exposure Limits for Chemical Contaminants	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - California Proposition 65 - Reproductive Toxicity	US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)
US - Hawaii Air Contaminant Limits	US Clean Air Act - Hazardous Air Pollutants
US - Idaho - Acceptable Maximum Peak Concentrations	US CWA (Clean Water Act) - Priority Pollutants
US - Idaho - Limits for Air Contaminants	US CWA (Clean Water Act) - Toxic Pollutants
US - Massachusetts - Right To Know Listed Chemicals	US EPA Carcinogens Listing
US - Michigan Exposure Limits for Air Contaminants	US EPCRA Section 313 Chemical List
US - Minnesota Permissible Exposure Limits (PELs)	US NIOSH Recommended Exposure Limits (RELs)
US - Oregon Permissible Exposure Limits (Z-2)	US OSHA Permissible Exposure Levels (PELs) - Table Z1
	. ,

US - Pennsylvania - Hazardous Substance List US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air
Contaminants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Washington Permissible exposure limits of air contaminants

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US OSHA Permissible Exposure Levels (PELs) - Table Z2

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants US CWA (Clean Water Act) - Priority Pollutants US CWA (Clean Water Act) - Toxic Pollutants

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part B.

US NIOSH Recommended Exposure Limits (RELs)

US Office of Environmental Health Hazard Assessment Proposition 65 No Significant Risk Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

### NICKEL(7440-02-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs) US - California Permissible Exposure Limits for Chemical Contaminants US - California Proposition 65 - Carcinogens US - Hawaii Air Contaminant Limits US - Idaho - Limits for Air Contaminants US - Massachusetts - Right To Know Listed Chemicals US - Michigan Exposure Limits for Air Contaminants US - Minnesota Permissible Exposure Limits (PELs) US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens US - Oregon Permissible Exposure Limits (Z-1) US - Pennsylvania - Hazardous Substance List US - Rhode Island Hazardous Substance List US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

### AMMONIUM PHOSPHATE, MONOBASIC(7722-76-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

# SELENIUM(7782-49-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs US - Alaska Limits for Air Contaminants US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs) US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants US - Massachusetts - Right To Know Listed Chemicals

US - Minnesota Permissible Exposure Limits (PELs)

US - Pennsylvania - Hazardous Substance List US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US ACGIH Threshold Limit Values (TLV)

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants US CWA (Clean Water Act) - Priority Pollutants US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

### ZINC(7440-66-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs

(CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Oregon Permissible Exposure Limits (Z-1) US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

# US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing US EPCRA Section 313 Chemical List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

# **Federal Regulations**

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Catalogue number: CRM-TMF

Version No: 1.2

#### Trace Metals in Fish

Issue Date: **09/20/2017**Print Date: **09/20/2017** 

Immediate (acute) health hazard

Delayed (chronic) health hazard

No

Fire hazard

No

Pressure hazard

Reactivity hazard

No

No

### US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
Arsenic	1	0.454
Cadmium	10	4.54
Chromium	5000	2270
Copper	5000	2270
Lead	10	4.54
Nitric acid	1000	454
Mercury	1	0.454
Nickel	100	45.4
Selenium	100	45.4
Zinc	1000	454

### State Regulations

### US. CALIFORNIA PROPOSITION 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm

### US - CALIFORNIA PREPOSITION 65 - CARCINOGENS & REPRODUCTIVE TOXICITY (CRT): LISTED SUBSTANCE

Cadmium and cadmium compounds: Cadmium, Lead and lead compounds: Lead, Mercury and mercury compounds, Nickel (Metallic) Listed

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (lead; calcium; zinc; copper; ammonium phosphate, monobasic; selenium; mercury (elemental); arsenic; nickel; iron; chromium; cadmium; nitric acid)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (lead; calcium; zinc; copper; ammonium phosphate, monobasic; selenium; mercury (elemental); arsenic; nickel; iron; chromium; cadmium; nitric acid)
Korea - KECI	Υ
New Zealand - NZIoC	Y
Philippines - PICCS	Υ
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

### **SECTION 16 OTHER INFORMATION**

### Other information

### Ingredients with multiple cas numbers

Name	CAS No
calcium	7440-70-2, 8047-59-4
copper	7440-50-8, 133353-46-5, 133353-47-6, 195161-80-9, 65555-90-0, 72514-83-1

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

# Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value BCF: BioConcentration Factors

Chemwatch: 9-455629
Catalogue number: CRM-TMF

Page 15 of 15

Trace Metals in Fish

Issue Date: **09/20/2017** Print Date: **09/20/2017** 

BEI: Biological Exposure Index

Version No: 1.2

Powered by AuthorITe, from Chemwatch.