

EPA Method 200.7 Calibration Standard 4

High-Purity Standards

Catalogue number: ICP-200.7-4

Version No: 1.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 3

Issue Date: **07/21/2017**Print Date: **07/21/2017**S.GHS.USA.EN

SECTION 1 IDENTIFICATION

Product Identifier

Product name	Method 200.7 Calibration Standard 4			
Synonyms	ICP-200.7-4			
Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.			
Other means of identification	ICP-200.7-4			

Recommended use of the chemical and restrictions on use

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	High-Purity Standards		
Address	PO Box 41727 SC 29423 United States		
Telephone	843-767-7900		
Fax	843-767-7906		
Website	highpuritystandards.com		
Email	Not Available		

Emergency phone number

• • •	
Association / Organisation	INFOTRAC
Emergency telephone numbers	1-800-535-5053
Other emergency telephone numbers	1-352-323-3500

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

Classification

Serious Eye Damage Category 1, Acute Toxicity (Oral) Category 4, Acute Toxicity (Dermal) Category 4, Metal Corrosion Category 1, Skin Corrosion/Irritation Category 1A

Label elements

Hazard pictogram(s)





SIGNAL WORD

DANGER

Hazard statement(s)

H302	Harmful if swallowed.		
H312	l in contact with skin.		
H290	be corrosive to metals.		
H314	Causes severe skin burns and eye damage.		

Chemwatch: 9-427174 Page 2 of 11

Catalogue number: ICP-200.7-4

Version No: 1.1

EPA Method 200.7 Calibration Standard 4

Issue Date: 07/21/2017 Print Date: 07/21/2017

Hazard(s) not otherwise specified

Not Applicable

Precautionary statement(s) Prevention

P260

Do not breathe dust/fume/gas/mist/vapours/spray.

Precautionary statement(s) Response

P301+P330+P331

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Precautionary statement(s) Storage

P405

Store locked up.

Precautionary statement(s) Disposal

Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
7440-36-0	0.1	antimony
7439-98-7	0.1	molybdenum
7440-32-6	0.1	<u>titanium</u>
7697-37-2	4	nitric acid
7664-39-3	0-0.49	hydrofluoric acid
7732-18-5	balance	water

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

If this product comes in contact with the eyes:

Eye Contact

- ▶ Immediately hold eyelids apart and flush the eye continuously with running water.
- ▶ Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
- ▶ Transport to hospital or doctor without delay.
- ▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

For thermal burns:

- ▶ Decontaminate area around burn.
- Consider the use of cold packs and topical antibiotics.

For first-degree burns (affecting top layer of skin)

- ▶ Hold burned skin under cool (not cold) running water or immerse in cool water until pain subsides.
- ▶ Use compresses if running water is not available.
- ▶ Cover with sterile non-adhesive bandage or clean cloth.
- Do NOT apply butter or ointments; this may cause infection
- ▶ Give over-the counter pain relievers if pain increases or swelling, redness, fever occur.

For second-degree burns (affecting top two layers of skin)

- ► Cool the burn by immerse in cold running water for 10-15 minutes.
- ▶ Use compresses if running water is not available.
- ▶ Do NOT apply ice as this may lower body temperature and cause further damage.
- Do NOT break blisters or apply butter or ointments; this may cause infection. Protect burn by cover loosely with sterile, nonstick bandage and secure in place with gauze or tape.
- To prevent shock: (unless the person has a head, neck, or leg injury, or it would cause discomfort):
- ▶ Lay the person flat.

Skin Contact

- ▶ Elevate feet about 12 inches.
- Elevate burn area above heart level, if possible.
- Cover the person with coat or blanket.
- ► Seek medical assistance.

For third-degree burns

Seek immediate medical or emergency assistance.

- Protect burn area cover loosely with sterile, nonstick bandage or, for large areas, a sheet or other material that will not leave lint in wound.
- ► Separate burned toes and fingers with dry, sterile dressings.
- ▶ Do not soak burn in water or apply ointments or butter; this may cause infection.
- ▶ To prevent shock see above
- For an airway burn, do not place pillow under the person's head when the person is lying down. This can close the airway.
- ▶ Have a person with a facial burn sit up.
- ▶ Check pulse and breathing to monitor for shock until emergency help arrives.

Catalogue number: ICP-200.7-4

Version No: 1.1

EPA Method 200.7 Calibration Standard 4

Issue Date: **07/21/2017**Print Date: **07/21/2017**

If there is evidence of severe skin irritation or skin burns: Avoid further contact, Immediately remove contaminated clothing, including footwear, Flush skin under running water for 15 minutes. Avoiding contamination of the hands, massage calcium gluconate gel into affected areas, pay particular attention to creases in skin. Contact the Poisons Information Centre. Continue gel application for at least 15 minutes after burning sensation ceases. If pain recurs, repeat application of calcium gluconate gel or apply every 20 minutes. Fig no get is available, continue washing for at least 15 minutes, using soap if available. If patient is conscious, give six calcium gluconate or calcium carbonate tablets in water by mouth. ► Transport to hospital, or doctor, urgently. If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if Transport to hospital, or doctor, without delay. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. ▶ Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. ▶ Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. Inhalation This must definitely be left to a doctor or person authorised by him/her. (ICSC13719) For massive exposures: ▶ If dusts, vapours, aerosols, fumes or combustion products are inhaled, remove from contaminated area. Lay patient down. Keep warm and rested. ▶ Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. ▶ If victim is conscious, give six calcium gluconate or calcium carbonate tablets in water by mouth. Transport to hospital, or doctor, urgently For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. red do **NOT** induce vo If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Ingestion Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

► Transport to hospital or doctor without delay.

Following acute or short term repeated exposure to hydrofluoric acid:

• Subcutaneous injections of Calcium Gluconate may be necessary around the burnt area. Continued application of Calcium Gluconate Gel or subcutaneous Calcium Gluconate should then continue for 3-4 days at a frequency of 4-6 times per day. If a "burning" sensation recurs, apply more frequently.

Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.

- Systemic effects of extensive hydrofluoric acid burns include renal damage, hypocalcaemia and consequent cardiac arrhythmias. Monitor haematological, respiratory, renal, cardiac and electrolyte status at least daily. Tests should include FBE, blood gases, chest X-ray, creatinine and electrolytes, urine output, Ca ions, Mg ions and phosphate ions. Continuous ECG monitoring may be required.
- Where serum calcium is low, or clinical, or ECG signs of hypocalcaemia develop, infusions of calcium gluconate, or if less serious, oral Sandocal, should be given. Hydrocortisone 500 mg in a four to six hourly infusion may help.
- Antibiotics should not be given as a routine, but only when indicated.
- ▶ Eye contact pain may be excruciating and 2-3 drops of 0.05% pentocaine hydrochloride may be instilled, followed by further irrigation

BIOLOGICAL EXPOSURE INDEX - BEI

These represent the determinants observed in specimens collected from a healthy worker exposed at the Exposure Standard (ES or TLV):

Determinant Index Sampling Time Comments
1. Methaemoglobin in blood 1.5% of haemoglobin During or end of shift B, NS, SQ

B: Background levels occur in specimens collected from subjects **NOT** exposed.

NS: Non-specific determinant; Also seen after exposure to other materials

SQ: Semi-quantitative determinant - Interpretation may be ambiguous; should be used as a screening test or confirmatory test.

For acute or short term repeated exposures to fluorides:

- Fluoride absorption from gastro-intestinal tract may be retarded by calcium salts, milk or antacids.
- Fluoride particulates or fume may be absorbed through the respiratory tract with 20-30% deposited at alveolar level.
- ▶ Peak serum levels are reached 30 mins. post-exposure; 50% appears in the urine within 24 hours.
- For acute poisoning (endotracheal intubation if inadequate tidal volume), monitor breathing and evaluate/monitor blood pressure and pulse frequently since shock may supervene with little warming. Monitor ECG immediately; watch for arrhythmias and evidence of Q-T prolongation or T-wave changes. Maintain monitor. Treat shock vigorously with isotonic saline (in 5% glucose) to restore blood volume and enhance renal excretion.
- Where evidence of hypocalcaemic or normocalcaemic tetany exists, calcium gluconate (10 ml of a 10% solution) is injected to avoid tachycardia.

BIOLOGICAL EXPOSURE INDEX - BEI

These represent the determinants observed in specimens collected from a healthy worker exposed at the Exposure Standard (ES or TLV):

 Determinant
 Index
 Sampling Time
 Comments

 Fluorides in urine
 3 mg/gm creatinine
 Prior to shift
 B, NS

Chemwatch: 9-427174 Page 4 of 11

Catalogue number: ICP-200.7-4

Version No: 1.1

EPA Method 200.7 Calibration Standard 4

Issue Date: **07/21/2017**Print Date: **07/21/2017**

10mg/gm creatinine

End of shift

B. NS

B: Background levels occur in specimens collected from subjects NOT exposed

NS: Non-specific determinant; also observed after exposure to other exposures.

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility

None known

Special protective equipment and precautions for fire-fighters

Fire Fighting	
Fire/Explosion Hazard	 Non combustible. May emit corrosive fumes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	 Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material. Clean up all spills immediately.
Major Spills	► Clear area of personnel and move upwind.

Personal Protective Equipment advice is contained in Section 8 of the SDS

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	Avoid all personal contact, including inhalation.
Other information	► Store in original containers.

Conditions for safe storage, including any incompatibilities

DO NOT use aluminium or galvanised containers

▶ Lined metal can, lined metal pail/ can. Suitable container For low viscosity materials Drums and jerricans must be of the non-removable head type. Material is corrosive to most metals, glass and other siliceous materials Inorganic acids are generally soluble in water with the release of hydrogen ions. ► WARNING: Avoid or control reaction with peroxides. Salts of inorganic fluoride: ▶ react with water forming acidic solutions Reacts with mild steel, galvanised steel / zinc producing hydrogen gas which may form an explosive mixture with air. Hydrogen fluoride reacts violently with strong oxidisers, acetic anhydride, alkalis, 2-aminoethanol, arsenic trioxide (with generation of heat), bismuthic acid, calcium oxide, Storage incompatibility chlorosulfonic acid, cyanogen fluoride, ethylenediamine, ethyleneimine, fluorine (fluorine gas reacts vigorously with a 50% hydrofluoric acid solution and may burst into flame), nitrogen trifluoride, N-phenylazopiperidine, oleum, oxygen difluoride, phosphorus pentoxide, potassium permanganate, potassium tetrafluorosilicate(2-), beta-propiolactone, propylene oxide, sodium, sodium tetrafluorosilicate, sulfuric acid, vinyl acetate reacts (possibly violently) with aliphatic amines, alcohols, alkanolamines, alkylene oxides, aromatic amines, amides, ammonia, ammonium hydroxide, epichlorohydrin, isocyanates, metal acetylides, metal silicides, methanesulfonic acid, nitrogen compounds, organic anhydrides, oxides, silicon compounds, vinylidene fluoride

leather, and most other materials with the exception of lead, platinum, polyethylene, wax.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

	······································					
Source	Ingredient	Material name	TWA	STEL	Peak	Notes

attacks glass and siliceous materials, concrete, ceramics, metals (flammable hydrogen gas may be produced), metal alloys, some plastics, rubber coatings,

Chemwatch: 9-427174 Page 5 of 11

Catalogue number: ICP-200.7-4

Version No: 1.1

EPA Method 200.7 Calibration Standard 4

Issue Date: 07/21/2017 Print Date: 07/21/2017

US NIOSH Recommended Exposure Limits (RELs)	antimony	Antimony metal, Antimony powder, Stibium	0.5 mg/m3	Not Available	Not Available	[*Note: The REL also applies to other antimony compounds (as Sb).]
US NIOSH Recommended Exposure Limits (RELs)	molybdenum	Molybdenum metal	Not Available	Not Available	Not Available	See Appendix D
US ACGIH Threshold Limit Values (TLV)	molybdenum	Molybdenum, as Mo	0.5 mg/m3	Not Available	Not Available	TLV® Basis: LRT irr
US NIOSH Recommended Exposure Limits (RELs)	nitric acid	Aqua fortis, Engravers acid, Hydrogen nitrate, Red fuming nitric acid (RFNA), White fuming nitric acid (WFNA)	5 mg/m3 / 2 ppm	10 mg/m3 / 4 ppm	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	nitric acid	Nitric acid	2 ppm	4 ppm	Not Available	TLV® Basis: URT & eye irr; dental erosion
US OSHA Permissible Exposure Levels (PELs) - Table Z1	nitric acid	Nitric acid	5 mg/m3 / 2 ppm	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	hydrofluoric acid	Anhydrous hydrogen fluoride; Aqueous hydrogen fluoride (i.e., Hydrofluoric acid); HF-A	2.5 mg/m3 / 3 ppm	Not Available	5 mg/m3 / 6 ppm	[15-minute]
US ACGIH Threshold Limit Values (TLV)	hydrofluoric acid	Hydrogen fluoride, as F	0.5 ppm	Not Available	2 ppm	TLV® Basis: URT, LRT, skin, & eye irr; fluorosis; BEI
US OSHA Permissible Exposure Levels (PELs) - Table Z1	hydrofluoric acid	Hydrogen fluoride	Not Available	Not Available	Not Available	(as F);2 See Table Z-2.
US OSHA Permissible Exposure Levels (PELs) - Table Z2	hydrofluoric acid	Hydrogen fluoride	3 ppm	Not Available	Not Available	(Z37.28-1969)

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
antimony	Antimony	1.5 mg/m3	13 mg/m3	80 mg/m3
molybdenum	Molybdenum	30 mg/m3	330 mg/m3	2,000 mg/m3
titanium	Titanium	30 mg/m3	330 mg/m3	2,000 mg/m3
nitric acid	Nitric acid	Not Available	Not Available	Not Available
hydrofluoric acid	Hydrogen fluoride; (Hydrofluoric acid)	Not Available	Not Available	Not Available

Ingredient	Original IDLH	Revised IDLH
antimony	80 mg/m3	50 mg/m3
molybdenum	N.E. / N.E.	5,000 mg/m3
titanium	Not Available	Not Available
nitric acid	100 ppm	25 ppm
hydrofluoric acid	30 ppm	30 [Unch] ppm
water	Not Available	Not Available

Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard.
Personal protection	
Eye and face protection	 Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure.
Skin protection	See Hand protection below
Hands/feet protection	 Elbow length PVC gloves When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots.
Body protection	See Other protection below
Other protection	► Overalls.
Thermal hazards	Not Available

Respiratory protection

Type A Filter of sufficient capacity.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance

Dark Pink

Page 6 of 11

Catalogue number: ICP-200.7-4 Print Date: 07/21/2017

Version No: 1.1

EPA Method 200.7 Calibration Standard 4

Issue Date: 07/21/2017

Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Miscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	► Contact with alkaline material liberates heat
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

TOXICITY

TOXICITY

Dermal (rabbit) LD50: >8300 mg/kg^[1]

Not Available

EPA Method 200.7 Calibration Standard 4

antimony

Information	OΠ	toxicologica	l effects

•	
Inhaled	Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may be harmful. The material can cause respiratory irritation in some persons. Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. Bronchial and alveolar exudate are apparent in animals exposed to molybdenum by inhalation. Acute effects of fluoride inhalation include irritation of nose and throat, coughing and chest discomfort. Acute inhalation of hydrogen fluoride (hydrofluoric acid) vapours causes severe irritation of the eye, nose and throat, delayed fever, bluing of the extremities and water in the lungs, and may cause death.
Ingestion	Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual. Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. Molybdenum, an essential trace element, can in large doses hamper growth and cause loss of appetite, listlessness and diarrhoea. Fluoride causes severe loss of calcium in the blood, with symptoms appearing several hours later including painful and rigid muscle contractions of the limbs
Skin Contact	Skin contact with the material may be harmful; systemic effects may result following absorption. Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue. Contact of the skin with liquid hydrofluoric acid (hydrogen fluoride) may cause severe burns, erythema, and swelling, vesiculation, and serious crusting. Fluorides are easily absorbed through the skin and cause death of soft tissue and erode bone. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.
Еуе	If applied to the eyes, this material causes severe eye damage. Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light and burns. Animal testing showed that a 20% solution of hydrofluoric acid (hydrogen fluoride) in water caused immediate damage in the form of total clouding of the lens and ischaemia of the conjunctiva.
Chronic	Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. High levels of molybdenum can cause joint problems in the hands and feet with pain and lameness. Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling and/or ulceration of mouth lining. Extended exposure to inorganic fluorides causes fluorosis, which includes signs of joint pain and stiffness, tooth discolouration, nausea and vomiting, loss of appetite, diarrhoea or constipation, weight loss, anaemia, weakness and general unwellness. Hydrogen fluoride easily penetrates the skin and causes destruction and corrosion of the bone and underlying tissue.

Not Available	

IRRITATION

IRRITATION

Not Available

EPA Method 200.7 Calibration Standard 4

Issue Date: 07/21/2017 Print Date: 07/21/2017

Version No: 1.1

	Oral (rat) LD50: 100 mg/kg ^[2]		
	TOXICITY		IRRITATION
molybdenum	dermal (rat) LD50: >2000 mg/kg ^[1]		Not Available
ŕ	Oral (rat) LD50: >2000 mg/kg ^[1]		
414 1	TOXICITY		IRRITATION
titanium	Oral (rat) LD50: >2000 mg/kg ^[1]		Not Available
	Table To		
nitric acid	Inhalation (rat) LC50: 625 ppm/1h*t ^[2]		IRRITATION Not Available
	initial and the second		
	TOXICITY	IRRITATION	
hydrofluoric acid	Inhalation (rat) LC50: 1276 ppm/4hr ^[2]	Eye (human): 50 mg -	SEVERE
	Inhalation (rat) LC50: 319 ppm/1hr ^[2]		
	TOXICITY	ITATION	
water		Available	
Legend:	 Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Valuextracted from RTECS - Register of Toxic Effect of chemical Substances 	ue obtained from manufa	cturer's SDS. Unless otherwise specified data
Legend:	extracted from RTECS - Register of Toxic Effect of chemical Substances For acid mists, aerosols, vapours		cturer's SDS. Unless otherwise specified data
NITRIC ACID	extracted from RTECS - Register of Toxic Effect of chemical Substances	e pH falls to about 6.5.	
-	extracted from RTECS - Register of Toxic Effect of chemical Substances For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the The material may cause severe skin irritation after prolonged or repeated exposure ar vesicles, scaling and thickening of the skin.	e pH falls to about 6.5.	
NITRIC ACID	extracted from RTECS - Register of Toxic Effect of chemical Substances For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the The material may cause severe skin irritation after prolonged or repeated exposure ar vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers]	e pH falls to about 6.5.	
NITRIC ACID HYDROFLUORIC ACID MOLYBDENUM & TITANIUM & HYDROFLUORIC ACID &	extracted from RTECS - Register of Toxic Effect of chemical Substances For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the The material may cause severe skin irritation after prolonged or repeated exposure ar vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] (liver and kidney damage) [Manufacturer] for hydrogen fluoride (as vapour)	e pH falls to about 6.5. nd may produce on conta	
NITRIC ACID HYDROFLUORIC ACID MOLYBDENUM & TITANIUM & HYDROFLUORIC ACID & WATER NITRIC ACID &	For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the The material may cause severe skin irritation after prolonged or repeated exposure ar vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] (liver and kidney damage) [Manufacturer] for hydrogen fluoride (as vapour) No significant acute toxicological data identified in literature search.	e pH falls to about 6.5. Ind may produce on conta	
NITRIC ACID HYDROFLUORIC ACID MOLYBDENUM & TITANIUM & HYDROFLUORIC ACID & WATER NITRIC ACID & HYDROFLUORIC ACID NITRIC ACID &	For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the The material may cause severe skin irritation after prolonged or repeated exposure ar vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] (liver and kidney damage) [Manufacturer] for hydrogen fluoride (as vapour) No significant acute toxicological data identified in literature search. Asthma-like symptoms may continue for months or even years after exposure to the material may be a supported to the mate	e pH falls to about 6.5. Ind may produce on conta	act skin redness, swelling, the production of
NITRIC ACID HYDROFLUORIC ACID MOLYBDENUM & TITANIUM & HYDROFLUORIC ACID & WATER NITRIC ACID & HYDROFLUORIC ACID NITRIC ACID & HYDROFLUORIC ACID NITRIC ACID & NITRIC ACID &	For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the The material may cause severe skin irritation after prolonged or repeated exposure ar vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] (liver and kidney damage) [Manufacturer] for hydrogen fluoride (as vapour) No significant acute toxicological data identified in literature search. Asthma-like symptoms may continue for months or even years after exposure to the material may produce severe irritation to the eye causing pronounced inflammatic. The material may produce respiratory tract irritation, and result in damage to the lung	e pH falls to about 6.5. Ind may produce on conta	act skin redness, swelling, the production of
NITRIC ACID HYDROFLUORIC ACID MOLYBDENUM & TITANIUM & HYDROFLUORIC ACID & WATER NITRIC ACID & HYDROFLUORIC ACID NITRIC ACID & HYDROFLUORIC ACID NITRIC ACID & HYDROFLUORIC ACID	For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the The material may cause severe skin irritation after prolonged or repeated exposure ar vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] (liver and kidney damage) [Manufacturer] for hydrogen fluoride (as vapour) No significant acute toxicological data identified in literature search. Asthma-like symptoms may continue for months or even years after exposure to the material may produce severe irritation to the eye causing pronounced inflammatic. The material may produce respiratory tract irritation, and result in damage to the lung.	e pH falls to about 6.5. Ind may produce on contact aterial ends. Including reduced lung	act skin redness, swelling, the production of
NITRIC ACID HYDROFLUORIC ACID MOLYBDENUM & TITANIUM & HYDROFLUORIC ACID & WATER NITRIC ACID & HYDROFLUORIC ACID NITRIC ACID & HYDROFLUORIC ACID NITRIC ACID & HYDROFLUORIC ACID ACID & ACUTE TOXICITY	For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the The material may cause severe skin irritation after prolonged or repeated exposure ar vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] (liver and kidney damage) [Manufacturer] for hydrogen fluoride (as vapour) No significant acute toxicological data identified in literature search. Asthma-like symptoms may continue for months or even years after exposure to the material may produce severe irritation to the eye causing pronounced inflammatic. The material may produce respiratory tract irritation, and result in damage to the lung.	e pH falls to about 6.5. ad may produce on conta aterial ends. on. g including reduced lung ogenicity	act skin redness, swelling, the production of
NITRIC ACID HYDROFLUORIC ACID MOLYBDENUM & TITANIUM & HYDROFLUORIC ACID & WATER NITRIC ACID & HYDROFLUORIC ACID NITRIC ACID & HYDROFLUORIC ACID NITRIC ACID & HYDROFLUORIC ACID ACID ACID ACID ACID Skin Irritation/Corrosion Serious Eye	For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the The material may cause severe skin irritation after prolonged or repeated exposure ar vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] (liver and kidney damage) [Manufacturer] for hydrogen fluoride (as vapour) No significant acute toxicological data identified in literature search. Asthma-like symptoms may continue for months or even years after exposure to the material may produce severe irritation to the eye causing pronounced inflammatic. The material may produce respiratory tract irritation, and result in damage to the lung. Carcin. Repro	e pH falls to about 6.5. ad may produce on conta aterial ends. on. g including reduced lung ogenicity oductivity	act skin redness, swelling, the production of

✓ – Data available to make classification

O – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

EPA Method 200.7 Calibration Standard 4	ENDPOINT	TEST DURATION (HR)	EST DURATION (HR) SPECIES		VALUE	SOUF		CE
	Not Available	Not Available	Not Available		Not Avail	able	Not Available	
antimony	ENDPOINT	TEST DURATION (HR)	TEST DURATION (HR) SPECIES		SPECIES			SOURCE
	LC50	96	Fish	Fish		0.93mg/L		2
	EC50	48	Crustace	Crustacea		1mg/L		2
	EC50	72	Algae or ot			>2.4mg/L		2

Catalogue number: ICP-200.7-4

Version No: 1.1

EPA Method 200.7 Calibration Standard 4

Issue Date: 07/21/2017 Print Date: 07/21/2017

	NOEC	720		Fish				>0.0075mg/L	2	
	ENDPOINT	TES	ST DURATION (HR)	SPECIES				VALUE	SOURCI	
	LC50	96		Fish				609.1mg/L	2	
molybdenum	EC50	72		Algae or o	ther a	quatic plants		289.2mg/L	2	
	BCF	336		Algae or o	ther a	quatic plants		64mg/L	4	
	NOEC	672		Crustacea	ì			0.67mg/L	2	
	ENDPOINT		TEST DURATION (HR)			SPECIES	\	'ALUE	SOURCE	
titanium	NOEC		48			Crustacea	1	mg/L	2	
									1	
nitric acid	ENDPOINT	TEST DURATION (HR)				SPECIES	VA	LUE	SOURCE	
muric acid	NOEC	16				Crustacea 107mg		7mg/L	mg/L 4	
	ENDPOINT		TEST DURATION (HR)		S	SPECIES	VAL	UE	SOURCE	
	LC50	96			F	Fish	51m	g/L	2	
hydrofluoric acid	EC50		48		C	Crustacea	=270)mg/L	1	
	NOEC		504		F	Fish	4mg	L	2	
	ENDPOINT	TES	T DURATION (HR)	SPECIES				VALUE	SOURC	
water	LC50	96	,	Fish				897.520mg/L	3	
	EC50	96		Algae or othe	er aqu	atic plants		8768.874mg/L	3	
Legend:	(QSAR) - Aquatic	Toxicity D	xicity Data 2. Europe ECHA R ata (Estimated) 4. US EPA, Ec Data 7. METI (Japan) - Biocond	cotox database - Aqu	uatic To	oxicity Data 5. ECI				

For Molybdenum:

Environmental Fate: Molybdenum is an essential micronutrient in plants and animals.

Ecotoxicity:

The tolerance of water organisms towards pH margin and variation is diverse.

For Fluorides: Small amounts of fluoride have beneficial effects however; excessive intake over long periods may cause dental and/or skeletal fluorosis.

Prevent, by any means available, spillage from entering drains or water courses.

DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air	
water	LOW	LOW	

Bioaccumulative potential

Ingredient	Bioaccumulation
water	LOW (LogKOW = -1.38)

Mobility in soil

Ingredient	Mobility
water	LOW (KOC = 14.3)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

- ► Containers may still present a chemical hazard/ danger when empty.
- Recycle wherever possible.

SECTION 14 TRANSPORT INFORMATION

Labels Required



Marine Pollutant

NC

Chemwatch: 9-427174
Catalogue number: ICP-200.7-4

Page 9 of 11

EPA Method 200.7 Calibration Standard 4

Issue Date: 07/21/2017 Print Date: 07/21/2017

Land transport (DOT)

Version No: 1.1

UN number	3264		
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.		
Transport hazard class(es)	Class 8 Subrisk Not Applicable		
Packing group			
Environmental hazard	Not Applicable		
Special precautions for user	Hazard Label 8 Special provisions 386, B2, IB2, T11, TP2, TP27		

Air transport (ICAO-IATA / DGR)

UN number	3264		
UN proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s. *		
	ICAO/IATA Class	8	
Transport hazard class(es)	ICAO / IATA Subrisk	Not Applicable	
	ERG Code	8L	
Packing group	II		
Environmental hazard	Not Applicable		
	Special provisions		A3A803
	Cargo Only Packing I	nstructions	855
	Cargo Only Maximum	Qty / Pack	30 L
Special precautions for user	Passenger and Cargo Packing Instructions		851
	Passenger and Cargo Maximum Qty / Pack		1 L
	Passenger and Cargo Limited Quantity Packing Instructions		Y840
	Passenger and Cargo Limited Maximum Qty / Pack		0.5 L

Sea transport (IMDG-Code / GGVSee)

UN number	3264		
UN proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.		
Transport hazard class(es)	IMDG Class 8 IMDG Subrisk Not Applicable		
Packing group			
Environmental hazard	Not Applicable		
Special precautions for user	EMS Number F-A , S-B Special provisions 274 Limited Quantities 1 L		

Transport in bulk according to Annex II of MARPOL and the IBC code

Source	Product name	Pollution Category	Ship Type
IMO MARPOL (Annex II) - List of Noxious Liquid Substances Carried in Bulk	Nitric acid (70% and over) Nitric acid (less than 70%)	Y; Y	2 2

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

ANTIMONY(7440-36-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Page 10 of 11 Issue Date: 07/21/2017 Chemwatch: 9-427174

Catalogue number: ICP-200.7-4

Version No: 1.1

EPA Method 200.7 Calibration Standard 4

Print Date: 07/21/2017

US - Alaska Limits for Air Contaminants	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air
US - California Permissible Exposure Limits for Chemical Contaminants	Contaminants
US - Hawaii Air Contaminant Limits	US - Washington Permissible exposure limits of air contaminants
US - Idaho - Limits for Air Contaminants	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - Massachusetts - Right To Know Listed Chemicals	US ACGIH Threshold Limit Values (TLV)
US - Michigan Exposure Limits for Air Contaminants	US Clean Air Act - Hazardous Air Pollutants
US - Minnesota Permissible Exposure Limits (PELs)	US CWA (Clean Water Act) - Priority Pollutants
US - Oregon Permissible Exposure Limits (Z-1)	US CWA (Clean Water Act) - Toxic Pollutants
US - Pennsylvania - Hazardous Substance List	US EPCRA Section 313 Chemical List
US - Rhode Island Hazardous Substance List	US NIOSH Recommended Exposure Limits (RELs)
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
MOLYBDENUM(7439-98-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS	
US - Alaska Limits for Air Contaminants	US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
US - Hawaii Air Contaminant Limits	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air
US - Idaho - Limits for Air Contaminants	Contaminants
US - Massachusetts - Right To Know Listed Chemicals	US - Washington Permissible exposure limits of air contaminants

TITANIUM(7440-32-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs) US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Oregon Permissible Exposure Limits (Z-1)

US ACGIH Threshold Limit Values (TLV) - Carcinogens US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US ACGIH Threshold Limit Values (TLV)

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Washington Permissible exposure limits of air contaminants

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

NITRIC ACID(7697-37-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US CWA (Clean Water Act) - List of Hazardous Substances

US EPCRA Section 313 Chemical List US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US SARA Section 302 Extremely Hazardous Substances

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

HYDROFLUORIC ACID(7664-39-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Idaho - Acceptable Maximum Peak Concentrations

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Oregon Permissible Exposure Limits (Z-2)

US - Pennsylvania - Hazardous Substance List US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration. Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - List of Hazardous Substances

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs) US OSHA Permissible Exposure Levels (PELs) - Table Z1

US OSHA Permissible Exposure Levels (PELs) - Table Z2

US SARA Section 302 Extremely Hazardous Substances

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Pennsylvania - Hazardous Substance List US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

Federal Regulations

Chemwatch: 9-427174 Page 11 of 11 Issue Date: 07/21/2017

Catalogue number: ICP-200.7-4

Version No: 1.1

EPA Method 200.7 Calibration Standard 4

Print Date: **07/21/2017**

SECTION 311/312 HAZARD CATEGORIES

Immediate (acute) health hazard	Yes
Delayed (chronic) health hazard	No
Fire hazard	No
Pressure hazard No	
Reactivity hazard	No

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
Antimony	5000	2270
Nitric acid	1000	454
Hydrofluoric acid	100	45.4

State Regulations

US. CALIFORNIA PROPOSITION 65

None Reported

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (titanium; water; antimony; molybdenum; hydrofluoric acid; nitric acid)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Υ
Japan - ENCS	N (titanium; antimony; molybdenum; hydrofluoric acid; nitric acid)
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	Y
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

Name	CAS No
hydrofluoric acid	7664-39-3, 790596-14-4

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

 ${\sf PC-TWA: Permissible \ Concentration-Time \ Weighted \ Average}$

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

This document is copyright.