

High-Purity Standards

Catalogue number: ICP-MCS-4

Version No: 1.1 Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

SECTION 1 IDENTIFICATION

Product Identifier Product name ICP Multielement Calibration Standard 4 Chemical Name water Synonyms Not Available Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s. Other means of identification ICP-MCS-4

Recommended use of the chemical and restrictions on use

Relevant identified uses Use according to manufacturer's directions.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

| Registered company name | High-Purity Standards |
|-------------------------|-------------------------------------|
| Address | PO Box 41727 SC 29423 United States |
| Telephone | 843-767-7900 |
| Fax | 843-767-7906 |
| Website | highpuritystandards.com |
| Email | Not Available |

Emergency phone number

| Association / Organisation | INFOTRAC |
|-----------------------------------|----------------|
| Emergency telephone numbers | 1-800-535-5053 |
| Other emergency telephone numbers | 1-352-323-3500 |

SECTION 2 HAZARD(S) IDENTIFICATION

| Classification of the substance or mixture | | |
|--------------------------------------------|-------------------------------------------------------------------|--|
| Classification | Metal Corrosion Category 1, Skin Corrosion/Irritation Category 1A | |
| Label elements | | |
| Hazard pictogram(s) | | |
| SIGNAL WORD | DANGER | |
| Hazard statement(s) | | |
| H290 | May be corrosive to metals. | |
| H314 | Causes severe skin burns and eye damage. | |
| | | |

Hazard(s) not otherwise specified

Not Applicable

Chemwatch Hazard Alert Code: 3

Issue Date: 07/15/2017 Print Date: 07/15/2017

S.GHS.USA.EN

| Precautionar | v statement(s |) Prevention |
|--------------|---------------|--------------|
|--------------|---------------|--------------|

| Precautionary statement(s) Prevention | |
|---------------------------------------|---------------------------------------------------------------------|
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| Precautionary statement(s |) Response |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
| Precautionary statement(s |) Storage |
| P405 | Store locked up. |
| Precautionary statement(s) Disposal | |
| P501 | Dispose of contents/container in accordance with local regulations. |
| | |

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|-----------|-----------|-------------|
| 7440-50-8 | 0.01 | copper |
| 7440-22-4 | 0.01 | silver |
| 7440-28-0 | 0.01 | thallium |
| 7697-37-2 | 2 | nitric acid |
| 7732-18-5 | Balance | water |

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

| Eye Contact | If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
|--------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Skin Contact | If skin or hair contact occurs: Immediately flush body and clothes with large amounts of water, using safety shower if available. Quickly remove all contaminated clothing, including footwear. Wash skin and hair with running water. Continue flushing with water until advised to stop by the Poisons Information Centre. Transport to hospital, or doctor. |
| Inhalation | If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. This must definitely be left to a doctor or person authorised by him/her. (ICSC13719) |
| Ingestion | For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casuality can comfortably drink. Transport to hospital or doctor without delay. |

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

- For acute or short term repeated exposures to strong acids:
- + Airway problems may arise from laryngeal edema and inhalation exposure. Treat with 100% oxygen initially.
- + Respiratory distress may require cricothyroidotomy if endotracheal intubation is contraindicated by excessive swelling
- Intravenous lines should be established immediately in all cases where there is evidence of circulatory compromise.

Version No: 1.1

Catalogue number: ICP-MCS-4

Issue Date: 07/15/2017 Print Date: 07/15/2017

ICP Multielement Calibration Standard 4

• Strong acids produce a coagulation necrosis characterised by formation of a coagulum (eschar) as a result of the dessicating action of the acid on proteins in specific tissues.

- INGESTION:
- Immediate dilution (milk or water) within 30 minutes post ingestion is recommended.
- DO NOT attempt to neutralise the acid since exothermic reaction may extend the corrosive injury.
- Be careful to avoid further vomit since re-exposure of the mucosa to the acid is harmful. Limit fluids to one or two glasses in an adult.
- Charcoal has no place in acid management.
- Some authors suggest the use of lavage within 1 hour of ingestion.

SKIN:

Skin lesions require copious saline irrigation. Treat chemical burns as thermal burns with non-adherent gauze and wrapping.

Deep second-degree burns may benefit from topical silver sulfadiazine

EYE:

- Eye injuries require retraction of the eyelids to ensure thorough irrigation of the conjuctival cul-de-sacs. Irrigation should last at least 20-30 minutes. DO NOT use neutralising agents or any other additives. Several litres of saline are required.
- Cycloplegic drops, (1% cyclopentolate for short-term use or 5% homatropine for longer term use) antibiotic drops, vasoconstrictive agents or artificial tears may be indicated dependent on the severity of the injury.
- Steroid eye drops should only be administered with the approval of a consulting ophthalmologist).

[Ellenhorn and Barceloux: Medical Toxicology]

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

• There is no restriction on the type of extinguisher which may be used.

Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

| Fire Incompatibility | None known. |
|----------------------|-------------|
| | |

Special protective equipment and precautions for fire-fighters

| Fire Fighting | Alert Fire Brigade and tell them location and nature of hazard. |
|-----------------------|-------------------------------------------------------------------------------------|
| Fire/Explosion Hazard | ► Non combustible. |

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| Minor Spills | Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material. Clean up all spills immediately. |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Major Spills | # |

Personal Protective Equipment advice is contained in Section 8 of the SDS

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

| Safe handling | Avoid all personal contact, including inhalation. |
|-------------------|---------------------------------------------------|
| Other information | Store in original containers. |

Conditions for safe storage, including any incompatibilities

| Suitable container | DO NOT use aluminium or galvanised containers Check regularly for spills and leaks Lined metal can, lined metal pail/ can. For low viscosity materials Drums and jerricans must be of the non-removable head type. |
|-------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Storage incompatibility | Inorganic acids are generally soluble in water with the release of hydrogen ions. |

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

| Source | Ingredient | laterial name TWA STEL Peak | | Notes | | |
|------------------------------------------------|------------|----------------------------------------|---------|------------------|------------------|-------------------------------------------------------------------------------------------|
| US NIOSH Recommended Exposure Limits (RELs) | copper | Copper metal dusts, Copper metal fumes | 1 mg/m3 | Not Available | Not Available | [*Note: The REL also applies to other copper compounds (as Cu) except Copper fume.] |

| US ACGIH Threshold Limit Values (TLV) | copper | Copper - Fume, as Cu 0.2 mg/m3 Not Not Available Available | | TLV® Basis: Irr; GI; metal fume fever; BEI | | |
|-------------------------------------------------------------|-------------|---------------------------------------------------------------------------------------------------------------------|--------------------|-----------------------------------------------|------------------|-----------------------------------------------|
| US ACGIH Threshold Limit Values (TLV) | copper | Copper - Dusts and mists, as Cu | 1 mg/m3 | Not Available | Not Available | TLV® Basis: Irr; GI; metal fume fever; BEI |
| US NIOSH Recommended Exposure Limits (RELs) | silver | Silver metal: Argentum | 0.01 mg/m3 | Not Available | Not Available | Not Available |
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 | nitric acid | Nitric acid | 5 mg/m3 / 2 ppm | 10 mg/m3 / 4 ppm | Not Available | TLV® Basis: URT & eye irr; dental erosion |
| US NIOSH Recommended Exposure Limits (RELs) | nitric acid | Aqua fortis, Engravers acid, Hydrogen nitrate, Red fuming nitric acid (RFNA), White fuming nitric acid (WFNA) | 5 mg/m3 / 2 ppm | 4 ppm | Not Available | Not Available |
| US ACGIH Threshold Limit Values (TLV) | nitric acid | Nitric acid | 2 ppm | Not Available | Not Available | Not Available |

EMERGENCY LIMITS

| Ingredient | Material name | TEEL-1 | TEEL-2 | TEEL-3 | |
|-------------|---------------|---------------|---------------|---------------|--|
| copper | Copper | 3 mg/m3 | 33 mg/m3 | 200 mg/m3 | |
| silver | Silver | 0.3 mg/m3 | 170 mg/m3 | 990 mg/m3 | |
| thallium | Thallium | 0.06 mg/m3 | 13 mg/m3 | 20 mg/m3 | |
| nitric acid | Nitric acid | Not Available | Not Available | Not Available | |
| | | | | | |
| Ingredient | Original IDLH | | Revised IDLH | | |
| copper | N.E. / N.E. | | 100 mg/m3 | | |
| silver | N.E. / N.E. | | 10 mg/m3 | | |
| thallium | Not Available | | Not Available | | |
| nitric acid | 100 ppm | | 25 ppm | | |
| water | Not Available | | Not Available | | |

Exposure controls

| Appropriate engineering controls | Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. |
|-------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Personal protection | |
| Eye and face protection | Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure. |
| Skin protection | See Hand protection below |
| Hands/feet protection | Elbow length PVC gloves When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots. |
| Body protection | See Other protection below |
| Other protection | ► Overalls. |
| Thermal hazards | Not Available |

Respiratory protection

Type A Filter of sufficient capacity.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| Appearance | Colourless | | |
|-------------------------------------------------|---------------|--------------------------------------------|---------------|
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | Not Available | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Available |
| Flash point (°C) | Not Available | Taste | Not Available |

| Evaporation rate | Not Available | Explosive properties | Not Available |
|---------------------------|---------------|----------------------------------|---------------|
| Flammability | Not Available | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water (g/L) | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |

SECTION 10 STABILITY AND REACTIVITY

| Reactivity | See section 7 |
|-------------------------------------|-----------------------------------------------|
| Chemical stability | Contact with alkaline material liberates heat |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

| Inhaled | The material can cause respiratory irritation in some persons. Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. Not normally a hazard due to non-volatile nature of product The material has NOT been classified by EC Directives or other classification systems as 'harmful by inhalation'. | | | | | | | |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|--|--|--|--|--|
| Ingestion | | Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. The material has NOT been classified by EC Directives or other classification systems as 'harmful by ingestion'. | | | | | | |
| Skin Contact | Skin contact is not thought to have harmful health effects (as classified under E through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material | Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. | | | | | | |
| Eye | If applied to the eyes, this material causes severe eye damage. Direct eye contact with acid corrosives may produce pain, tears, sensitivity to lig | ght and burns. | | | | | | |
| Chronic | Repeated or prolonged exposure to acids may result in the erosion of teeth, sw Long-term exposure to respiratory irritants may result in airways disease, involv Substance accumulation, in the human body, may occur and may cause some of | ving difficulty breathing and relate | ed whole-body problems. | | | | | |
| ICP Multielement | TOXICITY | IRRITATION | | | | | | |
| Calibration Standard 4 | Not Available | | | | | | | |
| copper | TOXICITY dermal (rat) LD50: >2000 mg/kg ^[1] Inhalation (rat) LC50: 0.733 mg/l/4hr ^[1] Inhalation (rat) LC50: 1.03 mg/l/4hr ^[1] Inhalation (rat) LC50: 1.67 mg/l/4hr ^[1] Oral (rat) LD50: 300-500 mg/kg ^[1] | | IRRITATION Not Available | | | | | |
| silver | TOXICITY Oral (rat) LD50: >2000 mg/kg ^[1] | | IRRITATION Not Available | | | | | |
| thallium | TOXICITY Not Available | | | | | | | |
| nitric acid | TOXICITY Inhalation (rat) LC50: 625 ppm/1h*t ^[2] | IRRITATION Not Available | | | | | | |
| water | TOXICITY IRRITATION Not Available Not Available | | | | | | | |

Chemwatch: 9-423780

Page 6 of 10

Issue Date: 07/15/2017 Print Date: 07/15/2017

ICP Multielement Calibration Standard 4

Catalogue number: ICP-MCS-4 Version No: 1.1

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data Legend: extracted from RTECS - Register of Toxic Effect of chemical Substances for copper and its compounds (typically copper chloride): Acute toxicity: There are no reliable acute oral toxicity results available. COPPER WARNING: Inhalation of high concentrations of copper fume may cause 'metal fume fever', an acute industrial disease of short duration. tiredness, influenza like respiratory tract irritation with fever. THALLIUM Structural changes in nerves and sheath, changes in extraocular muscles, hair loss recorded Asthma-like symptoms may continue for months or even years after exposure to the material ends. For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the pH falls to about 6.5. The material may produce severe irritation to the eye causing pronounced inflammation. NITRIC ACID The material may produce respiratory tract irritation, and result in damage to the lung including reduced lung function. The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] WATER No significant acute toxicological data identified in literature search. \bigcirc \bigcirc Acute Toxicity Carcinogenicity Skin Irritation/Corrosion ~ Reproductivity 0 Serious Eye \odot STOT - Single Exposure \odot Damage/Irritation Respiratory or Skin \bigcirc \bigcirc STOT - Repeated Exposure sensitisation Mutagenicity \bigcirc Aspiration Hazard \bigcirc

Legend:

X − Data available but does not fill the criteria for classification
✓ − Data available to make classification

O – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

| ICP Multielement | ENDPOINT | | TEST DURATION (HR) | | SPECIES | SPECIES | | | SOURCE | |
|------------------------|---------------|------|--------------------|------|-------------------------------|----------|-------------|-----------------|--------|-----------|
| Calibration Standard 4 | Not Available | | Not Available | | Not Avail | able | Not Availal | ble | Not A | Available |
| | ENDPOINT | TEST | DURATION (HR) | SPE | CIES | | VA | LUE | | SOURCE |
| | LC50 | 96 | | Fish | Fish | | 0.0 |)28mg/L | | 2 |
| | EC50 | 48 | | Crus | stacea | | 0.0 |)1mg/L | | 5 |
| copper | EC50 | 72 | | Alga | e or other aquati | c plants | 0.0 | 13335mg/L | | 4 |
| | BCF | 960 | | Fish | I | | 200 | Img/L | | 4 |
| | EC25 | 6 | | Alga | e or other aquati | c plants | 0.0 |)150495mg/L | | 4 |
| | NOEC | 96 | | Crus | stacea | | 0.0 | 008mg/L | | 4 |
| | | | | | | | | | | |
| | ENDPOINT | TEST | DURATION (HR) | SPE | CIES | | VAL | UE | | SOURCE |
| | LC50 | 96 | | Fish | Fish | | | 0.00148mg/L | | 2 |
| ailtean | EC50 | 48 | | Crus | Crustacea | | 0.00 | 0.00024mg/L | | 4 |
| silver | EC50 | 96 | | Alga | Algae or other aquatic plants | | 0.00 | 0.001628837mg/L | | 4 |
| | BCF | 336 | | Crus | tacea | | 0.02 | mg/L | | 4 |
| | NOEC | 480 | | Crus | Crustacea 0.0003 | |)31mg/L | mg/L 2 | | |
| | | | | | | | | | | |
| | ENDPOINT | TES | ST DURATION (HR) | | SPECIES | | | VALUE | | SOURCE |
| thallium | LC50 | 96 | | | Fish | | | 21mg/L | | 4 |
| | EC50 | 96 | | | Algae or other aquatic plants | | 0.13mg/L | - | 4 | |
| | NOEC | 720 | | | Fish | | | 0.04mg/L | - | 5 |
| | ENDPOINT | | TEST DURATION (HR) | | | SPECIES | VAI | .UE | so | DURCE |
| nitric acid | NOEC | | | | Crustacea | | | 107mg/L 4 | | |
| | | | | | | | | | | |
| | ENDPOINT | TES | T DURATION (HR) | SP | SPECIES | | ١ | VALUE | | SOURCE |
| water | LC50 | 96 | | Fis | Fish | | 8 | 897.520mg/L | | 3 |

Catalogue number: ICP-MCS-4 Version No: 1.1

Page 7 of 10

ICP Multielement Calibration Standard 4

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 Legend: (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Ecotoxicity:

The tolerance of water organisms towards pH margin and variation is diverse. Prevent, by any means available, spillage from entering drains or water courses. DO NOT discharge into sewer or waterways

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|------------|-------------------------|------------------|
| water | LOW | LOW |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|------------|----------------------|
| water | LOW (LogKOW = -1.38) |

Mobility in soil

| Ingredient | Mobility |
|------------|------------------|
| water | LOW (KOC = 14.3) |

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

► Recycle wherever possible.

SECTION 14 TRANSPORT INFORMATION

Marine Pollutant

Labels Required



Land transport (DOT)

| , | |
|------------------------------|----------------------------------------------------------------------------------------------------------------|
| UN number | 3264 |
| UN proper shipping name | Corrosive liquid, acidic, inorganic, n.o.s. |
| Transport hazard class(es) | Class 8 Subrisk Not Applicable |
| Packing group | ll de la constant de |
| Environmental hazard | Not Applicable |
| Special precautions for user | Hazard Label8Special provisions386, B2, IB2, T11, TP2, TP27 |

Air transport (ICAO-IATA / DGR)

| UN number | 3264 | 264 | | | |
|------------------------------|------------------------------------------------------------------|---------------------------|--|-----------------------|--|
| UN proper shipping name | Corrosive liquid, acidic | c, inorganic, n.o.s. * | | | |
| Transport hazard class(es) | ICAO/IATA Class ICAO / IATA Subrisk ERG Code | 8 Not Applicable 8L | | | |
| Packing group | П | | | | |
| Environmental hazard | Not Applicable | | | | |
| Special precautions for user | Special provisions Cargo Only Packing I Cargo Only Maximum | | | A3A803 855 30 L | |

Continued...

Issue Date: 07/15/2017 Print Date: 07/15/2017

ICP Multielement Calibration Standard 4

| Passenger and Cargo Packing Instructions | 851 |
|-----------------------------------------------------------|-------|
| Passenger and Cargo Maximum Qty / Pack | 1 L |
| Passenger and Cargo Limited Quantity Packing Instructions | Y840 |
| Passenger and Cargo Limited Maximum Qty / Pack | 0.5 L |
| | |

Sea transport (IMDG-Code / GGVSee)

| UN number | 3264 |
|------------------------------|--------------------------------------------------------------|
| UN proper shipping name | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. |
| Transport hazard class(es) | IMDG Class8IMDG SubriskNot Applicable |
| Packing group | II |
| Environmental hazard | Not Applicable |
| Special precautions for user | EMS NumberF-A, S-BSpecial provisions274Limited Quantities1 L |

Transport in bulk according to Annex II of MARPOL and the IBC code

| Source | Product name | Pollution Category | Ship Type |
|---------------------------------------------------------------------------------|--------------------------------------------------------|--------------------|-----------|
| IMO MARPOL (Annex II) - List of Noxious Liquid Substances Carried in Bulk | Nitric acid (70% and over) Nitric acid (less than 70%) | Y; Y | 2 2 |

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

- COPPER(7440-50-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS
- US Alaska Limits for Air Contaminants
- US California OEHHA/ARB Acute Reference Exposure Levels and Target Organs (RELs)
- US California Permissible Exposure Limits for Chemical Contaminants
- US Hawaii Air Contaminant Limits
- US Idaho Limits for Air Contaminants
- US Massachusetts Right To Know Listed Chemicals
- US Michigan Exposure Limits for Air Contaminants
- US Minnesota Permissible Exposure Limits (PELs)
- US Oregon Permissible Exposure Limits (Z-1)
- US Pennsylvania Hazardous Substance List
- US Rhode Island Hazardous Substance List
- US Tennessee Occupational Exposure Limits Limits For Air Contaminants US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
- SILVER(7440-22-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS
- US Alaska Limits for Air Contaminants
- US California Permissible Exposure Limits for Chemical Contaminants
- US Hawaii Air Contaminant Limits
- US Idaho Limits for Air Contaminants
- US Massachusetts Right To Know Listed Chemicals
- US Michigan Exposure Limits for Air Contaminants
- US Minnesota Permissible Exposure Limits (PELs)
- US Oregon Permissible Exposure Limits (Z-1)
- US Pennsylvania Hazardous Substance List
- US Rhode Island Hazardous Substance List
- US Tennessee Occupational Exposure Limits Limits For Air Contaminants
- US Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

THALLIUM(7440-28-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

- US Massachusetts Right To Know Listed Chemicals
- US Minnesota Permissible Exposure Limits (PELs)
- US Pennsylvania Hazardous Substance List
- US Rhode Island Hazardous Substance List
- US ACGIH Threshold Limit Values (TLV)

NITRIC ACID(7697-37-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants US - Washington Permissible exposure limits of air contaminants US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants US ACGIH Threshold Limit Values (TLV) US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

- US CWA (Clean Water Act) Priority Pollutants
- US CWA (Clean Water Act) Toxic Pollutants
- US EPA Carcinogens Listing
- US EPCRA Section 313 Chemical List
- US NIOSH Recommended Exposure Limits (RELs)
- US OSHA Permissible Exposure Levels (PELs) Table Z1
- US Toxic Substances Control Act (TSCA) Chemical Substance Inventory
- US Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants US - Washington Permissible exposure limits of air contaminants US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants US ACGIH Threshold Limit Values (TLV) US CWA (Clean Water Act) - Priority Pollutants US CWA (Clean Water Act) - Toxic Pollutants US EPA Carcinogens Listing US EPCRA Section 313 Chemical List US NIOSH Recommended Exposure Limits (RELs) US OSHA Permissible Exposure Levels (PELs) - Table Z1 US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPCRA Section 313 Chemical List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

Continued...

| Chemwatch: 9-423780 | Page 9 of 10 | | Issue Date: 07/15/2017 |
|-----------------------------------------------------|-------------------------------------------|-------------------------------------------------------------|-------------------------------------|
| Catalogue number: ICP-MCS-4 | ICP Multielement Calibration Standard 4 | | Print Date: 07/15/2017 |
| Version No: 1.1 | | | |
| | | | |
| International Air Transport Association (IATA) Dang | erous Goods Regulations - Prohibited List | US - Vermont Permissible Exposure Limits Table Z-1-A Fina | al Rule Limits for Air Contaminants |
| Passenger and Cargo Aircraft | | US - Vermont Permissible Exposure Limits Table Z-1-A Tran | nsitional Limits for Air |
| US - Alaska Limits for Air Contaminants | | Contaminants | |
| US - California OEHHA/ARB - Acute Reference Exp | osure Levels and Target Organs (RELs) | US - Washington Permissible exposure limits of air contamir | nants |
| US - California Permissible Exposure Limits for Che | mical Contaminants | US - Washington Toxic air pollutants and their ASIL, SQER a | and de minimis emission values |
| US - Hawaii Air Contaminant Limits | | US - Wyoming Toxic and Hazardous Substances Table Z1 L | imits for Air Contaminants |
| US - Idaho - Limits for Air Contaminants | | US ACGIH Threshold Limit Values (TLV) | |
| US - Massachusetts - Right To Know Listed Chemin | cals | US CWA (Clean Water Act) - List of Hazardous Substances | |
| US - Michigan Exposure Limits for Air Contaminants | 3 | US EPCRA Section 313 Chemical List | |
| US - Minnesota Permissible Exposure Limits (PELs |) | US NIOSH Recommended Exposure Limits (RELs) | |
| US - Oregon Permissible Exposure Limits (Z-1) | | US OSHA Permissible Exposure Levels (PELs) - Table Z1 | |
| US - Pennsylvania - Hazardous Substance List | | US SARA Section 302 Extremely Hazardous Substances | |
| US - Rhode Island Hazardous Substance List | | US Toxic Substances Control Act (TSCA) - Chemical Substa | ance Inventory |
| US - Tennessee Occupational Exposure Limits - Lin | nits For Air Contaminants | | |
| WATER(7732-18-5) IS FOUND ON THE FOLLO | VING REGULATORY LISTS | | |
| US - Pennsylvania - Hazardous Substance List | | US Toxic Substances Control Act (TSCA) - Chemical Substa | ance Inventory |

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD CATEGORIES

| Immediate (acute) health hazard | Yes |
|---------------------------------|-----|
| Delayed (chronic) health hazard | No |
| Fire hazard | No |
| Pressure hazard | No |
| Reactivity hazard | No |

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

| Name | Reportable Quantity in Pounds (Ib) | Reportable Quantity in kg |
|-------------|------------------------------------|---------------------------|
| Copper | 5000 | 2270 |
| Silver | 1000 | 454 |
| Thallium | 1000 | 454 |
| Nitric acid | 1000 | 454 |

State Regulations

US. CALIFORNIA PROPOSITION 65

None Reported

| National Inventory | Status |
|----------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Australia - AICS | Y |
| Canada - DSL | Υ |
| Canada - NDSL | N (thallium; copper; water; silver; nitric acid) |
| China - IECSC | Y |
| Europe - EINEC / ELINCS / NLP | Y |
| Japan - ENCS | N (thallium; copper; silver; nitric acid) |
| Korea - KECI | Υ |
| New Zealand - NZIoC | Υ |
| Philippines - PICCS | Y |
| USA - TSCA | Y |
| Legend: | Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

| Name | CAS No |
|--------|--------------------------------------------------------------------------|
| copper | 7440-50-8, 133353-46-5, 133353-47-6, 195161-80-9, 65555-90-0, 72514-83-1 |

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chernwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

Chemwatch: 9-423780

Catalogue number: ICP-MCS-4

Version No: 1.1

ICP Multielement Calibration Standard 4

Issue Date: 07/15/2017 Print Date: 07/15/2017

IARC: International Agency for Research on Cancer ACGIH: American Conference of Governmental Industrial Hygienists STEL: Short Term Exposure Limit TEEL: Temporary Emergency Exposure Limit, IDLH: Immediately Dangerous to Life or Health Concentrations OSF: Odour Safety Factor NOAEL :No Observed Adverse Effect Level LOAEL: Lowest Observed Adverse Effect Level COAEL: Dimit of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

