



ICP-MS-ICS-3 Solution AB

High-Purity Standards

Catalogue number: ICP-MS-ICS-3 Solution AB

Version No: 1.2

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 3

Issue Date: 06/02/2017

Print Date: 06/02/2017

S.GHS.USA.EN

SECTION 1 IDENTIFICATION

Product Identifier

| | |
|-------------------------------|--|
| Product name | ICP-MS-ICS-3 Solution AB |
| Synonyms | ICP-MS-ICS-3 Solution AB |
| Proper shipping name | Corrosive liquid, acidic, inorganic, n.o.s. (contains nitric acid and hydrofluoric acid) |
| Other means of identification | ICP-MS-ICS-3 Solution AB |

Recommended use of the chemical and restrictions on use

| | |
|--------------------------|--|
| Relevant identified uses | INTEGRITY CHECK: Product contains BOTH an acid and a base as ingredients. |
|--------------------------|--|

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

| | |
|-------------------------|-------------------------------------|
| Registered company name | High-Purity Standards |
| Address | PO Box 41727 SC 29423 United States |
| Telephone | 843-767-7900 |
| Fax | 843-767-7906 |
| Website | highpuritystandards.com |
| Email | Not Available |

Emergency phone number

| | |
|-----------------------------------|----------------|
| Association / Organisation | INFOTRAC |
| Emergency telephone numbers | 1-800-535-5053 |
| Other emergency telephone numbers | 1-352-323-3500 |

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

| | |
|----------------|---|
| Classification | Acute Toxicity (Oral) Category 4, Acute Toxicity (Dermal) Category 4, Metal Corrosion Category 1, Skin Corrosion/Irritation Category 1A |
|----------------|---|

Label elements

| | |
|---------------------|--|
| Hazard pictogram(s) | |
|---------------------|--|

SIGNAL WORD **DANGER**

Hazard statement(s)

| | |
|------|--|
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H290 | May be corrosive to metals. |
| H314 | Causes severe skin burns and eye damage. |

Hazard(s) not otherwise specified

Continued...

Not Applicable

Precautionary statement(s) Prevention

| | |
|-------------|--|
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
|-------------|--|

Precautionary statement(s) Response

| | |
|-----------------------|--|
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |
|-----------------------|--|

Precautionary statement(s) Storage

| | |
|-------------|------------------|
| P405 | Store locked up. |
|-------------|------------------|

Precautionary statement(s) Disposal

| | |
|-------------|---|
| P501 | Dispose of contents/container in accordance with local regulations. |
|-------------|---|

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS**Substances**

See section below for composition of Mixtures

Mixtures

| CAS No | %[weight] | Name |
|------------|---------------|--------------------------------------|
| 7429-90-5 | 0.1 | <u>aluminium</u> |
| 7440-70-2 | 0.3 | <u>calcium</u> |
| 7439-89-6 | 0.25 | <u>iron</u> |
| 13446-18-9 | 0.1 (as Mg) | <u>magnesium nitrate</u> |
| 7439-98-7 | 0.002 | <u>molybdenum</u> |
| 7722-76-1 | 0.1 (as P) | <u>ammonium phosphate, monobasic</u> |
| 7440-09-7 | 0.1 | <u>potassium</u> |
| 7440-23-5 | 0.25 | <u>sodium</u> |
| 7664-93-9 | 0.1 (as S) | <u>sulfuric acid</u> |
| 7440-32-6 | 0.002 | <u>titanium</u> |
| 631-61-8 | 0.2 (as C) | <u>ammonium acetate</u> |
| 12125-02-9 | 1.8 (as Cl) | <u>ammonium chloride</u> |
| 7697-37-2 | 2 | <u>nitric acid</u> |
| 7664-39-3 | 0-0.49 | <u>hydrofluoric acid</u> |
| 7732-18-5 | balance | <u>water</u> |
| 7440-38-2 | 0.001 | <u>arsenic</u> |
| 7440-22-4 | 0.002 | <u>silver</u> |
| 7440-43-9 | 0.001 | <u>cadmium</u> |
| 7440-48-4 | 0.002 | <u>cobalt</u> |
| 7440-47-3 | 0.002 | <u>chromium</u> |
| 638-38-0 | 0.002 (as Mn) | <u>manganese(II) acetate</u> |
| 7440-02-0 | 0.002 | <u>nickel</u> |
| 7803-55-6 | 0.002 (as V) | <u>ammonium metavanadate</u> |
| 7440-66-6 | 0.001 | <u>zinc</u> |
| 7440-50-8 | 0.002 | <u>copper</u> |
| 7782-49-2 | 0.001 | <u>selenium</u> |

SECTION 4 FIRST-AID MEASURES**Description of first aid measures**

| | |
|---------------------|--|
| Eye Contact | <p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none"> ▶ Immediately hold eyelids apart and flush the eye continuously with running water. ▶ Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. ▶ Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. ▶ Transport to hospital or doctor without delay. ▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel. |
| Skin Contact | <p>For thermal burns:</p> <ul style="list-style-type: none"> ▶ Decontaminate area around burn. ▶ Consider the use of cold packs and topical antibiotics. <p>For first-degree burns (affecting top layer of skin)</p> <ul style="list-style-type: none"> ▶ Hold burned skin under cool (not cold) running water or immerse in cool water until pain subsides. ▶ Use compresses if running water is not available. ▶ Cover with sterile non-adhesive bandage or clean cloth. |

Continued...

| | |
|------------|--|
| | <ul style="list-style-type: none"> Do NOT apply butter or ointments; this may cause infection. Give over-the counter pain relievers if pain increases or swelling, redness, fever occur. <p>For second-degree burns (affecting top two layers of skin)</p> <ul style="list-style-type: none"> Cool the burn by immerse in cold running water for 10-15 minutes. Use compresses if running water is not available. Do NOT apply ice as this may lower body temperature and cause further damage. Do NOT break blisters or apply butter or ointments; this may cause infection. Protect burn by cover loosely with sterile, nonstick bandage and secure in place with gauze or tape. <p>To prevent shock: (unless the person has a head, neck, or leg injury, or it would cause discomfort):</p> <ul style="list-style-type: none"> Lay the person flat. Elevate feet about 12 inches. Elevate burn area above heart level, if possible. Cover the person with coat or blanket. Seek medical assistance. <p>For third-degree burns</p> <p>Seek immediate medical or emergency assistance.</p> <p>In the mean time:</p> <ul style="list-style-type: none"> Protect burn area cover loosely with sterile, nonstick bandage or, for large areas, a sheet or other material that will not leave lint in wound. Separate burned toes and fingers with dry, sterile dressings. Do not soak burn in water or apply ointments or butter; this may cause infection. To prevent shock see above. For an airway burn, do not place pillow under the person's head when the person is lying down. This can close the airway. Have a person with a facial burn sit up. Check pulse and breathing to monitor for shock until emergency help arrives. <p>If there is evidence of severe skin irritation or skin burns:</p> <ul style="list-style-type: none"> Avoid further contact. Immediately remove contaminated clothing, including footwear. Flush skin under running water for 15 minutes. Avoiding contamination of the hands, massage calcium gluconate gel into affected areas, pay particular attention to creases in skin. Contact the Poisons Information Centre. Continue gel application for at least 15 minutes after burning sensation ceases. If pain recurs, repeat application of calcium gluconate gel or apply every 20 minutes. If no gel is available, continue washing for at least 15 minutes, using soap if available. If patient is conscious, give six calcium gluconate or calcium carbonate tablets in water by mouth. Transport to hospital, or doctor, urgently. |
| Inhalation | <ul style="list-style-type: none"> If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. Inhalation of vapours or aerosols (mists, fumes) may cause lung oedema. Corrosive substances may cause lung damage (e.g. lung oedema, fluid in the lungs). As this reaction may be delayed up to 24 hours after exposure, affected individuals need complete rest (preferably in semi-recumbent posture) and must be kept under medical observation even if no symptoms are (yet) manifested. Before any such manifestation, the administration of a spray containing a dexamethasone derivative or beclomethasone derivative may be considered. <p>This must definitely be left to a doctor or person authorised by him/her.</p> <p>(ICSC13719)</p> <p>For massive exposures:</p> <ul style="list-style-type: none"> If dusts, vapours, aerosols, fumes or combustion products are inhaled, remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. If victim is conscious, give six calcium gluconate or calcium carbonate tablets in water by mouth. Transport to hospital, or doctor, urgently. |
| Ingestion | <ul style="list-style-type: none"> For advice, contact a Poisons Information Centre or a doctor at once. Urgent hospital treatment is likely to be needed. If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Transport to hospital or doctor without delay. |

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Following acute or short term repeated exposure to hydrofluoric acid:

- Subcutaneous injections of Calcium Gluconate may be necessary around the burnt area. Continued application of Calcium Gluconate Gel or subcutaneous Calcium Gluconate should then continue for 3-4 days at a frequency of 4-6 times per day. If a "burning" sensation recurs, apply more frequently.
- Systemic effects of extensive hydrofluoric acid burns include renal damage, hypocalcaemia and consequent cardiac arrhythmias. Monitor haematological, respiratory, renal, cardiac and electrolyte status at least daily. Tests should include FBE, blood gases, chest X-ray, creatinine and electrolytes, urine output, Ca ions, Mg ions and phosphate ions. Continuous ECG monitoring may be required.
- Where serum calcium is low, or clinical, or ECG signs of hypocalcaemia develop, infusions of calcium gluconate, or if less serious, oral Sandocal, should be given. Hydrocortisone 500 mg in a four to six hourly infusion may help.
- Antibiotics should not be given as a routine, but only when indicated.
- Eye contact pain may be excruciating and 2-3 drops of 0.05% pentocaine hydrochloride may be instilled, followed by further irrigation

BIOLOGICAL EXPOSURE INDEX - BEI

These represent the determinants observed in specimens collected from a healthy worker exposed at the Exposure Standard (ES or TLV):

Continued...

| Determinant | Index | Sampling Time | Comments |
|----------------------------|---------------------|------------------------|-----------|
| 1. Methaemoglobin in blood | 1.5% of haemoglobin | During or end of shift | B, NS, SQ |

B: Background levels occur in specimens collected from subjects **NOT** exposed.

NS: Non-specific determinant; Also seen after exposure to other materials

SQ: Semi-quantitative determinant - Interpretation may be ambiguous; should be used as a screening test or confirmatory test.

For acute or short term repeated exposures to fluorides:

- Fluoride absorption from gastro-intestinal tract may be retarded by calcium salts, milk or antacids.
- Fluoride particulates or fume may be absorbed through the respiratory tract with 20-30% deposited at alveolar level.
- Peak serum levels are reached 30 mins. post-exposure; 50% appears in the urine within 24 hours.
- For acute poisoning (endotracheal intubation if inadequate tidal volume), monitor breathing and evaluate/monitor blood pressure and pulse frequently since shock may supervene with little warning. Monitor ECG immediately; watch for arrhythmias and evidence of Q-T prolongation or T-wave changes. Maintain monitor. Treat shock vigorously with isotonic saline (in 5% glucose) to restore blood volume and enhance renal excretion.
- Where evidence of hypocalcaemic or normocalcaemic tetany exists, calcium gluconate (10 ml of a 10% solution) is injected to avoid tachycardia.

BIOLOGICAL EXPOSURE INDEX - BEI

These represent the determinants observed in specimens collected from a healthy worker exposed at the Exposure Standard (ES or TLV):

| Determinant | Index | Sampling Time | Comments |
|--------------------|--|--------------------------------|----------------|
| Fluorides in urine | 3 mg/gm creatinine 10mg/gm creatinine | Prior to shift End of shift | B, NS B, NS |

B: Background levels occur in specimens collected from subjects **NOT** exposed

NS: Non-specific determinant; also observed after exposure to other exposures.

Both dermal and oral toxicity of manganese salts is low because of limited solubility of manganese. No known permanent pulmonary sequelae develop after acute manganese exposure. Treatment is supportive.

[Ellenhorn and Barceloux: Medical Toxicology]

In clinical trials with miners exposed to manganese-containing dusts, L-dopa relieved extrapyramidal symptoms of both hypo kinetic and dystonic patients. For short periods of time symptoms could also be controlled with scopolamine and amphetamine. BAL and calcium EDTA prove ineffective.

[Gosselin et al: Clinical Toxicology of Commercial Products.]

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

| | |
|----------------------|-------------|
| Fire Incompatibility | None known. |
|----------------------|-------------|

Special protective equipment and precautions for fire-fighters

| Fire Fighting | |
|-----------------------|---|
| Fire/Explosion Hazard | <ul style="list-style-type: none"> Non combustible. Not considered to be a significant fire risk. Acids may react with metals to produce hydrogen, a highly flammable and explosive gas. Heating may cause expansion or decomposition leading to violent rupture of containers. May emit corrosive, poisonous fumes. May emit acrid smoke. <p>When aluminium oxide dust is dispersed in air, firefighters should wear protection against inhalation of dust particles, which can also contain hazardous substances from the fire absorbed on the alumina particles.</p> <p>May emit corrosive fumes.</p> |

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

| | |
|--------------|---|
| Minor Spills | <ul style="list-style-type: none"> Drains for storage or use areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material. Check regularly for spills and leaks. Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment. Contain and absorb spill with sand, earth, inert material or vermiculite. Wipe up. Place in a suitable, labelled container for waste disposal. |
|--------------|---|

Major Spills

- ▶ Clear area of personnel and move upwind.
- ▶ Alert Fire Brigade and tell them location and nature of hazard.
- ▶ Wear breathing apparatus plus protective gloves.
- ▶ Prevent, by any means available, spillage from entering drains or water course.
- ▶ Stop leak if safe to do so.
- ▶ Contain spill with sand, earth or vermiculite.
- ▶ Collect recoverable product into labelled containers for recycling.
- ▶ Neutralise/decontaminate residue (see Section 13 for specific agent).
- ▶ Collect solid residues and seal in labelled drums for disposal.
- ▶ Wash area and prevent runoff into drains.
- ▶ After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using.
- ▶ If contamination of drains or waterways occurs, advise emergency services.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling

- ▶ Avoid all personal contact, including inhalation.
- ▶ Wear protective clothing when risk of exposure occurs.
- ▶ Use in a well-ventilated area.
- ▶ **WARNING: To avoid violent reaction, ALWAYS add material to water and NEVER water to material.**
- ▶ Avoid smoking, naked lights or ignition sources.
- ▶ Avoid contact with incompatible materials.
- ▶ When handling, **DO NOT eat, drink or smoke.**
- ▶ Keep containers securely sealed when not in use.
- ▶ Avoid physical damage to containers.
- ▶ Always wash hands with soap and water after handling.
- ▶ Work clothes should be laundered separately. Launder contaminated clothing before re-use.
- ▶ Use good occupational work practice.
- ▶ Observe manufacturer's storage and handling recommendations contained within this SDS.
- ▶ Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions are maintained.

Other information

- ▶ Store in original containers.
- ▶ Keep containers securely sealed.
- ▶ Store in a cool, dry, well-ventilated area.
- ▶ Store away from incompatible materials and foodstuff containers.
- ▶ Protect containers against physical damage and check regularly for leaks.
- ▶ Observe manufacturer's storage and handling recommendations contained within this SDS.

Conditions for safe storage, including any incompatibilities

Suitable container

- ▶ **DO NOT use aluminium or galvanised containers**
 - ▶ Lined metal can, lined metal pail/ can.
 - ▶ Plastic pail.
 - ▶ Polyliner drum.
 - ▶ Packing as recommended by manufacturer.
 - ▶ Check all containers are clearly labelled and free from leaks.
- For low viscosity materials
- ▶ Drums and jerricans must be of the non-removable head type.
 - ▶ Where a can is to be used as an inner package, the can must have a screwed enclosure.
- For materials with a viscosity of at least 2680 cSt. (23 deg. C) and solids (between 15 C deg. and 40 deg C.):
- ▶ Removable head packaging;
 - ▶ Cans with friction closures and
 - ▶ low pressure tubes and cartridges
- may be used.
-
- Where combination packages are used, and the inner packages are of glass, porcelain or stoneware, there must be sufficient inert cushioning material in contact with inner and outer packages unless the outer packaging is a close fitting moulded plastic box and the substances are not incompatible with the plastic.
- ▶ Material is corrosive to most metals, glass and other siliceous materials.

Storage incompatibility

- For aluminas (aluminium oxide):
- Incompatible with hot chlorinated rubber.
- In the presence of chlorine trifluoride may react violently and ignite.
- May initiate explosive polymerisation of olefin oxides including ethylene oxide.
- Produces exothermic reaction above 200 C with halocarbons and an exothermic reaction at ambient temperatures with halocarbons in the presence of other metals.
- Produces exothermic reaction with oxygen difluoride.
- May form explosive mixture with oxygen difluoride.
- Forms explosive mixtures with sodium nitrate.
- Reacts vigorously with vinyl acetate.
- Aluminium oxide is an amphoteric substance, meaning it can react with both acids and bases, such as hydrofluoric acid and sodium hydroxide, acting as an acid with a base and a base with an acid, neutralising the other and producing a salt.
- ▶ Inorganic acids are generally soluble in water with the release of hydrogen ions. The resulting solutions have pH's of less than 7.0.
 - ▶ Inorganic acids neutralise chemical bases (for example: amines and inorganic hydroxides) to form salts - neutralisation can generate dangerously large amounts of heat in small spaces.
 - ▶ The dissolution of inorganic acids in water or the dilution of their concentrated solutions with additional water may generate significant heat.
 - ▶ The addition of water to inorganic acids often generates sufficient heat in the small region of mixing to cause some of the water to boil explosively. The resulting "bumping" can spatter the acid.
 - ▶ Inorganic acids react with active metals, including such structural metals as aluminum and iron, to release hydrogen, a flammable gas.
 - ▶ Inorganic acids can initiate the polymerisation of certain classes of organic compounds.
 - ▶ Inorganic acids react with cyanide compounds to release gaseous hydrogen cyanide.
 - ▶ Inorganic acids generate flammable and/or toxic gases in contact with dithiocarbamates, isocyanates, mercaptans, nitrides, nitriles, sulfides, and strong reducing agents. Additional gas-generating reactions occur with sulfites, nitrites, thiosulfates (to give H₂S and SO₃), dithionites (SO₂), and even carbonates.

- ▶ Acids often catalyse (increase the rate of) chemical reactions.
- ▶ WARNING: Avoid or control reaction with peroxides. All transition metal peroxides should be considered as potentially explosive. For example transition metal complexes of alkyl hydroperoxides may decompose explosively.
- ▶ The pi-complexes formed between chromium(0), vanadium(0) and other transition metals (haloarene-metal complexes) and mono-or poly-fluorobenzene show extreme sensitivity to heat and are explosive.
- ▶ Avoid reaction with borohydrides or cyanoborohydrides

Salts of inorganic fluoride:

- ▶ react with water forming acidic solutions.
- ▶ are violent reactive with boron, bromine pentafluoride, bromine trifluoride, calcium disilicide, calcium hydride, oxygen difluoride, platinum, potassium.
- ▶ in aqueous solutions are incompatible with sulfuric acid, alkalis, ammonia, aliphatic amines, alkanolamines, alkylene oxides, amides, epichlorohydrin, isocyanates, nitromethane, organic anhydrides, vinyl acetate.
- ▶ corrode metals in presence of moisture
- ▶ may be incompatible with glass and porcelain
- ▶ Reacts with mild steel, galvanised steel / zinc producing hydrogen gas which may form an explosive mixture with air.

Acetic acid:

- ▶ vapours forms explosive mixtures with air (above 39 C.)
- ▶ reacts violently with bases such as carbonates and hydroxides (giving off large quantities of heat), oxidisers, organic amines, acetaldehyde, potassium tert-butoxide
- ▶ reacts (sometimes violently), with strong acids, aliphatic amines, alkanolamines, alkylene oxides, epichlorohydrin, acetic anhydride, 2-aminoethanol, ammonia, ammonium nitrate, bromine pentafluoride, chlorosulfonic acid, chromic acid, chromium trioxide, ethylenediamine, ethyleneimine, hydrogen peroxide, isocyanates, oleum, perchloric acid, permanganates, phosphorus isocyanate, phosphorus trichloride, sodium peroxide, xylene
- ▶ attacks cast iron, stainless steel and other metals, forming flammable hydrogen gas
- ▶ attacks many forms of rubber, plastics and coatings

Hydrogen fluoride:

- ▶ reacts violently with strong oxidisers, acetic anhydride, alkalis, 2-aminoethanol, arsenic trioxide (with generation of heat), bismuthic acid, calcium oxide, chlorosulfonic acid, cyanogen fluoride, ethylenediamine, ethyleneimine, fluorine (fluorine gas reacts vigorously with a 50% hydrofluoric acid solution and may burst into flame), nitrogen trifluoride, N-phenylazopiperidine, oleum, oxygen difluoride, phosphorus pentoxide, potassium permanganate, potassium tetrafluorosilicate(2-), beta-propiolactone, propylene oxide, sodium, sodium tetrafluorosilicate, sulfuric acid, vinyl acetate
- ▶ reacts (possibly violently) with aliphatic amines, alcohols, alkanolamines, alkylene oxides, aromatic amines, amides, ammonia, ammonium hydroxide, epichlorohydrin, isocyanates, metal acetylides, metal silicides, methanesulfonic acid, nitrogen compounds, organic anhydrides, oxides, silicon compounds, vinylidene fluoride
- ▶ attacks glass and siliceous materials, concrete, ceramics, metals (flammable hydrogen gas may be produced), metal alloys, some plastics, rubber coatings, leather, and most other materials with the exception of lead, platinum, polyethylene, wax.
- ▶ Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

| Source | Ingredient | Material name | TWA | STEL | Peak | Notes |
|---|-------------------|---|----------------------------|------------------|-----------------|---|
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 | aluminium | Aluminum, metal | 15 mg/m3 | Not Available | Not Available | Total dust; (as Al) |
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 | aluminium | Aluminum, metal- Respirable fraction | 5 mg/m3 | Not Available | Not Available | (as Al) |
| US NIOSH Recommended Exposure Limits (RELs) | aluminium | Aluminium, Aluminum metal, Aluminum powder, Elemental aluminum | 10 (total), 5 (resp) mg/m3 | Not Available | Not Available | Not Available |
| US NIOSH Recommended Exposure Limits (RELs) | molybdenum | Molybdenum metal | 0.5 mg/m3 | Not Available | Not Available | See Appendix D |
| US ACGIH Threshold Limit Values (TLV) | molybdenum | Molybdenum, as Mo | Not Available | Not Available | Not Available | TLV® Basis: LRT irr |
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 | sulfuric acid | Sulfuric acid | 1 mg/m3 | Not Available | Not Available | TLV® Basis: Pulm func |
| US NIOSH Recommended Exposure Limits (RELs) | sulfuric acid | Battery acid, Hydrogen sulfate, Oil of vitriol, Sulfuric acid (aqueous) | 1 mg/m3 | Not Available | Not Available | Not Available |
| US ACGIH Threshold Limit Values (TLV) | sulfuric acid | Sulfuric acid | 0.2 mg/m3 | Not Available | Not Available | Not Available |
| US NIOSH Recommended Exposure Limits (RELs) | ammonium chloride | Ammonium chloride, Ammonium muriate fume, Sal ammoniac fume | 10 mg/m3 | 20 mg/m3 | Not Available | TLV® Basis: Eye & URT irr |
| US ACGIH Threshold Limit Values (TLV) | ammonium chloride | Ammonium chloride, fume | 10 mg/m3 | 20 mg/m3 | Not Available | Not Available |
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 | nitric acid | Nitric acid | 5 mg/m3 / 2 ppm | 10 mg/m3 / 4 ppm | Not Available | TLV® Basis: URT & eye irr; dental erosion |
| US NIOSH Recommended Exposure Limits (RELs) | nitric acid | Aqua fortis, Engravers acid, Hydrogen nitrate, Red fuming nitric acid (RFNA), White fuming nitric acid (WFNA) | 5 mg/m3 / 2 ppm | 4 ppm | Not Available | Not Available |
| US ACGIH Threshold Limit Values (TLV) | nitric acid | Nitric acid | 2 ppm | Not Available | Not Available | Not Available |
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 | hydrofluoric acid | Hydrogen fluoride | 2.5 mg/m3 / 3 ppm | Not Available | 5 mg/m3 / 6 ppm | See Table Z-2;(as F) |

ICP-MS-ICS-3 Solution AB

| | | | | | | |
|---|-------------------|--|---------------|---------------|---------------|---|
| US OSHA Permissible Exposure Levels (PELs) - Table Z2 | hydrofluoric acid | Hydrogen fluoride | 3 ppm | Not Available | 2 ppm | (Z37.28-1969) |
| US NIOSH Recommended Exposure Limits (RELs) | hydrofluoric acid | Anhydrous hydrogen fluoride; Aqueous hydrogen fluoride (i.e., Hydrofluoric acid); HF-A | 0.5 ppm | Not Available | Not Available | [15-minute] |
| US ACGIH Threshold Limit Values (TLV) | hydrofluoric acid | Hydrogen fluoride, as F | Not Available | Not Available | Not Available | TLV® Basis: URT, LRT, skin, & eye irr; fluorosis; BEI |
| US NIOSH Recommended Exposure Limits (RELs) | arsenic | Arsenic metal: Arsenia | Not Available | Not Available | 0.002 mg/m3 | Ca See Appendix A |
| US NIOSH Recommended Exposure Limits (RELs) | silver | Silver metal: Argentum | 0.01 mg/m3 | Not Available | Not Available | Not Available |
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 | cadmium | Cadmium | 0.005 mg/m3 | Not Available | Not Available | see 1910.1027;(as Cd) |
| US NIOSH Recommended Exposure Limits (RELs) | cadmium | Cadmium metal: Cadmium | 0.01 mg/m3 | Not Available | Not Available | Ca See Appendix A [*Note: The REL applies to all Cadmium compounds (as Cd).] |
| US ACGIH Threshold Limit Values (TLV) | cadmium | Cadmium | Not Available | Not Available | Not Available | TLV® Basis: Kidney dam; BEI |
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 | cobalt | Cobalt metal, dust, and fume | 0.1 mg/m3 | Not Available | Not Available | (as Co) |
| US NIOSH Recommended Exposure Limits (RELs) | cobalt | Cobalt metal dust, Cobalt metal fume | 0.05 mg/m3 | Not Available | Not Available | TLV® Basis: Pneumonitis |
| US ACGIH Threshold Limit Values (TLV) | cobalt | Hard metals containing Cobalt and Tungsten carbide, as Co | 0.005 mg/m3 | Not Available | Not Available | Not Available |
| US NIOSH Recommended Exposure Limits (RELs) | chromium | Chrome, Chromium | 0.5 mg/m3 | Not Available | Not Available | Not Available |
| US NIOSH Recommended Exposure Limits (RELs) | nickel | Nickel metal: Elemental nickel, Nickel catalyst | 0.015 mg/m3 | Not Available | Not Available | Ca See Appendix A [*Note: The REL does not apply to Nickel carbonyl.] |
| US ACGIH Threshold Limit Values (TLV) | nickel | Nickel and inorganic compounds including Nickel subsulfide, as Ni - Elemental | 1.5 mg/m3 | Not Available | Not Available | TLV® Basis: Dermatitis; pneumoconiosis |
| US NIOSH Recommended Exposure Limits (RELs) | copper | Copper metal dusts, Copper metal fumes | 1 mg/m3 | Not Available | Not Available | [*Note: The REL also applies to other copper compounds (as Cu) except Copper fume.] |
| US ACGIH Threshold Limit Values (TLV) | copper | Copper - Fume, as Cu | 0.2 mg/m3 | Not Available | Not Available | TLV® Basis: Irr; GI; metal fume fever; BEI |
| US ACGIH Threshold Limit Values (TLV) | copper | Copper - Dusts and mists, as Cu | 1 mg/m3 | Not Available | Not Available | TLV® Basis: Irr; GI; metal fume fever; BEI |
| US NIOSH Recommended Exposure Limits (RELs) | selenium | Elemental selenium, Selenium alloy | 0.2 mg/m3 | Not Available | Not Available | [*Note: The REL also applies to other selenium compounds (as Se) except Selenium hexafluoride.] |

EMERGENCY LIMITS

| Ingredient | Material name | TEEL-1 | TEEL-2 | TEEL-3 |
|-------------------------------|---|---------------|---------------|---------------|
| iron | Iron | 3.2 mg/m3 | 35 mg/m3 | 150 mg/m3 |
| magnesium nitrate | Magnesium(II) nitrate (1:2), hexahydrate | 16 mg/m3 | 180 mg/m3 | 1,100 mg/m3 |
| magnesium nitrate | Magnesium nitrate; (Magnesium(II) nitrate (1:2)) | 30 mg/m3 | 330 mg/m3 | 2,000 mg/m3 |
| molybdenum | Molybdenum | 30 mg/m3 | 330 mg/m3 | 2,000 mg/m3 |
| ammonium phosphate, monobasic | Ammonium dihydrogen phosphate; (Monoammonium phosphate) | 17 mg/m3 | 190 mg/m3 | 1,100 mg/m3 |
| potassium | Potassium | 2.3 mg/m3 | 25 mg/m3 | 150 mg/m3 |
| sodium | Sodium | 13 mg/m3 | 140 mg/m3 | 870 mg/m3 |
| sulfuric acid | Sulfuric acid | Not Available | Not Available | Not Available |
| titanium | Titanium | 30 mg/m3 | 330 mg/m3 | 2,000 mg/m3 |
| ammonium acetate | Ammonium acetate | 3.8 mg/m3 | 42 mg/m3 | 250 mg/m3 |
| ammonium chloride | Ammonium chloride | 20 mg/m3 | 110 mg/m3 | 330 mg/m3 |
| nitric acid | Nitric acid | Not Available | Not Available | Not Available |
| hydrofluoric acid | Hydrogen fluoride; (Hydrofluoric acid) | Not Available | Not Available | Not Available |
| silver | Silver | 0.3 mg/m3 | 170 mg/m3 | 990 mg/m3 |
| cadmium | Cadmium | Not Available | Not Available | Not Available |
| cobalt | Cobalt | 0.18 mg/m3 | 2 mg/m3 | 20 mg/m3 |
| chromium | Chromium | 1.5 mg/m3 | 17 mg/m3 | 99 mg/m3 |
| manganese(II) acetate | Acetic acid, manganese(II) salt (2:1) | 9.4 mg/m3 | 16 mg/m3 | 96 mg/m3 |
| nickel | Nickel | 4.5 mg/m3 | 50 mg/m3 | 99 mg/m3 |
| ammonium metavanadate | Ammonium vanadate; (Ammonium vanadium oxide; Ammonium metavanadate) | 0.01 mg/m3 | 0.11 mg/m3 | 80 mg/m3 |
| zinc | Zinc | 6 mg/m3 | 21 mg/m3 | 120 mg/m3 |

Continued...

ICP-MS-ICS-3 Solution AB

| | | | | |
|----------|----------|-----------|-----------|-----------|
| copper | Copper | 3 mg/m3 | 33 mg/m3 | 200 mg/m3 |
| selenium | Selenium | 0.6 mg/m3 | 6.6 mg/m3 | 40 mg/m3 |

| Ingredient | Original IDLH | Revised IDLH |
|-------------------------------|-----------------------------|--------------------------|
| aluminium | Not Available | Not Available |
| calcium | Not Available | Not Available |
| iron | Not Available | Not Available |
| magnesium nitrate | Not Available | Not Available |
| molybdenum | N.E. / N.E. | 5,000 mg/m3 |
| ammonium phosphate, monobasic | Not Available | Not Available |
| potassium | Not Available | Not Available |
| sodium | Not Available | Not Available |
| sulfuric acid | 80 mg/m3 | 15 mg/m3 |
| titanium | Not Available | Not Available |
| ammonium acetate | Not Available | Not Available |
| ammonium chloride | Not Available | Not Available |
| nitric acid | 100 ppm | 25 ppm |
| hydrofluoric acid | 30 ppm | 30 [Unch] ppm |
| water | Not Available | Not Available |
| arsenic | 100 mg/m3 | 5 mg/m3 |
| silver | N.E. / N.E. | 10 mg/m3 |
| cadmium | 50 mg/m3 / 9 mg/m3 | 9 mg/m3 / 9 [Unch] mg/m3 |
| cobalt | 20 mg/m3 | 20 [Unch] mg/m3 |
| chromium | N.E. / N.E. | 250 mg/m3 |
| manganese(II) acetate | N.E. / N.E. | 500 mg/m3 |
| nickel | N.E. / N.E. | 10 mg/m3 |
| ammonium metavanadate | Not Available | Not Available |
| zinc | Not Available | Not Available |
| copper | N.E. / N.E. | 100 mg/m3 |
| selenium | Unknown mg/m3 / Unknown ppm | 1 mg/m3 |

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use.

Employers may need to use multiple types of controls to prevent employee overexposure.

Local exhaust ventilation usually required. If risk of overexposure exists, wear approved respirator. Correct fit is essential to obtain adequate protection.

Supplied-air type respirator may be required in special circumstances. Correct fit is essential to ensure adequate protection.

An approved self contained breathing apparatus (SCBA) may be required in some situations.

Provide adequate ventilation in warehouse or closed storage area. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.


| | |
|---|------------------------------|
| Type of Contaminant: | Air Speed: |
| solvent, vapours, degreasing etc., evaporating from tank (in still air). | 0.25-0.5 m/s (50-100 f/min.) |
| aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation) | 0.5-1 m/s (100-200 f/min.) |
| direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion) | 1-2.5 m/s (200-500 f/min.) |
| grinding, abrasive blasting, tumbling, high speed wheel generated dusts (released at high initial velocity into zone of very high rapid air motion). | 2.5-10 m/s (500-2000 f/min.) |

Within each range the appropriate value depends on:

| | |
|--|----------------------------------|
| Lower end of the range | Upper end of the range |
| 1: Room air currents minimal or favourable to capture | 1: Disturbing room air currents |
| 2: Contaminants of low toxicity or of nuisance value only. | 2: Contaminants of high toxicity |
| 3: Intermittent, low production. | 3: High production, heavy use |
| 4: Large hood or large air mass in motion | 4: Small hood-local control only |

Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min) for extraction of

ICP-MS-ICS-3 Solution AB

| | |
|--------------------------------|---|
| | solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used. |
| Personal protection |  |
| Eye and face protection | <ul style="list-style-type: none"> ▶ Safety glasses with unperforated side shields may be used where continuous eye protection is desirable, as in laboratories; spectacles are not sufficient where complete eye protection is needed such as when handling bulk-quantities, where there is a danger of splashing, or if the material may be under pressure. ▶ Chemical goggles whenever there is a danger of the material coming in contact with the eyes; goggles must be properly fitted. ▶ Full face shield (20 cm, 8 in minimum) may be required for supplementary but never for primary protection of eyes; these afford face protection. ▶ Alternatively a gas mask may replace splash goggles and face shields. ▶ Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent] |
| Skin protection | See Hand protection below |
| Hands/feet protection | <ul style="list-style-type: none"> ▶ Elbow length PVC gloves ▶ When handling corrosive liquids, wear trousers or overalls outside of boots, to avoid spills entering boots. |
| Body protection | See Other protection below |
| Other protection | <ul style="list-style-type: none"> ▶ Overalls. ▶ PVC Apron. ▶ PVC protective suit may be required if exposure severe. ▶ Eyewash unit. ▶ Ensure there is ready access to a safety shower. |
| Thermal hazards | Not Available |

Respiratory protection

Type A Filter of sufficient capacity (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES**Information on basic physical and chemical properties**

| | | | |
|---|---------------|--|---------------|
| Appearance | Yellow | | |
| Physical state | Liquid | Relative density (Water = 1) | Not Available |
| Odour | Not Available | Partition coefficient n-octanol / water | Not Available |
| Odour threshold | Not Available | Auto-ignition temperature (°C) | Not Available |
| pH (as supplied) | Not Available | Decomposition temperature | Not Available |
| Melting point / freezing point (°C) | Not Available | Viscosity (cSt) | Not Available |
| Initial boiling point and boiling range (°C) | Not Available | Molecular weight (g/mol) | Not Available |
| Flash point (°C) | Not Available | Taste | Not Available |
| Evaporation rate | Not Available | Explosive properties | Not Available |
| Flammability | Not Available | Oxidising properties | Not Available |
| Upper Explosive Limit (%) | Not Available | Surface Tension (dyn/cm or mN/m) | Not Available |
| Lower Explosive Limit (%) | Not Available | Volatile Component (%vol) | Not Available |
| Vapour pressure (kPa) | Not Available | Gas group | Not Available |
| Solubility in water (g/L) | Miscible | pH as a solution (1%) | Not Available |
| Vapour density (Air = 1) | Not Available | VOC g/L | Not Available |

SECTION 10 STABILITY AND REACTIVITY

| | |
|---|---|
| Reactivity | See section 7 |
| Chemical stability | <ul style="list-style-type: none"> ▶ Contact with alkaline material liberates heat |
| Possibility of hazardous reactions | See section 7 |
| Conditions to avoid | See section 7 |
| Incompatible materials | See section 7 |
| Hazardous decomposition products | See section 5 |

ICP-MS-ICS-3 Solution AB

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

| | |
|--------------|--|
| Inhaled | <p>Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may be harmful. The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. Corrosive acids can cause irritation of the respiratory tract, with coughing, choking and mucous membrane damage. There may be dizziness, headache, nausea and weakness.</p> <p>Bronchial and alveolar exudate are apparent in animals exposed to molybdenum by inhalation. Molybdenum fume may produce bronchial irritation and moderate fatty changes in liver and kidney.</p> <p>Acute effects of fluoride inhalation include irritation of nose and throat, coughing and chest discomfort. A single acute over-exposure may even cause nose bleed.</p> <p>Acute inhalation of hydrogen fluoride (hydrofluoric acid) vapours causes severe irritation of the eye, nose and throat, delayed fever, bluing of the extremities and water in the lungs, and may cause death. The above irritation occurs even with fairly low concentrations of hydrogen fluoride. Hydrogen fluoride has a strong irritating odour, that can be detected at concentrations of about 0.04 parts per million. Higher levels cause corrosion of the throat, nose and lungs, leading to severe inflammation and water buildup in the lungs (which may occur with 1 hour of exposure). A vapour concentration of 10 parts per million is regarded as intolerable, but a vapour concentration of 30 parts per million is considered as immediately dangerous to life and health.</p> <p>It is estimated that the lowest lethal concentration for a 5-minute human exposure to hydrogen fluoride is in the range of 50 to 250 parts per million. Exposure by either skin contact or inhalation may lead to low levels of calcium and magnesium in the blood, which may result in heart rhythm disturbances. Animal testing suggests that repeated exposure produces liver and kidney damage.</p> |
| Ingestion | <p>Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion of less than 150 gram may be fatal or may produce serious damage to the health of the individual.</p> <p>Ingestion of acidic corrosives may produce burns around and in the mouth, the throat and oesophagus. Immediate pain and difficulties in swallowing and speaking may also be evident.</p> <p>Molybdenum, an essential trace element, can in large doses hamper growth and cause loss of appetite, listlessness and diarrhoea. Anaemia also occurs, and other symptoms include greying of hair, shrinking of the testicles, reduced fertility and milk production, shortness of breath, incoordination and irritation of the mucous membranes.</p> <p>Poisonings rarely occur after oral administration of manganese salts because they are poorly absorbed from the gut.</p> <p>Fluoride causes severe loss of calcium in the blood, with symptoms appearing several hours later including painful and rigid muscle contractions of the limbs. Cardiovascular collapse can occur and may cause death with increased heart rate and other heart rhythm irregularities.</p> |
| Skin Contact | <p>Skin contact with the material may be harmful; systemic effects may result following absorption.</p> <p>Though considered non-harmful, slight irritation may result from contact because of the abrasive nature of the aluminium oxide particles. Thus it may cause itching and skin reaction and inflammation.</p> <p>Skin contact with acidic corrosives may result in pain and burns; these may be deep with distinct edges and may heal slowly with the formation of scar tissue.</p> <p>Contact of the skin with liquid hydrofluoric acid (hydrogen fluoride) may cause severe burns, erythema, and swelling, vesiculation, and serious crusting. With more serious burns, ulceration, blue-gray discoloration, and necrosis may occur. Solutions of hydrofluoric acid, as dilute as 2%, may cause severe skin burns.</p> <p>Fluorides are easily absorbed through the skin and cause death of soft tissue and erode bone. Healing is delayed and death of tissue may continue to spread beneath skin.</p> <p>Open cuts, abraded or irritated skin should not be exposed to this material</p> <p>Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.</p> |
| Eye | <p>If applied to the eyes, this material causes severe eye damage.</p> <p>Direct eye contact with acid corrosives may produce pain, tears, sensitivity to light and burns. Mild burns of the epithelia generally recover rapidly and completely.</p> <p>Animal testing showed that a 20% solution of hydrofluoric acid (hydrogen fluoride) in water caused immediate damage in the form of total clouding of the lens and ischaemia of the conjunctiva. Swelling of the stroma of the cornea occurred within 1 hour, followed by tissue death (necrosis) of structures of the front of the eye.</p> |
| Chronic | <p>Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems.</p> <p>Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.</p> <p>Animal testing shows long term exposure to aluminium oxides may cause lung disease and cancer, depending on the size of the particle. The smaller the size, the greater the tendencies of causing harm.</p> <p>Manganese is an essential trace element. Chronic exposure to low levels of manganese can include a mask-like facial expression, spastic gait, tremors, slurred speech, disordered muscle tone, fatigue, anorexia, loss of strength and energy, apathy and poor concentration.</p> <p>High levels of molybdenum can cause joint problems in the hands and feet with pain and lameness. Molybdenum compounds can also cause liver changes with elevated levels of enzymes and cause over-activity of the thyroid gland.</p> <p>Repeated or prolonged exposure to acids may result in the erosion of teeth, swelling and/or ulceration of mouth lining. Irritation of airways to lung, with cough, and inflammation of lung tissue often occurs.</p> <p>Extended exposure to inorganic fluorides causes fluorosis, which includes signs of joint pain and stiffness, tooth discolouration, nausea and vomiting, loss of appetite, diarrhoea or constipation, weight loss, anaemia, weakness and general unwellness. There may also be frequent urination and thirst.</p> <p>Hydrogen fluoride easily penetrates the skin and causes destruction and corrosion of the bone and underlying tissue. Ingestion causes severe pains and burns in the mouth and throat and blood calcium levels are dangerously reduced.</p> |

| | | |
|--------------------------|--|---------------|
| ICP-MS-ICS-3 Solution AB | TOXICITY | IRRITATION |
| | Not Available | Not Available |
| aluminium | TOXICITY | IRRITATION |
| | Oral (rat) LD50: >2000 mg/kg ^[1] | Not Available |
| calcium | TOXICITY | IRRITATION |
| | Dermal (rabbit) LD50: >2500 mg/kg ^[1] | Not Available |
| | Oral (rat) LD50: >2000 mg/kg ^[1] | |
| iron | TOXICITY | IRRITATION |
| | Oral (rat) LD50: 98600 mg/kg ^[2] | Not Available |

ICP-MS-ICS-3 Solution AB

| | | |
|-------------------------------|--|----------------------------------|
| magnesium nitrate | TOXICITY | IRRITATION |
| | Oral (rat) LD50: 5440 mg/kg ^[2] | Eye (rabbit): 500 mg/24h - mild |
| | | Skin (rabbit): 500 mg/24h - mild |
| molybdenum | TOXICITY | IRRITATION |
| | dermal (rat) LD50: >2000 mg/kg ^[1] | Not Available |
| | Oral (rat) LD50: >2000 mg/kg ^[1] | |
| ammonium phosphate, monobasic | TOXICITY | IRRITATION |
| | dermal (rat) LD50: >5000 mg/kg ^[1] | Not Available |
| | Oral (rat) LD50: >2000 mg/kg ^[1] | |
| potassium | TOXICITY | IRRITATION |
| | Not Available | Not Available |
| sodium | TOXICITY | IRRITATION |
| | Not Available | Not Available |
| sulfuric acid | TOXICITY | IRRITATION |
| | Oral (rat) LD50: 2140 mg/kg ^[2] | Eye (rabbit): 1.38 mg SEVERE |
| | | Eye (rabbit): 5 mg/30sec SEVERE |
| titanium | TOXICITY | IRRITATION |
| | Oral (rat) LD50: >2000 mg/kg ^[1] | Not Available |
| ammonium acetate | TOXICITY | IRRITATION |
| | dermal (rat) LD50: >2000 mg/kg ^[1] | Not Available |
| | Oral (rat) LD50: >=2000 mg/kg ^[1] | |
| ammonium chloride | TOXICITY | IRRITATION |
| | dermal (rat) LD50: >2000 mg/kg ^[1] | Eye (rabbit): 100 mg SEVERE |
| | Oral (rat) LD50: 1650 mg/kg ^[2] | Eye (rabbit): 500 mg/24h SEVERE |
| nitric acid | TOXICITY | IRRITATION |
| | Inhalation (rat) LC50: 625 ppm/1h ^[2] | Not Available |
| hydrofluoric acid | TOXICITY | IRRITATION |
| | Inhalation (rat) LC50: 1276 ppm/4hr ^[2] | Eye (human): 50 mg - SEVERE |
| | Inhalation (rat) LC50: 319 ppm/1hr ^[2] | |
| water | TOXICITY | IRRITATION |
| | Not Available | Not Available |
| arsenic | TOXICITY | IRRITATION |
| | Oral (rat) LD50: 763 mg/kg ^[2] | Not Available |
| silver | TOXICITY | IRRITATION |
| | Oral (rat) LD50: >2000 mg/kg ^[1] | Not Available |
| cadmium | TOXICITY | IRRITATION |
| | | |

| | | |
|-----------------------|--|---------------|
| | Oral (rat) LD50: >63<259 mg/kg ^[1] | Not Available |
| cobalt | TOXICITY | IRRITATION |
| | dermal (rat) LD50: >2000 mg/kg ^[1] | Not Available |
| | Oral (rat) LD50: 6170 mg/kg ^[2] | |
| chromium | TOXICITY | IRRITATION |
| | Not Available | Not Available |
| manganese(II) acetate | TOXICITY | IRRITATION |
| | Oral (rat) LD50: 2940 mg/kg ^[2] | Not Available |
| nickel | TOXICITY | IRRITATION |
| | Oral (rat) LD50: 5000 mg/kg ^[2] | Not Available |
| ammonium metavanadate | TOXICITY | IRRITATION |
| | dermal (rat) LD50: 2102 mg/kg ^[2] | Not Available |
| | Oral (rat) LD50: 160 mg/kg ^[2] | |
| zinc | TOXICITY | IRRITATION |
| | Dermal (rabbit) LD50: 1130 mg/kg ^[2] | Not Available |
| | Oral (rat) LD50: >2000 mg/kg ^[1] | |
| copper | TOXICITY | IRRITATION |
| | dermal (rat) LD50: >2000 mg/kg ^[1] | Not Available |
| | Inhalation (rat) LC50: 0.733 mg/l/4hr ^[1] | |
| | Inhalation (rat) LC50: 1.03 mg/l/4hr ^[1] | |
| | Inhalation (rat) LC50: 1.67 mg/l/4hr ^[1] | |
| selenium | TOXICITY | IRRITATION |
| | Oral (rat) LD50: 6700 mg/kg ^[2] | Not Available |

Legend:

1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2. * Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

| | |
|-------------------|---|
| CALCIUM | The solid may react violently on contact with wet skin tissue, i.e. eyes, mouth, causing chemical and thermal burns. The acute effects include burns, ulceration, or tissue death, severe eye damage (corneal burns or opacification), and probable blindness. Inhalation of dust or fumes (especially from a fire involving calcium) will cause shortness of breath, nausea, headache, nose and respiratory tract irritation and in extreme, pneumonitis |
| MAGNESIUM NITRATE | The material may be irritating to the eye, with prolonged contact causing inflammation. Magnesium nitrate hexahydrate is a methaemoglobin-forming agent which if inhaled or ingested in high enough concentrations may cause fatigue, headache, dizziness. (Source: I.L.O. Encyclopaedia) |
| SULFURIC ACID | WARNING: For inhalation exposure <u>ONLY</u> : This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS Occupational exposures to strong inorganic acid mists of sulfuric acid: |
| AMMONIUM ACETATE | Altered sleep time, muscle contraction, coma, dyspnae, hypoglycemia recorded. |
| NITRIC ACID | For acid mists, aerosols, vapours Test results suggest that eukaryotic cells are susceptible to genetic damage when the pH falls to about 6.5. The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Oral (?) LD50: 50-500 mg/kg * [Various Manufacturers] |
| HYDROFLUORIC ACID | (liver and kidney damage) [Manufacturer] for hydrogen fluoride (as vapour) |
| ARSENIC | Arsenic compounds are classified by the European Union as toxic by inhalation and ingestion and toxic to aquatic life and long lasting in the environment. WARNING: This substance has been classified by the IARC as Group 1: CARCINOGENIC TO HUMANS . Tumorigenic - Carcinogenic by RTECS criteria. |

ICP-MS-ICS-3 Solution AB

| | |
|---|---|
| COBALT | Allergic reactions involving the respiratory tract are usually due to interactions between IgE antibodies and allergens and occur rapidly. Attention should be paid to atopic diathesis, characterised by increased susceptibility to nasal inflammation, asthma and eczema. Exogenous allergic alveolitis is induced essentially by allergen specific immune-complexes of the IgG type; cell-mediated reactions (T lymphocytes) may be involved. |
| CHROMIUM | On skin and inhalation exposure, chromium and its compounds (except hexavalent) can be a potent sensitiser, as particulates. Tenth Annual Report on Carcinogens: Substance known to be Carcinogenic [National Toxicology Program: U.S. Dep. Gastrointestinal tumours, lymphoma, musculoskeletal tumours and tumours at site of application recorded. |
| MANGANESE(II) ACETATE | Laboratory tests have shown mutagenic effects: Positive B. rec. |
| NICKEL | Tenth Annual Report on Carcinogens: Substance anticipated to be Carcinogen [National Toxicology Program: U.S. Dep. Oral (rat) TDLo: 500 mg/kg/5D-I Inhalation (rat) TCLo: 0.1 mg/m3/24H/17W-C |
| COPPER | for copper and its compounds (typically copper chloride): Acute toxicity: There are no reliable acute oral toxicity results available. WARNING: Inhalation of high concentrations of copper fume may cause "metal fume fever", an acute industrial disease of short duration. tiredness, influenza like respiratory tract irritation with fever. |
| ALUMINIUM & CALCIUM & MOLYBDENUM & AMMONIUM PHOSPHATE, MONOBASIC & POTASSIUM & SODIUM & TITANIUM & HYDROFLUORIC ACID & WATER & CHROMIUM | No significant acute toxicological data identified in literature search. |
| CALCIUM & AMMONIUM PHOSPHATE, MONOBASIC & POTASSIUM & SODIUM & SULFURIC ACID & AMMONIUM ACETATE & NITRIC ACID & HYDROFLUORIC ACID & AMMONIUM METAVANADATE | Asthma-like symptoms may continue for months or even years after exposure to the material ends. |
| MAGNESIUM NITRATE & ZINC | The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. |
| AMMONIUM CHLORIDE & NITRIC ACID & HYDROFLUORIC ACID | The material may produce severe irritation to the eye causing pronounced inflammation. |
| NITRIC ACID & HYDROFLUORIC ACID | The material may produce respiratory tract irritation, and result in damage to the lung including reduced lung function. |
| COBALT & NICKEL | The following information refers to contact allergens as a group and may not be specific to this product. |
| COBALT & NICKEL | WARNING: This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans. |
| CHROMIUM & SELENIUM | The substance is classified by IARC as Group 3: NOT classifiable as to its carcinogenicity to humans. |

| | | | |
|-----------------------------------|---|--------------------------|---|
| Acute Toxicity | ✓ | Carcinogenicity | ⊗ |
| Skin Irritation/Corrosion | ✓ | Reproductivity | ⊗ |
| Serious Eye Damage/Irritation | ⊗ | STOT - Single Exposure | ⊗ |
| Respiratory or Skin sensitisation | ⊗ | STOT - Repeated Exposure | ⊗ |
| Mutagenicity | ⊗ | Aspiration Hazard | ⊗ |

Legend: ✗ – Data available but does not fill the criteria for classification
 ✓ – Data available to make classification
 ⊗ – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

| ICP-MS-ICS-3 Solution AB | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
|--------------------------|----------------|--------------------|----------------|----------------|----------------|
| | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |

| aluminium | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
|-----------|----------|--------------------|-------------------------------|-----------------|--------|
| | LC50 | 96 | Fish | 0.078-0.108mg/L | 2 |
| | EC50 | 48 | Crustacea | 0.7364mg/L | 2 |
| | EC50 | 96 | Algae or other aquatic plants | 0.0054mg/L | 2 |
| | BCF | 360 | Algae or other aquatic plants | 9mg/L | 4 |
| | EC50 | 120 | Fish | 0.000051mg/L | 5 |
| | NOEC | 72 | Algae or other aquatic plants | >=0.004mg/L | 2 |

Continued...

| | | | | | |
|-------------------------------|----------|--------------------|-------------------------------|--------------|--------|
| calcium | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | EC50 | 24 | Crustacea | 6934mg/L | 5 |
| | NOEC | 48 | Crustacea | 33.3mg/L | 2 |
| iron | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 0.05mg/L | 2 |
| | EC50 | 96 | Algae or other aquatic plants | 3.7mg/L | 4 |
| | BCF | 24 | Crustacea | 0.000002mg/L | 4 |
| | EC50 | 504 | Crustacea | 4.49mg/L | 2 |
| | NOEC | 504 | Fish | 0.52mg/L | 2 |
| magnesium nitrate | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 1378mg/L | 2 |
| | EC50 | 72 | Algae or other aquatic plants | >100mg/L | 2 |
| | NOEC | 72 | Algae or other aquatic plants | 100mg/L | 2 |
| molybdenum | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 609.1mg/L | 2 |
| | EC50 | 72 | Algae or other aquatic plants | 289.2mg/L | 2 |
| | BCF | 336 | Algae or other aquatic plants | 64mg/L | 4 |
| | EC50 | 336 | Algae or other aquatic plants | 64mg/L | 4 |
| | NOEC | 672 | Crustacea | 0.67mg/L | 2 |
| ammonium phosphate, monobasic | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | >85.9mg/L | 2 |
| | EC50 | 72 | Algae or other aquatic plants | >97.1mg/L | 2 |
| | EC50 | 72 | Algae or other aquatic plants | >97.1mg/L | 2 |
| | NOEC | 72 | Algae or other aquatic plants | 3.57mg/L | 2 |
| potassium | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | EC50 | 24 | Crustacea | 400mg/L | 5 |
| sodium | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | EC50 | 48 | Crustacea | 1640mg/L | 4 |
| | EC50 | 504 | Crustacea | 1020mg/L | 4 |
| sulfuric acid | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | =8mg/L | 1 |
| | EC50 | 48 | Crustacea | =42.5mg/L | 1 |
| | EC50 | 240 | Algae or other aquatic plants | 2.5000mg/L | 4 |
| | NOEC | 7200 | Fish | 0.13mg/L | 2 |
| titanium | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | EC50 | 4.5 | Algae or other aquatic plants | >100mg/L | 2 |
| | NOEC | 48 | Crustacea | 1mg/L | 2 |
| ammonium acetate | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | EC50 | 48 | Crustacea | >919mg/L | 2 |
| | EC50 | 24 | Crustacea | >919mg/L | 2 |
| ammonium chloride | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 0.08mg/L | 4 |
| | EC50 | 48 | Crustacea | 0.261mg/L | 4 |
| | EC50 | 72 | Algae or other aquatic plants | 166.5mg/L | 4 |

ICP-MS-ICS-3 Solution AB

| | | | | | |
|-----------------------|----------------|--------------------|-------------------------------|-----------------|----------------|
| | EC0 | 168 | Crustacea | =0.025mg/L | 1 |
| | NOEC | 720 | Fish | 0.006mg/L | 4 |
| nitric acid | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | NOEC | 16 | Crustacea | 107mg/L | 4 |
| hydrofluoric acid | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 51mg/L | 2 |
| | EC50 | 48 | Crustacea | =270mg/L | 1 |
| | EC50 | 96 | Crustacea | 26-48mg/L | 2 |
| | NOEC | 504 | Fish | 4mg/L | 2 |
| water | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |
| arsenic | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 9.9mg/L | 4 |
| | EC50 | 336 | Algae or other aquatic plants | 0.63mg/L | 4 |
| | NOEC | 336 | Algae or other aquatic plants | <0.75mg/L | 4 |
| silver | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 0.00148mg/L | 2 |
| | EC50 | 48 | Crustacea | 0.00024mg/L | 4 |
| | EC50 | 96 | Algae or other aquatic plants | 0.001628837mg/L | 4 |
| | BCF | 336 | Crustacea | 0.02mg/L | 4 |
| | EC50 | 48 | Crustacea | 0.00024mg/L | 4 |
| | NOEC | 480 | Crustacea | 0.00031mg/L | 2 |
| cadmium | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 0.001mg/L | 4 |
| | EC50 | 48 | Crustacea | 0.0033mg/L | 5 |
| | EC50 | 72 | Algae or other aquatic plants | 0.018mg/L | 2 |
| | BCF | 960 | Fish | 500mg/L | 4 |
| | EC50 | 336 | Crustacea | 0.00065mg/L | 5 |
| | NOEC | 168 | Fish | 0.00001821mg/L | 4 |
| cobalt | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 1.406mg/L | 2 |
| | EC50 | 48 | Crustacea | >0.89mg/L | 2 |
| | EC50 | 72 | Algae or other aquatic plants | 0.144mg/L | 2 |
| | BCF | 1344 | Fish | 0.99mg/L | 4 |
| | EC50 | 70 | Algae or other aquatic plants | 0.02mg/L | 2 |
| | NOEC | 168 | Algae or other aquatic plants | 0.0018mg/L | 2 |
| chromium | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 13.9mg/L | 4 |
| | EC50 | 48 | Crustacea | 0.0225mg/L | 5 |
| | EC50 | 72 | Algae or other aquatic plants | 0.104mg/L | 4 |
| | BCF | 1440 | Algae or other aquatic plants | 0.0495mg/L | 4 |
| | EC50 | 48 | Crustacea | 0.0245mg/L | 5 |
| | NOEC | 672 | Fish | 0.00019mg/L | 4 |
| manganese(II) acetate | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | Not Applicable | Not Applicable | Not Applicable | Not Applicable | Not Applicable |

ICP-MS-ICS-3 Solution AB

| nickel | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
|-----------------------|----------|--------------------|-------------------------------|---------------|--------|
| | LC50 | 96 | Fish | 0.0000475mg/L | 4 |
| | EC50 | 48 | Crustacea | 0.013mg/L | 5 |
| | EC50 | 72 | Algae or other aquatic plants | 0.0407mg/L | 2 |
| | BCF | 1440 | Algae or other aquatic plants | 0.47mg/L | 4 |
| | EC50 | 720 | Crustacea | 0.0062mg/L | 2 |
| | NOEC | 72 | Algae or other aquatic plants | 0.0035mg/L | 2 |
| ammonium metavanadate | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 0.693mg/L | 2 |
| | EC50 | 48 | Crustacea | 2.387mg/L | 2 |
| | EC50 | 72 | Algae or other aquatic plants | 0.9894mg/L | 2 |
| | EC50 | 72 | Algae or other aquatic plants | 1.162mg/L | 2 |
| | NOEC | 72 | Algae or other aquatic plants | 0.0168mg/L | 2 |
| zinc | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 0.00272mg/L | 4 |
| | EC50 | 48 | Crustacea | 0.04mg/L | 5 |
| | EC50 | 72 | Algae or other aquatic plants | 0.106mg/L | 4 |
| | BCF | 360 | Algae or other aquatic plants | 9mg/L | 4 |
| | EC50 | 120 | Fish | 0.00033mg/L | 5 |
| | NOEC | 336 | Algae or other aquatic plants | 0.00075mg/L | 4 |
| copper | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | 0.0028mg/L | 2 |
| | EC50 | 48 | Crustacea | 0.001mg/L | 5 |
| | EC50 | 72 | Algae or other aquatic plants | 0.013335mg/L | 4 |
| | BCF | 960 | Fish | 200mg/L | 4 |
| | EC50 | 96 | Crustacea | 0.001mg/L | 5 |
| | NOEC | 96 | Crustacea | 0.0008mg/L | 4 |
| selenium | ENDPOINT | TEST DURATION (HR) | SPECIES | VALUE | SOURCE |
| | LC50 | 96 | Fish | >0.0262mg/L | 2 |
| | EC50 | 48 | Crustacea | >0.1603mg/L | 2 |
| | EC50 | 72 | Algae or other aquatic plants | >0.00173mg/L | 2 |
| | BCF | 504 | Crustacea | 0.711mg/L | 4 |
| | EC50 | 96 | Algae or other aquatic plants | 0.355mg/L | 2 |
| | NOEC | 72 | Algae or other aquatic plants | 0.000547mg/L | 2 |

Legend:

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

For Manganese and its Compounds:

Environmental Fate: Manganese is a naturally occurring element in the environment occurring as a result of weathering of geological material. It also occurs from its use in steel manufacture/ coal mining. The most commonly occurring of 11 possible oxidation states are +2, (e.g. manganese chloride or sulfate), +4, (e.g. manganese dioxide), and +7 (e.g. potassium permanganate), although the latter is unstable in the environment.

Atmospheric Fate: Elemental/inorganic manganese compounds may exist in air as suspended particulates from industrial emissions or soil erosion. Manganese-containing particles are mainly removed from the atmosphere by gravitational settling - large particles tend to fall out faster than small particles. The half-life of airborne particles is usually on the order of days, depending on the size of the particle and atmospheric conditions. Some removal by washout mechanisms such as rain may also occur, although it is of minor significance in comparison to dry deposition.

Terrestrial Fate: Manganese in soil can migrate as particulate matter to air or water and soluble manganese compounds can be leached from the soil. High soil pH reduces manganese availability while low soil pH will increase availability, even to the point of toxicity. Soils high in organic matter tie up manganese such that high organic matter soils can be manganese deficient. Fertilization with materials containing chlorine, nitrate, and/or sulfate, can also enhance manganese uptake, (termed the anion effect). Adsorption of soluble manganese to soil/sediments increases as positive ions increase, (cation), and organic matter increases. In some cases, adsorption of manganese to soils may not be a readily reversible process. At low concentrations, manganese may be fixed by clays and will not be released into solution readily. Bacteria and microflora can increase the mobility of manganese.

Aquatic Fate: Most manganese salts, with the exception of phosphates, carbonates, and oxides, are soluble in water. Solubility is controlled by the precipitation of insoluble forms, (species). In most oxygenated waters, the most common form is insoluble manganese oxide. Manganese chloride is the dominant form at pH 4-7, but may oxidize at pH>8 or 9.

Ecotoxicity: While lower organisms, (plankton, aquatic plants, and some fish), can significantly bioconcentrate manganese, higher organisms, (including humans), tend to maintain manganese balance. Manganese in water may be significantly concentrated at lower levels of the food chain.

Uptake of manganese by aquatic invertebrates and fish increases with temperature and decreases with pH. Fish and crustaceans appear to be the most sensitive to acute and chronic exposures. The substance has low toxicity to trout but, is moderately toxic to Coho salmon. The substance is toxic to Daphnia water fleas and moderately toxic to freshwater algae *Pseudomonas putida* and *Photobacterium phosphoreum* bacteria.

For Molybdenum:

Environmental Fate: Molybdenum is an essential micronutrient in plants and animals. It is commonly used in the manufacture of steel alloys. Based on the high concentration of molybdenum in all analyzed waste types, the exposure of the environment to molybdenum is regarded as significant. The limited amount of data regarding its toxicity makes it impossible to evaluate the potential for adverse environmental and health effects from molybdenum exposure. Molybdenum is generally found in two oxidation states in nature, Mo(IV) and Mo(VI). In oxidizing environments, Mo(VI) dominates and it is commonly present as molybdate. Natural molybdenum contains seven isotopes. Molybdenum oxidizes at elevated temperatures.

Atmospheric Fate: Molybdenum can be deposited via dry/wet deposition; however, atmospheric exposure has been identified as a minor source to terrestrial and aquatic habitats.

Terrestrial Fate: Molybdenum is a naturally occurring substance in soil. Soil molybdenum is a potentially toxic element, but no cases have been reported of molybdenum toxicity to animals from consumption of forage grown on sludge-amended soils. Microbes are expected to transform the substance.

Aquatic Fate: Molybdenum disulfide is sparingly soluble in water but oxidizes to more soluble molybdates, which are stable in water. At pH 3-5, molybdate frequently shifts to hydrogen molybdate. Low pH molybdenum is usually adsorbed to sediment composed of clay, or other minerals that are prone to weathering. Molybdenum in the water is expected to be taken up by aquatic organisms. Concentrations of the substance in sediments are by site-specific factors like flow rate, and other factors, (e.g. organic content, pH)

Ecotoxicology: Molybdenum cause adverse effects in ruminant animals. Livestock have been injured by forage grown on soils containing the element. The substance's toxicological properties in mammals are governed, to a large extent, by its interaction with copper and sulfur; residues of molybdenum alone are not sufficient to diagnose poisoning by the substance. Domestic ruminants, especially cattle, are especially sensitive to molybdenum poisoning, when copper and inorganic sulfate are deficient. The resistance of small laboratory animals, and wildlife, is at least 10X that of cattle. Mule deer are not adversely affected by the substance. The substance may have a negative impact on reproduction in domestic birds and there is inadequate data on its effects on waterfowl and most mammals.

For Vanadium Compounds:

Environmental Fate: Vanadium is travels through the environment via long-range transportation in the atmosphere, water, and land by natural and man-made sources, wet and dry deposition, adsorption and complexing. From natural sources, vanadium is probably in the form of less soluble trivalent mineral particles.

Atmospheric Fate: Vanadium generally enters the atmosphere as an aerosol. Natural and man-made sources of vanadium tend to release large particles that are more likely to settle near the source. Smaller particles, such as those emitted from oil-fueled power plants, have a longer residence time in the atmosphere and are more likely to be transported farther away from the site of release.

Terrestrial Fate: Soil - Transport and partitioning of vanadium in soil is influenced by pH and reduction potential. Ferric hydroxides and solid bitumens (organic) are the main carriers of vanadium in the sedimentation process. Iron acts as a carrier for trivalent vanadium and is responsible for its diffusion through molten rocks where it becomes trapped during crystallization. Vanadium is fairly mobile in neutral or alkaline soils, but its mobility decreases in acidic soils. Under oxidizing, unsaturated conditions, some mobility is observed, but under reducing, saturated conditions, vanadium is immobile. Plants - Vanadium levels in terrestrial plants are dependent upon the amount of water-soluble vanadium available in the soil as well as pH and growing conditions. The uptake of vanadium into the above-ground parts of many plants is low, although root concentrations have shown some correlation with levels in the soil. Certain legumes have been shown to be vanadium accumulators and the root nodules of these plants may contain vanadium levels three times greater than those of the surrounding soil. Fly agaric (*Amanita muscaria*) mushrooms are known to actively accumulate vanadium.

Aquatic Fate: Vanadium is eventually adsorbed to hydroxides or associated with organic compounds and is deposited on the sea bed. Vanadium is transported in water by solution (13%) or suspension (87%). Upon entering the ocean, vanadium is deposited to the sea bed. Only about 0.001% of vanadium entering the oceans is estimated to persist in soluble form. Sorption and biochemical processes are thought to contribute to the extraction of vanadium from sea water. Adsorption to organic matter as well as to manganese oxide and ferric hydroxide results in the precipitation of dissolved vanadium. Biochemical processes are also of importance in the partitioning from sea water to sediment.

Ecotoxicity: Some marine organisms, in particular the sea squirts, bioconcentrate vanadium very efficiently, attaining body concentrations approximately 10,000 times greater than the ambient sea water. Upon the death of the organism, the body burden adds to the accumulation of vanadium in silt. In general, marine plants and invertebrates contain higher levels of vanadium than terrestrial plants and animals. In the terrestrial environment, bioconcentration is more commonly observed amongst the lower plant phyla than in the higher, seed-producing phyla. Vanadium appears to be present in all terrestrial animals; however tissue concentrations in vertebrates are often so low that detection is difficult. The highest levels of vanadium in terrestrial mammals are generally found in the liver and skeletal tissues. No data are available regarding biomagnification of vanadium within the food chain, but human studies suggest that it is unlikely. Bioaccumulation appears to be unlikely.

Ecotoxicity:

The tolerance of water organisms towards pH margin and variation is diverse. Recommended pH values for test species listed in OECD guidelines are between 6.0 and almost 9. Acute testing with fish showed 96h-LC50 at about pH 3.5

For Fluorides: Small amounts of fluoride have beneficial effects however; excessive intake over long periods may cause dental and/or skeletal fluorosis. Fluorides are absorbed by humans following inhalation of workplace and ambient air that has been contaminated, ingestion of drinking water and foods and dermal contact. Populations living in areas with high fluoride levels in groundwater may be exposed to higher levels of fluorides in their drinking water or in beverages prepared with the water. Among these populations, outdoor labourers, people living in hot climates, and people with excessive thirst will generally have the greatest daily intake of fluorides because they consume greater amounts of water.

Atmospheric Fate: Both hydrogen fluoride and particulate fluorides will be transported in the atmosphere and deposited on land or water by wet and dry deposition. Non-volatile inorganic fluoride particulates are removed from the atmosphere via condensation or nucleation processes. Fluorides adsorbed on particulate matter in the atmosphere are generally stable and are not readily hydrolyzed, although they may be degraded by radiation if they persist in the atmosphere. Fluorine and the silicon fluorides (fluosilicates, silicofluorides) are hydrolyzed in the atmosphere to form hydrogen fluoride. Hydrogen fluoride may combine with water vapour to produce an aerosol or fog of aqueous hydrofluoric acid. Inorganic fluoride compounds, with the exception of sulfur hexafluoride, are not expected to remain in the troposphere for long periods or to migrate to the stratosphere. Estimates of the residence time of sulfur hexafluoride in the atmosphere range from 500 to several thousand years. Fluoride in aerosols can be transported over large distances by wind or as a result of atmospheric turbulence. Fluorosilicic acid and hydrofluoric acid in high aquatic concentrations such as may be found in industrial waste ponds may volatilize, releasing silicon tetrafluoride and hydrogen fluoride into the atmosphere. Soluble inorganic fluorides may also form aerosols at the air/water interface or vaporize into the atmosphere whereas undissolved species generally undergo sedimentation.

Terrestrial Fate: Soils - Atmospheric fluorides may be transported to soils and surface waters through both wet and dry deposition processes where they may form complexes and bind strongly to soil and sediment. Solubilisation of inorganic fluorides from minerals may also be enhanced by the presence of bentonite clays and humic acid. Factors that influence the mobility of inorganic fluorides in soil are pH and the formation of aluminium and calcium complexes. In more acidic soils, concentrations of inorganic fluoride were considerably higher in the deeper horizons. The low affinity of fluorides for organic material results in leaching from the more acidic surface horizon and increased retention by clay minerals and silts in the more alkaline, deeper horizons. The maximum adsorption of fluoride to soil was reported to occur at pH 5.5. In acidic soils with pH below 6, most of the fluoride is in complexes with either aluminium or iron. Fluoride in alkaline soils at pH 6.5 and above is almost completely fixed in soils as calcium fluoride, if sufficient calcium carbonate is available. Fluoride is extremely immobile in soil.

Aquatic Fate: Fresh Water: - In water, the transport and transformation of inorganic fluorides are influenced by pH, water hardness and the presence of ion-exchange materials such as clays. In natural water, fluoride forms strong complexes with aluminium in water, and fluorine chemistry in water is largely regulated by aluminium concentration and pH. Below pH 5, fluoride is almost entirely complexed with aluminium and consequently, the concentration of free F⁻ is low. Once dissolved, inorganic fluorides remain in solution under conditions of low pH and hardness and in the presence of ion-exchange material. Sea Water - Fluoride forms stable complexes with calcium and magnesium, which are present in sea water. Calcium carbonate precipitation dominates the removal of dissolved fluoride from sea water. The residence time for fluoride in ocean sediment is calculated to be 2-3 million years.

Ecotoxicity: Fluorides have been shown to accumulate in animals that consume fluoride-containing foliage. However, accumulation is primarily in skeletal tissue and therefore, it is unlikely that fluoride will biomagnify up the food chain.

Prevent, by any means available, spillage from entering drains or water courses.

DO NOT discharge into sewer or waterways.

Persistence and degradability

| Ingredient | Persistence: Water/Soil | Persistence: Air |
|-------------------------------|-------------------------|------------------|
| ammonium phosphate, monobasic | HIGH | HIGH |
| water | LOW | LOW |
| ammonium metavanadate | HIGH | HIGH |

Bioaccumulative potential

| Ingredient | Bioaccumulation |
|-------------------------------|------------------------|
| ammonium phosphate, monobasic | LOW (LogKOW = -0.7699) |
| water | LOW (LogKOW = -1.38) |

ICP-MS-ICS-3 Solution AB

| | |
|-----------------------|----------------------|
| ammonium metavanadate | LOW (LogKOW = 2.229) |
|-----------------------|----------------------|

Mobility in soil

| Ingredient | Mobility |
|-------------------------------|-------------------|
| ammonium phosphate, monobasic | HIGH (KOC = 1) |
| water | LOW (KOC = 14.3) |
| ammonium metavanadate | LOW (KOC = 35.04) |


SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

| | |
|------------------------------|--|
| Product / Packaging disposal | <ul style="list-style-type: none"> Containers may still present a chemical hazard/ danger when empty. Return to supplier for reuse/ recycling if possible. <p>Otherwise:</p> <ul style="list-style-type: none"> If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill. Where possible retain label warnings and SDS and observe all notices pertaining to the product. Recycle wherever possible. Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified. Treat and neutralise at an approved treatment plant. Treatment should involve: Neutralisation with soda-ash or soda-lime followed by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material). Decontaminate empty containers with 5% aqueous sodium hydroxide or soda ash, followed by water. Observe all label safeguards until containers are cleaned and destroyed. |
|------------------------------|--|

SECTION 14 TRANSPORT INFORMATION

Labels Required

| | |
|------------------|---|
| |  |
| Marine Pollutant | NO |

Land transport (DOT)

| | | | | | |
|------------------------------|--|--------------|---|--------------------|------------------------------|
| UN number | 3264 | | | | |
| UN proper shipping name | Corrosive liquid, acidic, inorganic, n.o.s. (contains nitric acid and hydrofluoric acid) | | | | |
| Transport hazard class(es) | <table border="1"> <tr> <td>Class</td><td>8</td></tr> <tr> <td>Subrisk</td><td>Not Applicable</td></tr> </table> | Class | 8 | Subrisk | Not Applicable |
| Class | 8 | | | | |
| Subrisk | Not Applicable | | | | |
| Packing group | II | | | | |
| Environmental hazard | Not Applicable | | | | |
| Special precautions for user | <table border="1"> <tr> <td>Hazard Label</td><td>8</td></tr> <tr> <td>Special provisions</td><td>386, B2, IB2, T11, TP2, TP27</td></tr> </table> | Hazard Label | 8 | Special provisions | 386, B2, IB2, T11, TP2, TP27 |
| Hazard Label | 8 | | | | |
| Special provisions | 386, B2, IB2, T11, TP2, TP27 | | | | |

Air transport (ICAO-IATA / DGR)

| | | | | | | | | | | | |
|--|---|--------------------|--------|---------------------------------|----------------|-------------------------------|------|--|-----|--|-----|
| UN number | 3264 | | | | | | | | | | |
| UN proper shipping name | Corrosive liquid, acidic, inorganic, n.o.s. * (contains nitric acid and hydrofluoric acid) | | | | | | | | | | |
| Transport hazard class(es) | <table border="1"> <tr> <td>ICAO/IATA Class</td><td>8</td></tr> <tr> <td>ICAO / IATA Subrisk</td><td>Not Applicable</td></tr> <tr> <td>ERG Code</td><td>8L</td></tr> </table> | ICAO/IATA Class | 8 | ICAO / IATA Subrisk | Not Applicable | ERG Code | 8L | | | | |
| ICAO/IATA Class | 8 | | | | | | | | | | |
| ICAO / IATA Subrisk | Not Applicable | | | | | | | | | | |
| ERG Code | 8L | | | | | | | | | | |
| Packing group | II | | | | | | | | | | |
| Environmental hazard | Not Applicable | | | | | | | | | | |
| Special precautions for user | <table border="1"> <tr> <td>Special provisions</td><td>A3A803</td></tr> <tr> <td>Cargo Only Packing Instructions</td><td>855</td></tr> <tr> <td>Cargo Only Maximum Qty / Pack</td><td>30 L</td></tr> <tr> <td>Passenger and Cargo Packing Instructions</td><td>851</td></tr> <tr> <td>Passenger and Cargo Maximum Qty / Pack</td><td>1 L</td></tr> </table> | Special provisions | A3A803 | Cargo Only Packing Instructions | 855 | Cargo Only Maximum Qty / Pack | 30 L | Passenger and Cargo Packing Instructions | 851 | Passenger and Cargo Maximum Qty / Pack | 1 L |
| Special provisions | A3A803 | | | | | | | | | | |
| Cargo Only Packing Instructions | 855 | | | | | | | | | | |
| Cargo Only Maximum Qty / Pack | 30 L | | | | | | | | | | |
| Passenger and Cargo Packing Instructions | 851 | | | | | | | | | | |
| Passenger and Cargo Maximum Qty / Pack | 1 L | | | | | | | | | | |

ICP-MS-ICS-3 Solution AB

| | |
|---|-------|
| Passenger and Cargo Limited Quantity Packing Instructions | Y840 |
| Passenger and Cargo Limited Maximum Qty / Pack | 0.5 L |

Sea transport (IMDG-Code / GGVSee)

| | | | |
|------------------------------|--|----------------|--|
| UN number | 3264 | | |
| UN proper shipping name | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains nitric acid and hydrofluoric acid) | | |
| Transport hazard class(es) | IMDG Class | 8 | |
| | IMDG Subrisk | Not Applicable | |
| Packing group | II | | |
| Environmental hazard | Not Applicable | | |
| Special precautions for user | EMS Number | F-A, S-B | |
| | Special provisions | 274 | |
| | Limited Quantities | 1 L | |

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

ALUMINIUM(7429-90-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

CALCIUM(7440-70-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Massachusetts - Right To Know Listed Chemicals

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

IRON(7439-89-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Michigan Exposure Limits for Air Contaminants

US - Oregon Permissible Exposure Limits (Z-1)

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

MAGNESIUM NITRATE(13446-18-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Massachusetts - Right To Know Listed Chemicals

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US EPCRA Section 313 Chemical List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

MOLYBDENUM(7439-98-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Minnesota Permissible Exposure Limits (PELs)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

AMMONIUM PHOSPHATE, MONOBASIC(7722-76-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

POTASSIUM(7440-09-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

ICP-MS-ICS-3 Solution AB

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft
US - Massachusetts - Right To Know Listed Chemicals
US - Pennsylvania - Hazardous Substance List

SODIUM(7440-23-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft
US - Massachusetts - Right To Know Listed Chemicals
US - Pennsylvania - Hazardous Substance List

SULFURIC ACID(7664-93-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs
International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft
US - Alaska Limits for Air Contaminants
US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)
US - California Permissible Exposure Limits for Chemical Contaminants
US - Hawaii Air Contaminant Limits
US - Idaho - Limits for Air Contaminants
US - Massachusetts - Right To Know Listed Chemicals
US - Michigan Exposure Limits for Air Contaminants
US - Minnesota Permissible Exposure Limits (PELs)
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens
US - Oregon Permissible Exposure Limits (Z-1)
US - Rhode Island Hazardous Substance List
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

TITANIUM(7440-32-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs
International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)
US - California Permissible Exposure Limits for Chemical Contaminants
US - Hawaii Air Contaminant Limits
US - Michigan Exposure Limits for Air Contaminants

AMMONIUM ACETATE(631-61-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Massachusetts - Right To Know Listed Chemicals
US - Pennsylvania - Hazardous Substance List
US CWA (Clean Water Act) - List of Hazardous Substances

AMMONIUM CHLORIDE(12125-02-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants
US - California Permissible Exposure Limits for Chemical Contaminants
US - Hawaii Air Contaminant Limits
US - Massachusetts - Right To Know Listed Chemicals
US - Michigan Exposure Limits for Air Contaminants
US - Minnesota Permissible Exposure Limits (PELs)
US - Oregon Permissible Exposure Limits (Z-1)
US - Pennsylvania - Hazardous Substance List
US - Rhode Island Hazardous Substance List

NITRIC ACID(7697-37-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft
US - Alaska Limits for Air Contaminants
US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)
US - California Permissible Exposure Limits for Chemical Contaminants
US - Hawaii Air Contaminant Limits
US - Idaho - Limits for Air Contaminants
US - Massachusetts - Right To Know Listed Chemicals
US - Michigan Exposure Limits for Air Contaminants
US - Minnesota Permissible Exposure Limits (PELs)
US - Oregon Permissible Exposure Limits (Z-1)
US - Pennsylvania - Hazardous Substance List
US - Rhode Island Hazardous Substance List
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

HYDROFLUORIC ACID(7664-39-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Rhode Island Hazardous Substance List
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Rhode Island Hazardous Substance List
US CWA (Clean Water Act) - List of Hazardous Substances
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
US - Washington Permissible exposure limits of air contaminants
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US ACGIH Threshold Limit Values (TLV)
US ACGIH Threshold Limit Values (TLV) - Carcinogens
US CWA (Clean Water Act) - List of Hazardous Substances
US Drug Enforcement Administration (DEA) List I and II Regulated Chemicals
US EPCRA Section 313 Chemical List
US National Toxicology Program (NTP) 14th Report Part A Known to be Human Carcinogens
US NIOSH Recommended Exposure Limits (RELs)
US OSHA Permissible Exposure Levels (PELs) - Table Z1
US SARA Section 302 Extremely Hazardous Substances
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Oregon Permissible Exposure Limits (Z-1)
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants
US - Washington Permissible exposure limits of air contaminants
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US EPA Carcinogens Listing
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
US - Washington Permissible exposure limits of air contaminants
US ACGIH Threshold Limit Values (TLV)
US CWA (Clean Water Act) - List of Hazardous Substances
US NIOSH Recommended Exposure Limits (RELs)
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
US - Washington Permissible exposure limits of air contaminants
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US ACGIH Threshold Limit Values (TLV)
US CWA (Clean Water Act) - List of Hazardous Substances
US EPCRA Section 313 Chemical List
US NIOSH Recommended Exposure Limits (RELs)
US OSHA Permissible Exposure Levels (PELs) - Table Z1
US SARA Section 302 Extremely Hazardous Substances
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

ICP-MS-ICS-3 Solution AB

| |
|---|
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs |
| US - Alaska Limits for Air Contaminants |
| US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) |
| US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs) |
| US - California Permissible Exposure Limits for Chemical Contaminants |
| US - Hawaii Air Contaminant Limits |
| US - Idaho - Acceptable Maximum Peak Concentrations |
| US - Idaho - Limits for Air Contaminants |
| US - Massachusetts - Right To Know Listed Chemicals |
| US - Michigan Exposure Limits for Air Contaminants |
| US - Minnesota Permissible Exposure Limits (PELs) |
| US - Oregon Permissible Exposure Limits (Z-1) |
| US - Oregon Permissible Exposure Limits (Z-2) |
| US - Pennsylvania - Hazardous Substance List |
| US - Rhode Island Hazardous Substance List |
| US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants |
| US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants |

| |
|--|
| US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants |
| US - Washington Permissible exposure limits of air contaminants |
| US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values |
| US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants |
| US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift |
| US ACGIH Threshold Limit Values (TLV) |
| US ACGIH Threshold Limit Values (TLV) - Carcinogens |
| US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs) |
| US Clean Air Act - Hazardous Air Pollutants |
| US CWA (Clean Water Act) - List of Hazardous Substances |
| US EPCRA Section 313 Chemical List |
| US NIOSH Recommended Exposure Limits (RELs) |
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 |
| US OSHA Permissible Exposure Levels (PELs) - Table Z2 |
| US SARA Section 302 Extremely Hazardous Substances |
| US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |

WATER(7732-18-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS

| |
|--|
| US - Pennsylvania - Hazardous Substance List |
|--|

| |
|---|
| US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |
|---|

ARSENIC(7440-38-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

| |
|---|
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs |
| US - Alaska Limits for Air Contaminants |
| US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) |
| US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs) |
| US - California Permissible Exposure Limits for Chemical Contaminants |
| US - Hawaii Air Contaminant Limits |
| US - Idaho - Limits for Air Contaminants |
| US - Massachusetts - Right To Know Listed Chemicals |
| US - Minnesota Permissible Exposure Limits (PELs) |
| US - New Jersey Right to Know - Special Health Hazard Substance List (SHSL): Carcinogens |
| US - Pennsylvania - Hazardous Substance List |
| US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants |
| US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants |
| US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants |

| |
|--|
| US - Washington Permissible exposure limits of air contaminants |
| US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values |
| US ACGIH Threshold Limit Values (TLV) |
| US ACGIH Threshold Limit Values (TLV) - Carcinogens |
| US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs) |
| US Clean Air Act - Hazardous Air Pollutants |
| US CWA (Clean Water Act) - Priority Pollutants |
| US CWA (Clean Water Act) - Toxic Pollutants |
| US EPCRA Section 313 Chemical List |
| US National Toxicology Program (NTP) 14th Report Part A Known to be Human Carcinogens |
| US NIOSH Recommended Exposure Limits (RELs) |
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 |
| US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |

SILVER(7440-22-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

| |
|---|
| US - Alaska Limits for Air Contaminants |
| US - California Permissible Exposure Limits for Chemical Contaminants |
| US - Hawaii Air Contaminant Limits |
| US - Idaho - Limits for Air Contaminants |
| US - Massachusetts - Right To Know Listed Chemicals |
| US - Michigan Exposure Limits for Air Contaminants |
| US - Minnesota Permissible Exposure Limits (PELs) |
| US - Oregon Permissible Exposure Limits (Z-1) |
| US - Pennsylvania - Hazardous Substance List |
| US - Rhode Island Hazardous Substance List |
| US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants |
| US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants |

| |
|---|
| US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants |
| US - Washington Permissible exposure limits of air contaminants |
| US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants |
| US ACGIH Threshold Limit Values (TLV) |
| US CWA (Clean Water Act) - Priority Pollutants |
| US CWA (Clean Water Act) - Toxic Pollutants |
| US EPA Carcinogens Listing |
| US EPCRA Section 313 Chemical List |
| US NIOSH Recommended Exposure Limits (RELs) |
| US OSHA Permissible Exposure Levels (PELs) - Table Z1 |
| US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |

CADMIUM(7440-43-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS

ICP-MS-ICS-3 Solution AB

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - California Proposition 65 - Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens

US - California Proposition 65 - Reproductive Toxicity

US - Hawaii Air Contaminant Limits

US - Idaho - Acceptable Maximum Peak Concentrations

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Oregon Permissible Exposure Limits (Z-1)

US - Oregon Permissible Exposure Limits (Z-2)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

COBALT(7440-48-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

CHROMIUM(7440-47-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

MANGANESE(II) ACETATE(638-38-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

NICKEL(7440-02-0) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part A Known to be Human Carcinogens

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Carcinogens Listing

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US OSHA Permissible Exposure Levels (PELs) - Table Z2

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part B.

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Priority List for the Development of Proposition 65 Safe Harbor Levels - No Significant Risk Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US Clean Air Act - Hazardous Air Pollutants

US EPCRA Section 313 Chemical List

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

ICP-MS-ICS-3 Solution AB

| | |
|---|--|
| US - Alaska Limits for Air Contaminants | US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants |
| US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) | US - Washington Permissible exposure limits of air contaminants |
| US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs) | US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants |
| US - California Permissible Exposure Limits for Chemical Contaminants | US ACGIH Threshold Limit Values (TLV) |
| US - California Proposition 65 - Carcinogens | US ACGIH Threshold Limit Values (TLV) - Carcinogens |
| US - Hawaii Air Contaminant Limits | US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs) |
| US - Idaho - Limits for Air Contaminants | US Clean Air Act - Hazardous Air Pollutants |
| US - Massachusetts - Right To Know Listed Chemicals | US CWA (Clean Water Act) - Priority Pollutants |
| US - Michigan Exposure Limits for Air Contaminants | US CWA (Clean Water Act) - Toxic Pollutants |
| US - Minnesota Permissible Exposure Limits (PELs) | US EPCRA Section 313 Chemical List |
| US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens | US National Toxicology Program (NTP) 14th Report Part B. |
| US - Oregon Permissible Exposure Limits (Z-1) | US NIOSH Recommended Exposure Limits (RELs) |
| US - Pennsylvania - Hazardous Substance List | US OSHA Permissible Exposure Levels (PELs) - Table Z1 |
| US - Rhode Island Hazardous Substance List | US Priority List for the Development of Proposition 65 Safe Harbor Levels - No Significant Risk Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity |
| US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants | US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |
| US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants | |

AMMONIUM METAVANADATE(7803-55-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

| | |
|--|---|
| US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) | US EPCRA Section 313 Chemical List |
| US - Massachusetts - Right To Know Listed Chemicals | US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |
| US - Pennsylvania - Hazardous Substance List | |

ZINC(7440-66-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

| | |
|---|--|
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs | US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants |
| US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs) | US - Washington Permissible exposure limits of air contaminants |
| US - California Permissible Exposure Limits for Chemical Contaminants | US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants |
| US - Hawaii Air Contaminant Limits | US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs) |
| US - Massachusetts - Right To Know Listed Chemicals | US CWA (Clean Water Act) - Priority Pollutants |
| US - Michigan Exposure Limits for Air Contaminants | US CWA (Clean Water Act) - Toxic Pollutants |
| US - Oregon Permissible Exposure Limits (Z-1) | US EPA Carcinogens Listing |
| US - Pennsylvania - Hazardous Substance List | US EPCRA Section 313 Chemical List |
| US - Rhode Island Hazardous Substance List | US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |

COPPER(7440-50-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS

| | |
|---|---|
| US - Alaska Limits for Air Contaminants | US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants |
| US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) | US - Washington Permissible exposure limits of air contaminants |
| US - California Permissible Exposure Limits for Chemical Contaminants | US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values |
| US - Hawaii Air Contaminant Limits | US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants |
| US - Idaho - Limits for Air Contaminants | US ACGIH Threshold Limit Values (TLV) |
| US - Massachusetts - Right To Know Listed Chemicals | US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs) |
| US - Michigan Exposure Limits for Air Contaminants | US CWA (Clean Water Act) - Priority Pollutants |
| US - Minnesota Permissible Exposure Limits (PELs) | US CWA (Clean Water Act) - Toxic Pollutants |
| US - Oregon Permissible Exposure Limits (Z-1) | US EPA Carcinogens Listing |
| US - Pennsylvania - Hazardous Substance List | US EPCRA Section 313 Chemical List |
| US - Rhode Island Hazardous Substance List | US NIOSH Recommended Exposure Limits (RELs) |
| US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants | US OSHA Permissible Exposure Levels (PELs) - Table Z1 |
| US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants | US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |

SELENIUM(7782-49-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

| | |
|---|--|
| International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs | US - Washington Permissible exposure limits of air contaminants |
| US - Alaska Limits for Air Contaminants | US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values |
| US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs) | US ACGIH Threshold Limit Values (TLV) |
| US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs) | US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs) |
| US - Hawaii Air Contaminant Limits | US Clean Air Act - Hazardous Air Pollutants |
| US - Idaho - Limits for Air Contaminants | US CWA (Clean Water Act) - Priority Pollutants |
| US - Massachusetts - Right To Know Listed Chemicals | US CWA (Clean Water Act) - Toxic Pollutants |
| US - Minnesota Permissible Exposure Limits (PELs) | US EPA Carcinogens Listing |
| US - Pennsylvania - Hazardous Substance List | US EPCRA Section 313 Chemical List |
| US - Rhode Island Hazardous Substance List | US NIOSH Recommended Exposure Limits (RELs) |
| US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants | US OSHA Permissible Exposure Levels (PELs) - Table Z1 |
| US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants | US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory |
| US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants | |

Federal Regulations**Superfund Amendments and Reauthorization Act of 1986 (SARA)****SECTION 311/312 HAZARD CATEGORIES**

| | |
|---------------------------------|-----|
| Immediate (acute) health hazard | Yes |
| Delayed (chronic) health hazard | No |

ICP-MS-ICS-3 Solution AB

| | |
|-------------------|----|
| Fire hazard | No |
| Pressure hazard | No |
| Reactivity hazard | No |

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

| Name | Reportable Quantity in Pounds (lb) | Reportable Quantity in kg |
|-------------------|------------------------------------|---------------------------|
| Sodium | 10 | 4.54 |
| Sulfuric acid | 1000 | 454 |
| Ammonium acetate | 5000 | 2270 |
| Ammonium chloride | 5000 | 2270 |
| Nitric acid | 1000 | 454 |
| Hydrofluoric acid | 100 | 45.4 |
| Arsenic | 1 | 0.454 |
| Silver | 1000 | 454 |
| Cadmium | 10 | 4.54 |
| Chromium | 5000 | 2270 |
| Nickel | 100 | 45.4 |
| Ammonium vanadate | 1000 | 454 |
| Zinc | 1000 | 454 |
| Copper | 5000 | 2270 |
| Selenium | 100 | 45.4 |

State Regulations

US. CALIFORNIA PROPOSITION 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm

US - CALIFORNIA PREPOSITION 65 - CARCINOGENS & REPRODUCTIVE TOXICITY (CRT): LISTED SUBSTANCE

Cadmium and cadmium compounds: Cadmium, Cobalt metal powder, Nickel (Metallic) Listed

| National Inventory | Status |
|-------------------------------|--|
| Australia - AICS | Y |
| Canada - DSL | Y |
| Canada - NDSL | N (sodium; calcium; magnesium nitrate; ammonium chloride; zinc; potassium; ammonium metavanadate; titanium; copper; ammonium phosphate, monobasic; water; selenium; aluminium; molybdenum; arsenic; cobalt; nickel; sulfuric acid; iron; ammonium acetate; chromium; hydrofluoric acid; silver; cadmium; manganese(II) acetate; nitric acid) |
| China - IECSC | Y |
| Europe - EINEC / ELINCS / NLP | Y |
| Japan - ENCS | N (sodium; calcium; magnesium nitrate; zinc; potassium; titanium; copper; ammonium phosphate, monobasic; water; selenium; aluminium; molybdenum; arsenic; cobalt; nickel; iron; ammonium acetate; chromium; hydrofluoric acid; silver; cadmium; manganese(II) acetate; nitric acid) |
| Korea - KECI | Y |
| New Zealand - NZIoC | Y |
| Philippines - PICCS | N (manganese(II) acetate) |
| USA - TSCA | Y |
| Legend: | Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets) |

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

| Name | CAS No |
|-------------------|--|
| aluminium | 7429-90-5, 91728-14-2 |
| calcium | 7440-70-2, 8047-59-4 |
| magnesium nitrate | 13446-18-9, 10377-60-3, 10213-15-7 |
| ammonium chloride | 12125-02-9, 152128-19-3 |
| hydrofluoric acid | 7664-39-3, 790596-14-4 |
| copper | 7440-50-8, 133353-46-5, 133353-47-6, 195161-80-9, 65555-90-0, 72514-83-1 |

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

Continued...

PC—TWA: Permissible Concentration-Time Weighted Average
PC—STEL: Permissible Concentration-Short Term Exposure Limit
IARC: International Agency for Research on Cancer
ACGIH: American Conference of Governmental Industrial Hygienists
STEL: Short Term Exposure Limit
TEEL: Temporary Emergency Exposure Limit,
IDLH: Immediately Dangerous to Life or Health Concentrations
OSF: Odour Safety Factor
NOAEL :No Observed Adverse Effect Level
LOAEL: Lowest Observed Adverse Effect Level
TLV: Threshold Limit Value
LOD: Limit Of Detection
OTV: Odour Threshold Value
BCF: BioConcentration Factors
BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.