



## Volatile Organic Compounds

### High-Purity Standards

Catalogue number: VOC-M60C

Version No: 1.1

Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Chemwatch Hazard Alert Code: 3

Issue Date: 06/05/2017

Print Date: 06/05/2017

S.GHS.USA.EN

## SECTION 1 IDENTIFICATION

### Product Identifier

Product name	Volatile Organic Compounds
Synonyms	VOC-M60C
Other means of identification	VOC-M60C

### Recommended use of the chemical and restrictions on use

Relevant identified uses	Use according to manufacturer's directions.
--------------------------	---

### Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	High-Purity Standards
Address	PO Box 41727 SC 29423 United States
Telephone	843-767-7900
Fax	843-767-7906
Website	highpuritystandards.com
Email	Not Available

### Emergency phone number

Association / Organisation	INFOTRAC
Emergency telephone numbers	1-800-535-5053
Other emergency telephone numbers	1-352-323-3500

## SECTION 2 HAZARD(S) IDENTIFICATION

### Classification of the substance or mixture

Classification	Flammable Liquid Category 2
----------------	-----------------------------

### Label elements

Hazard pictogram(s)	
SIGNAL WORD	DANGER

### Hazard statement(s)

H225	Highly flammable liquid and vapour.
------	-------------------------------------

### Hazard(s) not otherwise specified

Not Applicable

### Precautionary statement(s) Prevention

P210	Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
------	--

### Precautionary statement(s) Response

Continued...

## Volatile Organic Compounds

**P370+P378** In case of fire: Use water spray/fog for extinction.

## Precautionary statement(s) Storage

**P403+P235** Store in a well-ventilated place. Keep cool.

## Precautionary statement(s) Disposal

**P501** Dispose of contents/container in accordance with local regulations.

## SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

## Substances

See section below for composition of Mixtures

## Mixtures

CAS No	%[weight]	Name
67-56-1	balance	<u>methanol</u>
630-20-6	0.02	<u>1,1,1,2-tetrachloroethane</u>
71-55-6	0.02	<u>1,1,1-trichloroethane</u>
79-34-5	0.02	<u>1,1,2,2-tetrachloroethane</u>
79-00-5	0.02	<u>1,1,2-trichloroethane</u>
75-34-3	0.02	<u>1,1-dichloroethane</u>
75-35-4	0.02	<u>vinylidene chloride</u>
563-58-6	0.02	<u>1,1-dichloropropene</u>
87-61-6	0.02	<u>1,2,3-trichlorobenzene</u>
96-18-4	0.02	<u>1,2,3-trichloropropane</u>
120-82-1	0.02	<u>1,2,4-trichlorobenzene</u>
95-63-6	0.02	<u>1,2,4-trimethyl benzene</u>
96-12-8	0.02	<u>1,2-dibromo-3-chloropropane</u>
106-93-4	0.02	<u>ethylene dibromide</u>
95-50-1	0.02	<u>1,2-dichlorobenzene</u>
107-06-2	0.02	<u>ethylene dichloride</u>
78-87-5	0.02	<u>1,2-dichloropropane</u>
108-67-8	0.02	<u>1,3,5-trimethyl benzene</u>
541-73-1	0.02	<u>1,3-dichlorobenzene</u>
142-28-9	0.02	<u>1,3-dichloropropane</u>
106-46-7	0.02	<u>1,4-dichlorobenzene</u>
594-20-7	0.02	<u>2,2-dichloropropane</u>
95-49-8	0.02	<u>o-chlorotoluene</u>
106-43-4	0.02	<u>p-chlorotoluene</u>
71-43-2	0.02	<u>benzene</u>
108-86-1	0.02	<u>bromobenzene</u>
74-97-5	0.02	<u>bromochloromethane</u>
75-27-4	0.02	<u>bromodichloromethane</u>
75-25-2	0.02	<u>bromoform</u>
74-83-9	0.02	<u>methyl bromide</u>
56-23-5	0.02	<u>carbon tetrachloride</u>
75-00-3	0.02	<u>ethyl chloride</u>
108-90-7	0.02	<u>chlorobenzene</u>
67-66-3	0.02	<u>chloroform</u>
74-87-3	0.02	<u>chloromethane</u>
156-59-2	0.02	<u>cis-acetylene dichloride</u>
10061-01-5	0.02	<u>cis-1,3-dichloropropene</u>
124-48-1	0.02	<u>dibromochloromethane</u>
74-95-3	0.02	<u>dibromomethane</u>
75-71-8	0.02	<u>dichlorodifluoromethane</u>
75-09-2	0.02	<u>methylene chloride</u>
100-41-4	0.02	<u>ethylbenzene</u>
87-68-3	0.02	<u>hexachlorobutadiene</u>
98-82-8	0.02	<u>isopropyl benzene - cumene</u>
108-38-3	0.02	<u>m-xylene</u>

Continued...

## Volatile Organic Compounds

91-20-3	0.02	<u>naphthalene</u>
104-51-8	0.02	<u>butylbenzene</u>
103-65-1	0.02	<u>propylbenzene</u>
95-47-6	0.02	<u>o-xylene</u>
99-87-6	0.02	<u>p-cymene</u>
106-42-3	0.02	<u>p-xylene</u>
135-98-8	0.02	<u>sec-butylbenzene</u>
100-42-5	0.02	<u>styrene</u>
98-06-6	0.02	<u>tert-butylbenzene</u>
127-18-4	0.02	<u>tetrachloroethylene</u>
108-88-3	0.02	<u>toluene</u>
156-60-5	0.02	<u>trans-acetylene dichloride</u>
10061-02-6	0.02	<u>trans-1,3-dichloropropene</u>
79-01-6	0.02	<u>trichloroethylene</u>
75-69-4	0.02	<u>trichlorofluoromethane</u>
75-01-4	0.02	<u>vinyl chloride</u>

## SECTION 4 FIRST-AID MEASURES

## Description of first aid measures

<b>Eye Contact</b>	<p>If this product comes in contact with the eyes:</p> <ul style="list-style-type: none"> <li>▶ Wash out immediately with fresh running water.</li> <li>▶ Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.</li> <li>▶ Seek medical attention without delay; if pain persists or recurs seek medical attention.</li> <li>▶ Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.</li> </ul>
<b>Skin Contact</b>	<p>If skin or hair contact occurs:</p> <ul style="list-style-type: none"> <li>▶ Flush skin and hair with running water (and soap if available).</li> <li>▶ Seek medical attention in event of irritation.</li> </ul>
<b>Inhalation</b>	<ul style="list-style-type: none"> <li>▶ If fumes or combustion products are inhaled remove from contaminated area.</li> <li>▶ Lay patient down. Keep warm and rested.</li> <li>▶ Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.</li> <li>▶ Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary.</li> <li>▶ Transport to hospital, or doctor.</li> </ul>
<b>Ingestion</b>	<ul style="list-style-type: none"> <li>▶ <b>If swallowed do NOT induce vomiting.</b></li> <li>▶ If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.</li> <li>▶ Observe the patient carefully.</li> <li>▶ Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious.</li> <li>▶ Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink.</li> <li>▶ Seek medical advice.</li> </ul>

## Most important symptoms and effects, both acute and delayed

See Section 11

## Indication of any immediate medical attention and special treatment needed

for 1,3-dichloropropene:

- ▶ Remove ingested material by gastric aspiration and lavage. Use water as the lavage fluid.
- ▶ Demulcents such as alumina gels, but no fats or oils.
- ▶ Opiates, and atropine for the control of pain and intestinal spasm.
- ▶ Aminophylline (theophylline-ethylenediamine) intravenously slowly to correct bronchospasm.
- ▶ Oxygen and other measures for the management of adult respiratory distress syndrome.
- ▶ Digitalis and/or lidocaine in the event of cardiac disturbances.
- ▶ Wash extensively any contaminated areas of skin with soap and water. Discard contaminated clothing.
- ▶ A therapeutic trial with BAL or N-acetylcysteine might be useful if instituted promptly after the exposure.
- ▶ Repeated function tests are desirable to detect and evaluate possible liver and kidney injury.

GOSSELIN, SMITH &amp; HODGE: Clinical Toxicology of Commercial Products, 5th Ed.

For acute and short term repeated exposures to methanol:

- ▶ Toxicity results from accumulation of formaldehyde/formic acid.
- ▶ Clinical signs are usually limited to CNS, eyes and GI tract. Severe metabolic acidosis may produce dyspnea and profound systemic effects which may become intractable. All symptomatic patients should have arterial pH measured. Evaluate airway, breathing and circulation.
- ▶ Stabilise obtunded patients by giving naloxone, glucose and thiamine.
- ▶ Decontaminate with Ipecac or lavage for patients presenting 2 hours post-ingestion. Charcoal does not absorb well; the usefulness of cathartic is not established.
- ▶ Forced diuresis is not effective; haemodialysis is recommended where peak methanol levels exceed 50 mg/dL (this correlates with serum bicarbonate levels below 18 meq/L).
- ▶ Ethanol, maintained at levels between 100 and 150 mg/dL, inhibits formation of toxic metabolites and may be indicated when peak methanol levels exceed 20 mg/dL. An intravenous solution of ethanol in D5W is optimal.
- ▶ Folate, as leucovorin, may increase the oxidative removal of formic acid. 4-methylpyrazole may be an effective adjunct in the treatment. 8-Phenytoin may be preferable to diazepam for controlling seizure.

[Ellenhorn Barceloux: Medical Toxicology]

## BIOLOGICAL EXPOSURE INDEX - BEI

Determinant	Index	Sampling Time	Comment
1. Methanol in urine	15 mg/l	End of shift	B, NS
2. Formic acid in urine	80 mg/gm creatinine	Before the shift at end of workweek	B, NS

Continued...

## Volatile Organic Compounds

B: Background levels occur in specimens collected from subjects **NOT** exposed.

NS: Non-specific determinant - observed following exposure to other materials.

for naphthalene intoxication: Naphthalene requires hepatic and microsomal activation prior to the production of toxic effects. Liver microsomes catalyse the initial synthesis of the reactive 1,2-epoxide intermediate which is subsequently oxidised to naphthalene dihydrodiol and alpha-naphthol. The 2-naphthoquinones are thought to produce haemolysis, the 1,2-naphthoquinones are thought to be responsible for producing cataracts in rabbits, and the glutathione-adducts of naphthalene-1,2-oxide are probably responsible for pulmonary toxicity. Suggested treatment regime:

- ▶ Induce emesis and/or perform gastric lavage with large amounts of warm water where oral poisoning is suspected.
- ▶ Instill a saline cathartic such as magnesium or sodium sulfate in water (15 to 30g).
- ▶ Demulcents such as milk, egg white, gelatin, or other protein solutions may be useful after the stomach is emptied but oils should be avoided because they promote absorption.
- ▶ If eyes/skin contaminated, flush with warm water followed by the application of a bland ointment.
- ▶ Severe anaemia, due to haemolysis, may require small repeated blood transfusions, preferably with red cells from a non-sensitive individual.
- ▶ Where intravascular haemolysis, with haemoglobinuria occurs, protect the kidneys by promoting a brisk flow of dilute urine with, for example, an osmotic diuretic such as mannitol. It may be useful to alkalise the urine with small amounts of sodium bicarbonate but many researchers doubt whether this prevents blockage of the renal tubules.
- ▶ Use supportive measures in the case of acute renal failure. GOSSELIN, SMITH HODGE: Clinical Toxicology of Commercial Products, 5th Ed.

## SECTION 5 FIRE-FIGHTING MEASURES

### Extinguishing media

### Special hazards arising from the substrate or mixture

<b>Fire Incompatibility</b>	▶ Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result
-----------------------------	--

### Special protective equipment and precautions for fire-fighters

<b>Fire Fighting</b>	
<b>Fire/Explosion Hazard</b>	<ul style="list-style-type: none"> <li>▶ Liquid and vapour are highly flammable.</li> <li>▶ Severe fire hazard when exposed to heat, flame and/or oxidisers.</li> <li>▶ Vapour may travel a considerable distance to source of ignition.</li> <li>▶ Heating may cause expansion or decomposition leading to violent rupture of containers.</li> <li>▶ On combustion, may emit toxic fumes of carbon monoxide (CO).</li> </ul> Combustion products include: carbon dioxide (CO <sub>2</sub> ) other pyrolysis products typical of burning organic material.

## SECTION 6 ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

See section 8

### Environmental precautions

See section 12

### Methods and material for containment and cleaning up

<b>Minor Spills</b>	Environmental hazard - contain spillage. <ul style="list-style-type: none"> <li>▶ Remove all ignition sources.</li> <li>▶ Clean up all spills immediately.</li> <li>▶ Avoid breathing vapours and contact with skin and eyes.</li> <li>▶ Control personal contact with the substance, by using protective equipment.</li> <li>▶ Contain and absorb small quantities with vermiculite or other absorbent material.</li> <li>▶ Wipe up.</li> <li>▶ Collect residues in a flammable waste container.</li> </ul>
<b>Major Spills</b>	Environmental hazard - contain spillage. <ul style="list-style-type: none"> <li>▶ Clear area of personnel and move upwind.</li> <li>▶ Alert Fire Brigade and tell them location and nature of hazard.</li> <li>▶ Wear breathing apparatus plus protective gloves.</li> <li>▶ Prevent, by any means available, spillage from entering drains or water course.</li> <li>▶ Stop leak if safe to do so.</li> <li>▶ Contain spill with sand, earth or vermiculite.</li> <li>▶ Collect recoverable product into labelled containers for recycling.</li> <li>▶ Neutralise/decontaminate residue (see Section 13 for specific agent).</li> <li>▶ Collect solid residues and seal in labelled drums for disposal.</li> <li>▶ Wash area and prevent runoff into drains.</li> <li>▶ After clean up operations, decontaminate and launder all protective clothing and equipment before storing and re-using.</li> <li>▶ If contamination of drains or waterways occurs, advise emergency services.</li> </ul>

Personal Protective Equipment advice is contained in Section 8 of the SDS.

## SECTION 7 HANDLING AND STORAGE

### Precautions for safe handling

<b>Safe handling</b>	<ul style="list-style-type: none"> <li>▶ Containers, even those that have been emptied, may contain explosive vapours.</li> <li>▶ Do NOT cut, drill, grind, weld or perform similar operations on or near containers.</li> <li>▶ Avoid all personal contact, including inhalation.</li> <li>▶ Wear protective clothing when risk of exposure occurs.</li> <li>▶ Use in a well-ventilated area.</li> <li>▶ Prevent concentration in hollows and sumps.</li> <li>▶ <b>DO NOT enter confined spaces until atmosphere has been checked.</b></li> </ul>
----------------------	--

## Volatile Organic Compounds

	<ul style="list-style-type: none"> <li>▶ Avoid smoking, naked lights, heat or ignition sources.</li> <li>▶ When handling, <b>DO NOT eat, drink or smoke.</b></li> <li>▶ Vapour may ignite on pumping or pouring due to static electricity.</li> <li>▶ <b>DO NOT use plastic buckets.</b></li> <li>▶ Earth and secure metal containers when dispensing or pouring product.</li> <li>▶ Use spark-free tools when handling.</li> <li>▶ Avoid contact with incompatible materials.</li> <li>▶ Keep containers securely sealed.</li> <li>▶ Avoid physical damage to containers.</li> <li>▶ Always wash hands with soap and water after handling.</li> <li>▶ Work clothes should be laundered separately.</li> <li>▶ Use good occupational work practice.</li> <li>▶ Observe manufacturer's storage and handling recommendations contained within this SDS.</li> <li>▶ Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.</li> </ul>
Other information	<ul style="list-style-type: none"> <li>▶ Store in original containers in approved flame-proof area.</li> <li>▶ No smoking, naked lights, heat or ignition sources.</li> <li>▶ <b>DO NOT store in pits, depressions, basements or areas where vapours may be trapped.</b></li> <li>▶ Keep containers securely sealed.</li> <li>▶ Store away from incompatible materials in a cool, dry well ventilated area.</li> <li>▶ Protect containers against physical damage and check regularly for leaks.</li> <li>▶ Observe manufacturer's storage and handling recommendations contained within this SDS.</li> </ul>

### Conditions for safe storage, including any incompatibilities

Suitable container	<ul style="list-style-type: none"> <li>▶ Packing as supplied by manufacturer.</li> <li>▶ Plastic containers may only be used if approved for flammable liquid.</li> <li>▶ Check that containers are clearly labelled and free from leaks.</li> <li>▶ For low viscosity materials (i) : Drums and jerry cans must be of the non-removable head type. (ii) : Where a can is to be used as an inner package, the can must have a screwed enclosure.</li> <li>▶ For materials with a viscosity of at least 2680 cSt. (23 deg. C)</li> <li>▶ For manufactured product having a viscosity of at least 250 cSt. (23 deg. C)</li> <li>▶ Manufactured product that requires stirring before use and having a viscosity of at least 20 cSt (25 deg. C): (i) Removable head packaging; (ii) Cans with friction closures and (iii) low pressure tubes and cartridges may be used.</li> <li>▶ Where combination packages are used, and the inner packages are of glass, there must be sufficient inert cushioning material in contact with inner and outer packages</li> <li>▶ In addition, where inner packagings are glass and contain liquids of packing group I there must be sufficient inert absorbent to absorb any spillage, unless the outer packaging is a close fitting moulded plastic box and the substances are not incompatible with the plastic.</li> </ul>
Storage incompatibility	<p>Dichloropropenes</p> <ul style="list-style-type: none"> <li>▶ are incompatible with strong acids, oxidisers, active metals, aluminium or magnesium compounds, aliphatic amines, alkanolamines, alkaline materials</li> <li>▶ reacts with certain materials such as rubber, leather and fur to produce a strong odour</li> <li>▶ flow or agitation may generate electrostatic charges due to low conductivity</li> </ul> <p>2,3-dichloro-1-propene (CAS RN: 78-88-6)</p> <ul style="list-style-type: none"> <li>▶ is incompatible with aliphatic amines, alkanolamines, alkaline materials</li> </ul> <p>For alkyl aromatics:</p> <p>The alkyl side chain of aromatic rings can undergo oxidation by several mechanisms. The most common and dominant one is the attack by oxidation at benzylic carbon as the intermediate formed is stabilised by resonance structure of the ring.</p> <ul style="list-style-type: none"> <li>▶ Following reaction with oxygen and under the influence of sunlight, a hydroperoxide at the alpha-position to the aromatic ring, is the primary oxidation product formed (provided a hydrogen atom is initially available at this position) - this product is often short-lived but may be stable dependent on the nature of the aromatic substitution; a secondary C-H bond is more easily attacked than a primary C-H bond whilst a tertiary C-H bond is even more susceptible to attack by oxygen</li> <li>▶ Monoalkylbenzenes may subsequently form monocarboxylic acids; alkyl naphthalenes mainly produce the corresponding naphthalene carboxylic acids.</li> <li>▶ Oxidation in the presence of transition metal salts not only accelerates but also selectively decomposes the hydroperoxides.</li> <li>▶ Hock-rearrangement by the influence of strong acids converts the hydroperoxides to hemiacetals. Peresters formed from the hydroperoxides undergo Criegee rearrangement easily.</li> <li>▶ Alkali metals accelerate the oxidation while CO<sub>2</sub> as co-oxidant enhances the selectivity.</li> <li>▶ Microwave conditions give improved yields of the oxidation products.</li> <li>▶ Photo-oxidation products may occur following reaction with hydroxyl radicals and NO<sub>x</sub> - these may be components of photochemical smogs.</li> </ul> <p>Oxidation of Alkylaromatics: T.S.S Rao and Shubhra Awasthi: E-Journal of Chemistry Vol 4, No. 1, pp 1-13 January 2007</p> <ul style="list-style-type: none"> <li>▶ Vigorous reactions, sometimes amounting to explosions, can result from the contact between aromatic rings and strong oxidising agents.</li> <li>▶ Aromatics can react exothermically with bases and with diazo compounds.</li> </ul>

## SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

### Control parameters

#### OCCUPATIONAL EXPOSURE LIMITS (OEL)

#### INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Levels (PELs) - Table Z1	methanol	Methyl alcohol	260 mg/m <sup>3</sup> / 200 ppm	325 mg/m <sup>3</sup> / 250 ppm	Not Available	[skin]
US NIOSH Recommended Exposure Limits (RELs)	methanol	Carbinol, Columbian spirits, Methanol, Pyroigneous spirit, Wood alcohol, Wood naphtha, Wood spirit	260 mg/m <sup>3</sup> / 200 ppm	250 ppm	Not Available	TLV® Basis: Headache; eye dam; dizziness; nausea; BEI
US ACGIH Threshold Limit Values (TLV)	methanol	Methanol	200 ppm	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	1,1,1-trichloroethane	Methyl chloroform (1,1,1-Trichloroethane)	1900 mg/m <sup>3</sup> / 350 ppm	450 ppm	1900 mg/m <sup>3</sup> / 350 ppm	See Appendix C (Chloroethanes)
US NIOSH Recommended Exposure Limits (RELs)	1,1,1-trichloroethane	Chloroethene; 1,1,1-Trichloroethane; 1,1,1-Trichloroethane (stabilized)	350 ppm	Not Available	Not Available	TLV® Basis: CNS impair; liver dam; BEI

## Volatile Organic Compounds

US ACGIH Threshold Limit Values (TLV)	1,1,1-trichloroethane	Methyl chloroform	Not Available	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	1,1,2,2-tetrachloroethane	1,1,2,2-Tetrachloroethane	35 mg/m3 / 5 ppm	Not Available	Not Available	Ca See Appendix A See Appendix C (Chloroethanes)
US NIOSH Recommended Exposure Limits (RELs)	1,1,2,2-tetrachloroethane	Acetylene tetrachloride, Symmetrical tetrachloroethane	7 mg/m3 / 1 ppm	Not Available	Not Available	TLV® Basis: Liver dam
US ACGIH Threshold Limit Values (TLV)	1,1,2,2-tetrachloroethane	1, 1, 2, 2-Tetrachloroethane	1 ppm	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	1,1,2-trichloroethane	1,1,2-Trichloroethane	45 mg/m3 / 10 ppm	Not Available	Not Available	Ca See Appendix A See Appendix C (Chloroethanes)
US NIOSH Recommended Exposure Limits (RELs)	1,1,2-trichloroethane	Ethane trichloride, β-Trichloroethane, Vinyl trichloride	45 mg/m3 / 10 ppm	Not Available	Not Available	TLV® Basis: CNS impair; liver dam
US ACGIH Threshold Limit Values (TLV)	1,1,2-trichloroethane	1, 1, 2-Trichloroethane	10 ppm	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	1,1-dichloroethane	1,1-Dichloroethane	400 mg/m3 / 100 ppm	Not Available	Not Available	See Appendix C (Chloroethanes)
US NIOSH Recommended Exposure Limits (RELs)	1,1-dichloroethane	Asymmetrical dichloroethane; Ethylidene chloride; 1,1-Ethylidene dichloride	400 mg/m3 / 100 ppm	Not Available	Not Available	TLV® Basis: URT & eye irr; liver & kidney dam
US ACGIH Threshold Limit Values (TLV)	1,1-dichloroethane	1, 1-Dichloroethane	100 ppm	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	vinylidene chloride	1,1-DCE; 1,1-Dichloroethene; 1,1-Dichloroethylene; VDC; Vinylidene chloride monomer; Vinylidene dichloride	5 ppm	Not Available	Not Available	Ca See Appendix A
US ACGIH Threshold Limit Values (TLV)	vinylidene chloride	Vinylidene chloride	Not Available	Not Available	Not Available	TLV® Basis: Liver & kidney dam
US OSHA Permissible Exposure Levels (PELs) - Table Z1	1,2,3-trichloropropane	1,2,3-Trichloropropane	300 mg/m3 / 50 ppm	Not Available	Not Available	Ca See Appendix A
US NIOSH Recommended Exposure Limits (RELs)	1,2,3-trichloropropane	Allyl trichloride, Glycerol trichlorohydrin, Glyceryl trichlorohydrin, Trichlorohydrin	60 mg/m3 / 10 ppm	Not Available	Not Available	TLV® Basis: Cancer
US ACGIH Threshold Limit Values (TLV)	1,2,3-trichloropropane	1, 2, 3-Trichloropropane	0.005 ppm	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	1,2,4-trichlorobenzene	unsym-Trichlorobenzene; 1,2,4-Trichlorobenzol	Not Available	Not Available	40 mg/m3 / 5 ppm	TLV® Basis: Eye & URT irr
US ACGIH Threshold Limit Values (TLV)	1,2,4-trichlorobenzene	1, 2, 4-Trichlorobenzene	Not Available	Not Available	5 ppm	Not Available
US NIOSH Recommended Exposure Limits (RELs)	1,2,4-trimethyl benzene	Asymmetrical trimethylbenzene, psi-Cumene, Pseudocumene [Note: Hemimellitene is a mixture of the 1,2,3-isomer with up to 10% of related aromatics such as the 1,2,4-isomer.]	125 mg/m3 / 25 ppm	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	1,2-dibromo-3-chloropropane	1,2-Dibromo-3-chloropropane	0.001 ppm	Not Available	Not Available	(DBCP); see 1910.1044;(TWA (Inhalation)); The employer shall assure that no employee is exposed to eye or skin contact with DBCP
US NIOSH Recommended Exposure Limits (RELs)	1,2-dibromo-3-chloropropane	1-Chloro-2,3-dibromopropane; DBCP; Dibromochloropropane	Not Available	Not Available	Not Available	Ca See Appendix A
US OSHA Permissible Exposure Levels (PELs) - Table Z1	ethylene dibromide	Ethylene dibromide	20 ppm	Not Available	30 ppm	See Table Z-2
US OSHA Permissible Exposure Levels (PELs) - Table Z2	ethylene dibromide	Ethylene dibromide	0.045 ppm	Not Available	0.13 ppm	(Z37.31–1970)
US NIOSH Recommended Exposure Limits (RELs)	ethylene dibromide	1,2-Dibromoethane; Ethylene bromide; Glycol dibromide	Not Available	Not Available	Not Available	Ca See Appendix A
US ACGIH Threshold Limit Values (TLV)	ethylene dibromide	Ethylene dibromide	Not Available	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	1,2-dichlorobenzene	o-Dichlorobenzene	25 ppm	50 ppm	300 mg/m3 / 50 ppm	TLV® Basis: URT & eye irr; liver dam
US NIOSH Recommended Exposure Limits (RELs)	1,2-dichlorobenzene	o-DCB; 1,2-Dichlorobenzene; ortho-Dichlorobenzene; o-Dichlorobenzol	Not Available	Not Available	300 mg/m3 / 50 ppm	Not Available
US ACGIH Threshold Limit Values (TLV)	1,2-dichlorobenzene	o-Dichlorobenzene	Not Available	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	ethylene dichloride	Ethylene dichloride (1,2-Dichloroethane)	4 mg/m3 / 50 ppm	8 mg/m3 / 2 ppm	100 ppm	See Table Z-2

## Volatile Organic Compounds

US OSHA Permissible Exposure Levels (PELs) - Table Z2	ethylene dichloride	Ethylene dichloride	1 ppm	Not Available	Not Available	(Z37.21-1969)
US NIOSH Recommended Exposure Limits (RELs)	ethylene dichloride	1,2-Dichloroethane; Ethylene chloride; Glycol dichloride	10 ppm	Not Available	Not Available	Ca See Appendix A See Appendix C (Chloroethanes)
US ACGIH Threshold Limit Values (TLV)	ethylene dichloride	Ethylene dichloride	Not Available	Not Available	Not Available	TLV® Basis: Liver dam; nausea
US OSHA Permissible Exposure Levels (PELs) - Table Z1	1,2-dichloropropane	Propylene dichloride	350 mg/m3 / 75 ppm	Not Available	Not Available	Ca See Appendix A
US NIOSH Recommended Exposure Limits (RELs)	1,2-dichloropropane	Dichloro-1,2-propane; 1,2-Dichloropropane	10 ppm	Not Available	Not Available	TLV® Basis: URT irr; body weight eff
US ACGIH Threshold Limit Values (TLV)	1,2-dichloropropane	Propylene dichloride	Not Available	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	1,3,5-trimethyl benzene	Mesitylene, Symmetrical trimethylbenzene, sym-Trimethylbenzene	125 mg/m3 / 25 ppm	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	1,4-dichlorobenzene	p-Dichlorobenzene	450 mg/m3 / 75 ppm	Not Available	Not Available	Ca See Appendix A
US NIOSH Recommended Exposure Limits (RELs)	1,4-dichlorobenzene	p-DCB; 1,4-Dichlorobenzene; para-Dichlorobenzene; Dichlorocide	10 ppm	Not Available	Not Available	TLV® Basis: Eye irr; kidney dam
US ACGIH Threshold Limit Values (TLV)	1,4-dichlorobenzene	p-Dichlorobenzene	Not Available	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	o-chlorotoluene	1-Chloro-2-methylbenzene, 2-Chloro-1-methylbenzene, 2-Chlorotoluene, o-Tolyl chloride	250 mg/m3 / 50 ppm	375 mg/m3 / 75 ppm	Not Available	TLV® Basis: URT, eye, & skin irr
US ACGIH Threshold Limit Values (TLV)	o-chlorotoluene	o-Chlorotoluene	50 ppm	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	benzene	Benzene	1 ppm	5 ppm	25 ppm	see 1910.1028 (See Table Z-2 for the limits applicable in the operations or sectors excluded in 1910.1028d)
US OSHA Permissible Exposure Levels (PELs) - Table Z2	benzene	Benzene	10 ppm	1 ppm	Not Available	This standard applies to the industry segments exempt from the 1 ppm 8-hour TWA and 5 ppm STEL of the benzene standard at 1910.1028; (Z37.40-1969)
US NIOSH Recommended Exposure Limits (RELs)	benzene	Benzol, Phenyl hydride	0.1 ppm	2.5 ppm	Not Available	Ca See Appendix A
US ACGIH Threshold Limit Values (TLV)	benzene	Benzene	0.5 ppm	Not Available	Not Available	TLV® Basis: Leukemia; BEI
US OSHA Permissible Exposure Levels (PELs) - Table Z1	bromochloromethane	Chlorobromomethane	1050 mg/m3 / 200 ppm	Not Available	Not Available	TLV® Basis: CNS impair; liver dam
US NIOSH Recommended Exposure Limits (RELs)	bromochloromethane	Bromochloromethane, CB, CBM, Fluorocarbon 1011, Halon® 1011, Methyl chlorobromide	1050 mg/m3 / 200 ppm	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	bromochloromethane	Chlorobromomethane	200 ppm	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	bromoform	Bromoform	5 mg/m3 / 0.5 ppm	Not Available	Not Available	[skin]
US NIOSH Recommended Exposure Limits (RELs)	bromoform	Methyl tribromide, Tribromomethane	5 mg/m3 / 0.5 ppm	Not Available	Not Available	TLV® Basis: Liver dam; URT & eye irr
US ACGIH Threshold Limit Values (TLV)	bromoform	Bromoform	0.5 ppm	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	methyl bromide	Methyl bromide	1 ppm	Not Available	80 mg/m3 / 20 ppm	Ca See Appendix A
US NIOSH Recommended Exposure Limits (RELs)	methyl bromide	Bromomethane, Monobromomethane	Not Available	Not Available	Not Available	TLV® Basis: URT & skin irr
US ACGIH Threshold Limit Values (TLV)	methyl bromide	Methyl bromide	Not Available	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	carbon tetrachloride	Carbon tetrachloride	10 ppm	12.6 mg/m3 / 2 ppm	25 ppm	See Table Z-2
US OSHA Permissible Exposure Levels (PELs) - Table Z2	carbon tetrachloride	Carbon tetrachloride	5 ppm	10 ppm	Not Available	Z37.17-1967)
US NIOSH Recommended Exposure Limits (RELs)	carbon tetrachloride	Carbon chloride, Carbon tet, Freon® 10, Halon® 104, Tetrachloromethane	Not Available	Not Available	Not Available	Ca See Appendix A



## Volatile Organic Compounds

US ACGIH Threshold Limit Values (TLV)	carbon tetrachloride	Carbon tetrachloride	Not Available	Not Available	Not Available	TLV® Basis: Liver dam
US OSHA Permissible Exposure Levels (PELs) - Table Z1	ethyl chloride	Ethyl chloride	2600 mg/m3 / 1000 ppm	Not Available	Not Available	See Appendix C (Chloroethanes)
US NIOSH Recommended Exposure Limits (RELs)	ethyl chloride	Chloroethane, Hydrochloric ether, Monochloroethane, Muriatic ether	100 ppm	Not Available	Not Available	TLV® Basis: Liver dam
US ACGIH Threshold Limit Values (TLV)	ethyl chloride	Ethyl chloride	Not Available	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	chlorobenzene	Benzene chloride, Chlorobenzol, MCB, Monochlorobenzene, Phenyl chloride	10 ppm	Not Available	Not Available	See Appendix D
US ACGIH Threshold Limit Values (TLV)	chlorobenzene	Chlorobenzene	Not Available	Not Available	Not Available	TLV® Basis: Liver dam; BEI
US OSHA Permissible Exposure Levels (PELs) - Table Z1	chloroform	Chloroform (Trichloromethane)	10 ppm	9.78 mg/m3 / 2 ppm	240 mg/m3 / 50 ppm	Ca See Appendix A
US NIOSH Recommended Exposure Limits (RELs)	chloroform	Methane trichloride, Trichloromethane	Not Available	Not Available	Not Available	TLV® Basis: Liver & embryo/fetal dam; CNS impair
US ACGIH Threshold Limit Values (TLV)	chloroform	Chloroform	Not Available	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	chloromethane	Methyl chloride	100 ppm	100 ppm	200 ppm	See Table Z-2
US OSHA Permissible Exposure Levels (PELs) - Table Z2	chloromethane	Methyl chloride	50 ppm	Not Available	Not Available	(Z37.18–1969)
US NIOSH Recommended Exposure Limits (RELs)	chloromethane	Chloromethane, Monochloromethane	Not Available	Not Available	Not Available	Ca See Appendix A
US ACGIH Threshold Limit Values (TLV)	chloromethane	Methyl chloride	Not Available	Not Available	Not Available	TLV® Basis: CNS impair; liver, kidney, & testicular dam; teratogenic eff
US OSHA Permissible Exposure Levels (PELs) - Table Z1	dichlorodifluoromethane	Dichlorodifluoromethane	4950 mg/m3 / 1000 ppm	Not Available	Not Available	TLV® Basis: Card sens
US NIOSH Recommended Exposure Limits (RELs)	dichlorodifluoromethane	Difluorodichloromethane, Fluorocarbon 12, Freon® 12, Genetron® 12, Halon® 122, Propellant 12, Refrigerant 12	4950 mg/m3 / 1000 ppm	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	dichlorodifluoromethane	Dichlorodifluoromethane	1000 ppm	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	methylene chloride	Methylene chloride	50 ppm	Not Available	Not Available	See Table Z-2
US OSHA Permissible Exposure Levels (PELs) - Table Z2	methylene chloride	Methylene Chloride	Not Available	Not Available	Not Available	See 1919.52.
US NIOSH Recommended Exposure Limits (RELs)	methylene chloride	Dichloromethane, Methylene dichloride	Not Available	Not Available	Not Available	Ca See Appendix A
US ACGIH Threshold Limit Values (TLV)	methylene chloride	Dichloromethane	Not Available	Not Available	Not Available	TLV® Basis: COHb-emia; CNS impair; BEI
US OSHA Permissible Exposure Levels (PELs) - Table Z1	ethylbenzene	Ethyl benzene	435 mg/m3 / 100 ppm	545 mg/m3 / 125 ppm	Not Available	TLV® Basis: URT irr; kidney dam (nephropathy); cochlear impair; BEI
US NIOSH Recommended Exposure Limits (RELs)	ethylbenzene	Ethylbenzol, Phenylethane	435 mg/m3 / 100 ppm	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	ethylbenzene	Ethyl benzene	20 ppm	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	hexachlorobutadiene	HCBD; Hexachloro-1,3-butadiene; 1,3-Hexachlorobutadiene; Perchlorobutadiene	0.24 mg/m3 / 0.02 ppm	Not Available	Not Available	Ca See Appendix A
US ACGIH Threshold Limit Values (TLV)	hexachlorobutadiene	Hexachlorobutadiene	0.02 ppm	Not Available	Not Available	TLV® Basis: Kidney dam
US OSHA Permissible Exposure Levels (PELs) - Table Z1	isopropyl benzene - cumene	Cumene	245 mg/m3 / 50 ppm	Not Available	Not Available	[skin]
US NIOSH Recommended Exposure Limits (RELs)	isopropyl benzene - cumene	Cumol, Isopropyl benzene, 2-Phenyl propane	245 mg/m3 / 50 ppm	Not Available	Not Available	TLV® Basis: Eye, skin, & URT irr; CNS impair
US ACGIH Threshold Limit Values (TLV)	isopropyl benzene - cumene	Cumene	50 ppm	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	m-xylene	1,3-Dimethylbenzene; meta-Xylene; m-Xylo	435 mg/m3 / 100 ppm	655 mg/m3 / 150 ppm	Not Available	Not Available



## Volatile Organic Compounds

US OSHA Permissible Exposure Levels (PELs) - Table Z1	naphthalene	Naphthalene	50 mg/m3 / 10 ppm	75 mg/m3 / 15 ppm	Not Available	TLV® Basis: URT irr; cataracts; hemolytic anemia
US NIOSH Recommended Exposure Limits (RELs)	naphthalene	Naphthalin, Tar camphor, White tar	50 mg/m3 / 10 ppm	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	naphthalene	Naphthalene	10 ppm	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	o-xylene	1,2-Dimethylbenzene; ortho-Xylene; o-Xylol	435 mg/m3 / 100 ppm	655 mg/m3 / 150 ppm	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	p-xylene	1,4-Dimethylbenzene; para-Xylene; p-Xylol	435 mg/m3 / 100 ppm	655 mg/m3 / 150 ppm	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	styrene	Styrene	215 mg/m3 / 100 ppm	425 mg/m3 / 100 ppm	200 ppm	See Table Z-2
US OSHA Permissible Exposure Levels (PELs) - Table Z2	styrene	Styrene	50 ppm	40 ppm	Not Available	(Z37.15–1969)
US NIOSH Recommended Exposure Limits (RELs)	styrene	Ethenyl benzene, Phenylethylene, Styrene monomer, Styrol, Vinyl benzene	20 ppm	Not Available	Not Available	TLV® Basis: CNS impair; URT irr; peripheral neuropathy; BEI
US ACGIH Threshold Limit Values (TLV)	styrene	Styrene, monomer	Not Available	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	tetrachloroethylene	Perchloroethylene (Tetrachloroethylene)	100 ppm	100 ppm	200 ppm	See Table Z-2
US OSHA Permissible Exposure Levels (PELs) - Table Z2	tetrachloroethylene	Tetrachloroethylene	25 ppm	Not Available	Not Available	(Z37.22–1967)
US NIOSH Recommended Exposure Limits (RELs)	tetrachloroethylene	Perchloroethylene, Perchloroethylene, Perk, Tetrachloroethylene	Not Available	Not Available	Not Available	Ca See Appendix A
US ACGIH Threshold Limit Values (TLV)	tetrachloroethylene	Tetrachloroethylene	Not Available	Not Available	Not Available	TLV® Basis: CNS impair; BEI
US OSHA Permissible Exposure Levels (PELs) - Table Z1	toluene	Toluene	375 mg/m3 / 200 ppm	560 mg/m3 / 150 ppm	300 ppm	See Table Z-2
US OSHA Permissible Exposure Levels (PELs) - Table Z2	toluene	Toluene	100 ppm	Not Available	Not Available	(Z37.12–1967)
US NIOSH Recommended Exposure Limits (RELs)	toluene	Methyl benzene, Methyl benzol, Phenyl methane, Toluol	20 ppm	Not Available	Not Available	TLV® Basis: Visual impair; female repro; pregnancy loss; BEI
US ACGIH Threshold Limit Values (TLV)	toluene	Toluene	Not Available	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	trichloroethylene	Trichloroethylene	100 ppm	25 ppm	200 ppm	See Table Z-2
US OSHA Permissible Exposure Levels (PELs) - Table Z2	trichloroethylene	Trichloroethylene	10 ppm	Not Available	Not Available	(Z37.19–1967)
US NIOSH Recommended Exposure Limits (RELs)	trichloroethylene	Ethylene trichloride, TCE, Trichloroethene, Trilene	Not Available	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	trichloroethylene	Trichloroethylene	Not Available	Not Available	Not Available	TLV® Basis: CNS impair; cognitive decrements; renal toxicity; BEI
US OSHA Permissible Exposure Levels (PELs) - Table Z1	trichlorofluoromethane	Fluorotrichloromethane (Trichlorofluoromethane)	5600 mg/m3 / 1000 ppm	Not Available	5600 mg/m3 / 1000 ppm	TLV® Basis: Card sens
US NIOSH Recommended Exposure Limits (RELs)	trichlorofluoromethane	Freon® 11, Monofluorotrichloromethane, Refrigerant 11, Trichlorofluoromethane, Trichloromonofluoromethane	Not Available	Not Available	1000 ppm	Not Available
US ACGIH Threshold Limit Values (TLV)	trichlorofluoromethane	Trichlorofluoromethane	Not Available	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	vinyl chloride	Vinyl chloride	1 ppm	5 ppm	Not Available	see 1910.1017; No employee may be exposed to vinyl chloride by direct contact with liquid vinyl chloride.
US NIOSH Recommended Exposure Limits (RELs)	vinyl chloride	Chloroethene, Chloroethylene, Ethylene monochloride, Monochloroethene, Monochloroethylene, VC, Vinyl chloride monomer (VCM)	1 ppm	Not Available	Not Available	Ca See Appendix A
US ACGIH Threshold Limit Values (TLV)	vinyl chloride	Vinyl chloride	Not Available	Not Available	Not Available	TLV® Basis: Lung cancer; liver dam

## EMERGENCY LIMITS

Continued...

## Volatile Organic Compounds

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
methanol	Methyl alcohol; (Methanol)	Not Available	Not Available	Not Available
1,1,1,2-tetrachloroethane	Tetrachloroethane, 1,1,1,2-	0.2 ppm	2.2 ppm	13 ppm
1,1,1-trichloroethane	Trichloroethane, 1,1,1-; (Methyl chloroform)	Not Available	Not Available	Not Available
1,1,2,2-tetrachloroethane	Tetrachloroethane, 1,1,2,2-	3 ppm	120 ppm	150 ppm
1,1,2-trichloroethane	Trichloroethane, 1,1,2-	30 ppm	180 ppm	500 ppm
1,1-dichloroethane	Ethylidene chloride, 1,1-; (1,1-Dichloroethane)	300 ppm	670 ppm	4,000 ppm
vinylidene chloride	Vinylidene chloride; (1,1-Dichloroethylene)	45 ppm	Not Available	Not Available
1,1-dichloropropene	Dichloropropene, 1,1-	1.3 ppm	15 ppm	87 ppm
1,2,3-trichlorobenzene	Trichlorobenzene, 1,2,3-	15 mg/m3	60 mg/m3	360 mg/m3
1,2,3-trichloropropane	Trichloropropane, 1,2,3-	0.015 ppm	170 ppm	1,000 ppm
1,2,4-trichlorobenzene	Trichlorobenzene, 1,2,4-	0.45 ppm	5 ppm	20 ppm
1,2,4-trimethyl benzene	Permafluor E+	140 mg/m3	360 mg/m3	2,200 mg/m3
1,2,4-trimethyl benzene	Trimethylbenzene, 1,2,4-; (Pseudocumene)	Not Available	Not Available	480 ppm
1,2-dibromo-3-chloropropane	Dibromo-3-chloropropane, 1,2-; (DBCP)	0.003 ppm	2.2 ppm	4.3 ppm
ethylene dibromide	Ethylene dibromide; (Dibromoethane)	Not Available	Not Available	Not Available
1,2-dichlorobenzene	Dichlorobenzene, o-	50 ppm	170 ppm	1,000 ppm
ethylene dichloride	Ethylene dichloride; (1,2-Dichloroethane)	Not Available	Not Available	Not Available
1,2-dichloropropane	Dichloropropane, 1,2-; (Propylene dichloride)	30 ppm	220 ppm	2,000 ppm
1,3,5-trimethyl benzene	Mesitylene; (1,3,5-Trimethylbenzene)	Not Available	Not Available	480 ppm
1,3-dichlorobenzene	Dichlorobenzene, m-	6 ppm	66 ppm	400 ppm
1,3-dichloropropane	Dichloropropane, 1,3-	5.4 ppm	59 ppm	350 ppm
1,4-dichlorobenzene	Dichlorobenzene, p-	30 ppm	170 ppm	1,000 ppm
2,2-dichloropropane	Dichloropropane, 2,2-	2.6 ppm	29 ppm	170 ppm
o-chlorotoluene	Chlorotoluene, 2-; (o-Chlorotoluene)	75 ppm	310 ppm	1,800 ppm
p-chlorotoluene	Chlorotoluene, 4-; (p-Tolyl chloride)	1.2 ppm	13 ppm	80 ppm
benzene	Benzene	Not Available	Not Available	Not Available
bromobenzene	Bromobenzene; (Phenyl bromide)	2.6 ppm	29 ppm	74 ppm
bromochloromethane	Bromochloromethane	600 ppm	830 ppm	5,000 ppm
bromodichloromethane	Bromodichloromethane	1.3 mg/m3	14 mg/m3	85 mg/m3
bromoform	Bromoform; (Tribromomethane)	1.5 ppm	6.8 ppm	41 ppm
methyl bromide	Methyl bromide; (Bromomethane)	19 ppm	Not Available	Not Available
carbon tetrachloride	Carbon tetrachloride	1.2 ppm	Not Available	Not Available
ethyl chloride	Ethyl chloride; (Chloroethane)	300 ppm	5100 ppm	20000 ppm
chlorobenzene	Chlorobenzene; (Benzene chloride)	Not Available	Not Available	Not Available
chloroform	Chloroform	2 ppm	Not Available	Not Available
chloromethane	Methyl chloride	Not Available	Not Available	Not Available
cis-acetylene dichloride	Dichloroethylene, cis-1,2-	Not Available	Not Available	Not Available
dibromochloromethane	Dibromochloromethane; (Chlorodibromomethane)	1.1 mg/m3	12 mg/m3	73 mg/m3
dibromomethane	Dibromomethane; (Methylene dibromide)	3 ppm	33 ppm	200 ppm
dichlorodifluoromethane	Dichlorodifluoromethane; (Freon 12, CFC 12)	3,000 ppm	10,000 ppm	50,000 ppm
methylene chloride	Methylene chloride; (Dichloromethane)	Not Available	Not Available	Not Available
ethylbenzene	Ethyl benzene	Not Available	Not Available	Not Available
hexachlorobutadiene	Hexachlorobutadiene	Not Available	Not Available	Not Available
isopropyl benzene - cumene	Cumene; (Isopropyl benzene)	Not Available	Not Available	Not Available
m-xylene	Xylene, m- (includes o- (95-47-6) and p- (106-42-3) isomers)	150 ppm	200 ppm	1,000 ppm
naphthalene	Naphthalene	15 ppm	83 ppm	500 ppm
butylbenzene	Butylbenzene, n-; (1-Phenylbutane)	6.2 ppm	68 ppm	410 ppm
propylbenzene	Propylbenzene, n-; (Isocumene)	3 ppm	33 ppm	2300 ppm
p-cymene	Isopropyltoluene, 4-; (p-Cymene)	120 mg/m3	1,300 mg/m3	1,900 mg/m3
sec-butylbenzene	Butylbenzene, sec-; (2-Phenylbutane)	1.1 ppm	12 ppm	69 ppm
styrene	Styrene	Not Available	Not Available	Not Available
tert-butylbenzene	Butylbenzene, tert-	1.7 ppm	18 ppm	110 ppm
tetrachloroethylene	Perchloroethylene; (Tetrachloroethylene)	Not Available	Not Available	Not Available
toluene	Toluene	Not Available	Not Available	Not Available
trans-acetylene dichloride	Dichloroethylene, trans-1,2-	Not Available	Not Available	Not Available
trichloroethylene	Trichloroethylene	Not Available	Not Available	Not Available
trichlorofluoromethane	Trichlorofluoromethane; (Fluorotrichloromethane; Freon 11)	140 ppm	1,500 ppm	10,000 ppm
vinyl chloride	Vinyl chloride	Not Available	Not Available	Not Available

Continued...

## Volatile Organic Compounds

Ingredient	Original IDLH	Revised IDLH
methanol	25,000 ppm	6,000 ppm
1,1,1,2-tetrachloroethane	Not Available	Not Available
1,1,1-trichloroethane	1,000 ppm	700 ppm
1,1,2,2-tetrachloroethane	150 ppm	100 ppm
1,1,2-trichloroethane	500 ppm	100 ppm
1,1-dichloroethane	4,000 ppm	3,000 ppm
vinylidene chloride	Not Available	Not Available
1,1-dichloropropene	Not Available	Not Available
1,2,3-trichlorobenzene	Not Available	Not Available
1,2,3-trichloropropane	1,000 ppm	100 ppm
1,2,4-trichlorobenzene	Not Available	Not Available
1,2,4-trimethyl benzene	Not Available	Not Available
1,2-dibromo-3-chloropropane	Not Available	Not Available
ethylene dibromide	400 ppm	100 ppm
1,2-dichlorobenzene	1,000 ppm	200 ppm
ethylene dichloride	1,000 ppm	50 ppm
1,2-dichloropropane	2,000 ppm	400 ppm
1,3,5-trimethyl benzene	Not Available	Not Available
1,3-dichlorobenzene	Not Available	Not Available
1,3-dichloropropane	Not Available	Not Available
1,4-dichlorobenzene	1,000 ppm	150 ppm
2,2-dichloropropane	Not Available	Not Available
o-chlorotoluene	Not Available	Not Available
p-chlorotoluene	Not Available	Not Available
benzene	3,000 ppm	500 ppm
bromobenzene	Not Available	Not Available
bromochloromethane	5,000 ppm	2,000 ppm
bromodichloromethane	Not Available	Not Available
bromoform	Unknown ppm	850 ppm
methyl bromide	2,000 ppm	250 ppm
carbon tetrachloride	300 ppm	200 ppm
ethyl chloride	20,000 ppm	3,800 [LEL] ppm
chlorobenzene	2,400 ppm	1,000 ppm
chloroform	1,000 ppm	500 ppm
chloromethane	5,000 ppm	2,300 ppm
cis-acetylene dichloride	Not Available	Not Available
cis-1,3-dichloropropene	Not Available	Not Available
dibromochloromethane	Not Available	Not Available
dibromomethane	Not Available	Not Available
dichlorodifluoromethane	50,000 ppm	15,000 ppm
methylene chloride	10,000 ppm	2,000 ppm
ethylbenzene	2,000 ppm	800 [LEL] ppm
hexachlorobutadiene	Not Available	Not Available
isopropyl benzene - cumene	8,000 ppm	900 [LEL] ppm
m-xylene	1,000 ppm	900 ppm
naphthalene	500 ppm	250 ppm
butylbenzene	Not Available	Not Available
propylbenzene	Not Available	Not Available
o-xylene	1,000 ppm	900 ppm
p-cymene	Not Available	Not Available
p-xylene	1,000 ppm	900 ppm
sec-butylbenzene	Not Available	Not Available
styrene	5,000 ppm	700 ppm
tert-butylbenzene	Not Available	Not Available
tetrachloroethylene	500 ppm	150 ppm
toluene	2,000 ppm	500 ppm
trans-acetylene dichloride	Not Available	Not Available
trans-1,3-dichloropropene	Not Available	Not Available

## Volatile Organic Compounds

trichloroethylene	1,000 ppm	1,000 [Unch] ppm
trichlorofluoromethane	10,000 ppm	2,000 ppm
vinyl chloride	Not Available	Not Available

## Exposure controls

Appropriate engineering controls	Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection. The basic types of engineering controls are: Process controls which involve changing the way a job activity or process is done to reduce the risk. Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment. Ventilation can remove or dilute an air contaminant if designed properly. The design of a ventilation system must match the particular process and chemical or contaminant in use. Employers may need to use multiple types of controls to prevent employee overexposure.									
	For flammable liquids and flammable gases, local exhaust ventilation or a process enclosure ventilation system may be required. Ventilation equipment should be explosion-resistant. Air contaminants generated in the workplace possess varying "escape" velocities which, in turn, determine the "capture velocities" of fresh circulating air required to effectively remove the contaminant.									
	<table><tr><td>Type of Contaminant:</td><td>Air Speed:</td></tr><tr><td>solvent, vapours, degreasing etc., evaporating from tank (in still air).</td><td>0.25-0.5 m/s (50-100 f/min.)</td></tr><tr><td>aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)</td><td>0.5-1 m/s (100-200 f/min.)</td></tr><tr><td>direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)</td><td>1-2.5 m/s (200-500 f/min.)</td></tr></table>	Type of Contaminant:	Air Speed:	solvent, vapours, degreasing etc., evaporating from tank (in still air).	0.25-0.5 m/s (50-100 f/min.)	aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)	0.5-1 m/s (100-200 f/min.)	direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)	1-2.5 m/s (200-500 f/min.)	
	Type of Contaminant:	Air Speed:								
	solvent, vapours, degreasing etc., evaporating from tank (in still air).	0.25-0.5 m/s (50-100 f/min.)								
aerosols, fumes from pouring operations, intermittent container filling, low speed conveyer transfers, welding, spray drift, plating acid fumes, pickling (released at low velocity into zone of active generation)	0.5-1 m/s (100-200 f/min.)									
direct spray, spray painting in shallow booths, drum filling, conveyer loading, crusher dusts, gas discharge (active generation into zone of rapid air motion)	1-2.5 m/s (200-500 f/min.)									
Within each range the appropriate value depends on:										
<table><tr><td>Lower end of the range</td><td>Upper end of the range</td></tr><tr><td>1: Room air currents minimal or favourable to capture</td><td>1: Disturbing room air currents</td></tr><tr><td>2: Contaminants of low toxicity or of nuisance value only.</td><td>2: Contaminants of high toxicity</td></tr><tr><td>3: Intermittent, low production.</td><td>3: High production, heavy use</td></tr><tr><td>4: Large hood or large air mass in motion</td><td>4: Small hood-local control only</td></tr></table>	Lower end of the range	Upper end of the range	1: Room air currents minimal or favourable to capture	1: Disturbing room air currents	2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity	3: Intermittent, low production.	3: High production, heavy use	4: Large hood or large air mass in motion	4: Small hood-local control only
Lower end of the range	Upper end of the range									
1: Room air currents minimal or favourable to capture	1: Disturbing room air currents									
2: Contaminants of low toxicity or of nuisance value only.	2: Contaminants of high toxicity									
3: Intermittent, low production.	3: High production, heavy use									
4: Large hood or large air mass in motion	4: Small hood-local control only									
	Simple theory shows that air velocity falls rapidly with distance away from the opening of a simple extraction pipe. Velocity generally decreases with the square of distance from the extraction point (in simple cases). Therefore the air speed at the extraction point should be adjusted, accordingly, after reference to distance from the contaminating source. The air velocity at the extraction fan, for example, should be a minimum of 1-2 m/s (200-400 f/min.) for extraction of solvents generated in a tank 2 meters distant from the extraction point. Other mechanical considerations, producing performance deficits within the extraction apparatus, make it essential that theoretical air velocities are multiplied by factors of 10 or more when extraction systems are installed or used.									
Personal protection										
Eye and face protection	<ul style="list-style-type: none"><li>▶ Safety glasses with side shields</li><li>▶ Chemical goggles.</li><li>▶ Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lenses or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59], [AS/NZS 1336 or national equivalent]</li></ul>									
Skin protection	See Hand protection below									
Hands/feet protection	<p>The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.</p> <p>The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.</p> <p>Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.</p> <p>Suitability and durability of glove type is dependent on usage. Important factors in the selection of gloves include:</p> <ul style="list-style-type: none"><li>• frequency and duration of contact,</li><li>• chemical resistance of glove material,</li><li>• glove thickness and</li><li>• dexterity</li></ul> <p>Select gloves tested to a relevant standard (e.g. Europe EN 374, US F739, AS/NZS 2161.1 or national equivalent).</p> <ul style="list-style-type: none"><li>• When prolonged or frequently repeated contact may occur, a glove with a protection class of 5 or higher (breakthrough time greater than 240 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.</li><li>• When only brief contact is expected, a glove with a protection class of 3 or higher (breakthrough time greater than 60 minutes according to EN 374, AS/NZS 2161.10.1 or national equivalent) is recommended.</li><li>• Some glove polymer types are less affected by movement and this should be taken into account when considering gloves for long-term use.</li><li>• Contaminated gloves should be replaced.</li></ul> <p>For general applications, gloves with a thickness typically greater than 0.35 mm, are recommended.</p> <p>It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be based on consideration of the task</p>									

## Volatile Organic Compounds

	<p>requirements and knowledge of breakthrough times.</p> <p>Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task.</p> <p>Note: Depending on the activity being conducted, gloves of varying thickness may be required for specific tasks. For example:</p> <ul style="list-style-type: none"> <li>Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection and would normally be just for single use applications, then disposed of.</li> <li>Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as well as a chemical) risk i.e. where there is abrasion or puncture potential</li> </ul> <p>Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturiser is recommended.</p> <ul style="list-style-type: none"> <li>Wear chemical protective gloves, e.g. PVC.</li> <li>Wear safety footwear or safety gumboots, e.g. Rubber</li> </ul>
<b>Body protection</b>	See Other protection below
<b>Other protection</b>	<ul style="list-style-type: none"> <li>Overalls.</li> <li>PVC Apron.</li> <li>PVC protective suit may be required if exposure severe.</li> <li>Eyewash unit.</li> <li>Ensure there is ready access to a safety shower.               <ul style="list-style-type: none"> <li>Some plastic personal protective equipment (PPE) (e.g. gloves, aprons, overshoes) are not recommended as they may produce static electricity.</li> <li>For large scale or continuous use wear tight-weave non-static clothing (no metallic fasteners, cuffs or pockets).</li> <li>Non sparking safety or conductive footwear should be considered. Conductive footwear describes a boot or shoe with a sole made from a conductive compound chemically bound to the bottom components, for permanent control to electrically ground the foot and shall dissipate static electricity from the body to reduce the possibility of ignition of volatile compounds. Electrical resistance must range between 0 to 500,000 ohms. Conductive shoes should be stored in lockers close to the room in which they are worn. Personnel who have been issued conductive footwear should not wear them from their place of work to their homes and return.</li> </ul> </li> </ul>
<b>Thermal hazards</b>	Not Available

### Respiratory protection

Cartridge respirators should never be used for emergency ingress or in areas of unknown vapour concentrations or oxygen content. The wearer must be warned to leave the contaminated area immediately on detecting any odours through the respirator. The odour may indicate that the mask is not functioning properly, that the vapour concentration is too high, or that the mask is not properly fitted. Because of these limitations, only restricted use of cartridge respirators is considered appropriate.

Selection of the Class and Type of respirator will depend upon the level of breathing zone contaminant and the chemical nature of the contaminant. Protection Factors (defined as the ratio of contaminant outside and inside the mask) may also be important.

Required minimum protection factor	Maximum gas/vapour concentration present in air p.p.m. (by volume)	Half-face Respirator	Full-Face Respirator
up to 10	1000	A-AUS / Class 1	-
up to 50	1000	-	A-AUS / Class 1
up to 50	5000	Airline *	-
up to 100	5000	-	A-2
up to 100	10000	-	A-3
100+		-	Airline**

\* - Continuous Flow

\*\* - Continuous-flow or positive pressure demand.

A(All classes) = Organic vapours, B AUS or B1 = Acid gases, B2 = Acid gas or hydrogen cyanide(HCN), B3 = Acid gas or hydrogen cyanide(HCN), E = Sulfur dioxide(SO2), G = Agricultural chemicals, K = Ammonia(NH3), Hg = Mercury, NO = Oxides of nitrogen, MB = Methyl bromide, AX = Low boiling point organic compounds(below 65 deg C)

## SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Appearance</b>	Not Available		
<b>Physical state</b>	Liquid	<b>Relative density (Water = 1)</b>	Not Available
<b>Odour</b>	Not Available	<b>Partition coefficient n-octanol / water</b>	Not Available
<b>Odour threshold</b>	Not Available	<b>Auto-ignition temperature (°C)</b>	Not Available
<b>pH (as supplied)</b>	Not Available	<b>Decomposition temperature</b>	Not Available
<b>Melting point / freezing point (°C)</b>	Not Available	<b>Viscosity (cSt)</b>	Not Available
<b>Initial boiling point and boiling range (°C)</b>	Not Available	<b>Molecular weight (g/mol)</b>	Not Available
<b>Flash point (°C)</b>	Not Available	<b>Taste</b>	Not Available
<b>Evaporation rate</b>	Not Available	<b>Explosive properties</b>	Not Available
<b>Flammability</b>	Not Available	<b>Oxidising properties</b>	Not Available
<b>Upper Explosive Limit (%)</b>	Not Available	<b>Surface Tension (dyn/cm or mN/m)</b>	Not Available
<b>Lower Explosive Limit (%)</b>	Not Available	<b>Volatile Component (%vol)</b>	Not Available
<b>Vapour pressure (kPa)</b>	Not Available	<b>Gas group</b>	Not Available
<b>Solubility in water (g/L)</b>	Miscible	<b>pH as a solution (1%)</b>	Not Available
<b>Vapour density (Air = 1)</b>	Not Available	<b>VOC g/L</b>	Not Available

## SECTION 10 STABILITY AND REACTIVITY

## Volatile Organic Compounds

<b>Reactivity</b>	See section 7
<b>Chemical stability</b>	<ul style="list-style-type: none"> <li>▶ Unstable in the presence of incompatible materials.</li> <li>▶ Product is considered stable.</li> <li>▶ Hazardous polymerisation will not occur.</li> </ul>
<b>Possibility of hazardous reactions</b>	See section 7
<b>Conditions to avoid</b>	See section 7
<b>Incompatible materials</b>	See section 7
<b>Hazardous decomposition products</b>	See section 5

## SECTION 11 TOXICOLOGICAL INFORMATION

### Information on toxicological effects

<b>Inhaled</b>	<p>The material is not thought to produce respiratory irritation (as classified by EC Directives using animal models). Nevertheless inhalation of vapours, fumes or aerosols, especially for prolonged periods, may produce respiratory discomfort and occasionally, distress. Inhalation of vapours or aerosols (mists, fumes), generated by the material during the course of normal handling, may be damaging to the health of the individual.</p> <p>The acute toxicity of inhaled alkylbenzene is best described by central nervous system depression. These compounds may also act as general anaesthetics. Whole body symptoms of poisoning include light-headedness, nervousness, apprehension, a feeling of well-being, confusion, dizziness, drowsiness, ringing in the ears, blurred or double vision, vomiting and sensations of heat, cold or numbness, twitching, tremors, convulsions, unconsciousness, depression of breathing, and arrest. Heart stoppage may result from cardiovascular collapse. A slow heart rate and low blood pressure may also occur.</p> <p>Alkylbenzenes are not generally toxic except at high levels of exposure. Their breakdown products have low toxicity and are easily eliminated from the body. On exposure to mixed trimethylbenzenes, some people may become nervous, tensed, anxious and have difficult breathing. There may be a reduction red blood cells and bleeding abnormalities. There may also be drowsiness.</p> <p>Dichloroprenes at concentrations exceeding 1500 ppm may cause lachrymation, dizziness, gasping, refusal to breath, coughing, substernal pain, bronchospasm, extreme respiratory distress, coma and delayed injury to liver, kidney and heart. Effects may continue for years after exposure and include malaise, headache, chest and abdominal discomfort and irritability.</p> <p>When 1,3-dichloropropene is detected by odour by most people in the range 1-3 parts per million, the odour is faint and fatigues rapidly, therefore warning properties are poor.</p> <p>Dichloroprenes at concentrations greater than 0.15% may cause excessive secretion of tears, dizziness, gasping, breathlessness, coughing, chest pain, airway spasm, extreme respiratory distress, coma and delayed injury to the liver, kidney and heart. These effects may last for years, and include general unwellness, headache, chest, and abdominal discomfort, and irritability. Headache is frequent. Inhaling concentrations of greater than 0.15% may cause serious poisoning, and lower concentrations can cause headache, chest discomfort, irritation of the mucous membrane, nausea, vomiting, dizziness, and, occasionally, loss of consciousness and libido.</p> <p>Animal testing showed that dichloroprenes can damage the nose as well as the lung, liver and kidney.</p> <p>Minor but regular methanol exposures may effect the central nervous system, optic nerves and retinae. Symptoms may be delayed, with headache, fatigue, nausea, blurring of vision and double vision. Continued or severe exposures may cause damage to optic nerves, which may become severe with permanent visual impairment even blindness resulting.</p> <p><b>WARNING:</b> Methanol is only slowly eliminated from the body and should be regarded as a cumulative poison which cannot be made non-harmful [CCINFO]</p> <p>Inhalation of naphthalene vapour is linked with headache, loss of appetite, nausea, damage to the eyes and kidneys. According to animal testing, long term exposure may cause excessive weakness and increased salivation, weight loss, difficulty breathing, collapse, and evidence of damage to the skin, liver and lungs.</p>
<b>Ingestion</b>	<p>Accidental ingestion of the material may be damaging to the health of the individual.</p> <p>Swallowing 1,3-dichloropropene may lead to acute gastrointestinal distress, with congestion and fluid build-up in the lungs. 1,3-dichloropropene can damage the lungs and affect the liver and kidney.</p> <p>Ingestion of naphthalene and related compounds may produce abdominal cramps with nausea, vomiting, diarrhoea, headache, profuse sweating, listlessness, confusion, and in severe poisonings, coma with or without convulsions. Irritation of the bladder may also occur, producing urgency, painful urination, and the passage of brown or black urine with or without albumin or casts.</p>
<b>Skin Contact</b>	<p>The material is not thought to produce adverse health effects or skin irritation following contact (as classified by EC Directives using animal models). Nevertheless, good hygiene practice requires that exposure be kept to a minimum and that suitable gloves be used in an occupational setting.</p> <p>Severe skin irritation produced by 1,3-dichloropropene is characterised by a marked inflammatory response to the superficial skin and underlying tissues.</p> <p>Toxic effects may result from skin absorption</p> <p>Workers sensitised to naphthalene and related compounds show an inflammation of the skin with scaling and reddening. Some individuals show an allergic reaction.</p> <p>Open cuts, abraded or irritated skin should not be exposed to this material</p> <p>Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.</p>
<b>Eye</b>	<p>Although the liquid is not thought to be an irritant (as classified by EC Directives), direct contact with the eye may produce transient discomfort characterised by tearing or conjunctival redness (as with windburn).</p> <p>0.1% dichloropropene was irritating to the nose and eyes of rats and caused excessive tear secretion if exposure was prolonged.</p> <p>Long term exposure to naphthalene has produced clouding of the lens (cataracts) in workers.</p>
<b>Chronic</b>	<p>Long-term exposure to the product is not thought to produce chronic effects adverse to the health (as classified by EC Directives using animal models); nevertheless exposure by all routes should be minimised as a matter of course.</p> <p>Prolonged or repeated exposure to 1,3-dichloropropene may produce inflammation of the skin, severe irritation and possibly burns. Animal studies indicate it may sensitise skin, and produce an increase in tumours (including cancer) of the liver, forestomach, bladder and lung.</p> <p>Long-term exposure to methanol vapour, at concentrations exceeding 3000 ppm, may produce cumulative effects characterised by gastrointestinal disturbances (nausea, vomiting), headache, ringing in the ears, insomnia, trembling, unsteady gait, vertigo, conjunctivitis and clouded or double vision. Liver and/or kidney injury may also result.</p> <p>Chronic exposure to benzene may cause headache, fatigue, loss of appetite and lassitude with incipient blood effects including anaemia and blood changes. Benzene is a myelotoxicant known to suppress bone-marrow cell proliferation and to induce haematologic disorders in humans and animals.</p>

## Volatile Organic Compounds

Animal testing indicates that inhalation of naphthalene may increase the incidence of respiratory tumours and may aggravate chronic inflammation.

Volatile Organic Compounds	TOXICITY	IRRITATION
	Not Available	Not Available
methanol	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: 15800 mg/kg <sup>[2]</sup>	Eye (rabbit): 100 mg/24h-moderate
	Inhalation (rat) LC50: 64000 ppm/4hr <sup>[2]</sup>	Eye (rabbit): 40 mg-moderate
	Oral (rat) LD50: 5600 mg/kg <sup>[2]</sup>	Skin (rabbit): 20 mg/24 h-moderate
1,1,1,2-tetrachloroethane	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: 20 mg/kg <sup>[2]</sup>	Not Available
	Inhalation (rat) LC50: 2100 ppm/4hr <sup>[2]</sup>	
	Oral (rat) LD50: 670 mg/kg <sup>[2]</sup>	
1,1,1-trichloroethane	TOXICITY	IRRITATION
	dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Eye (man): 450 ppm/8h
	Inhalation (rat) LC50: 17000 ppm/4hr <sup>[2]</sup>	Eye (rabbit): 100 mg mild
	Inhalation (rat) LC50: 18000 ppm/4hr <sup>[2]</sup>	Eye (rabbit): 2 mg/24h SEVERE
	Oral (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Skin (rabbit): 20 mg/24h moderate
		Skin (rabbit): 5000 mg/12d-I mild
1,1,2,2-tetrachloroethane	TOXICITY	IRRITATION
	Oral (rat) LD50: 200 mg/kg <sup>[2]</sup>	Not Available
1,1,2-trichloroethane	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: 5377 mg/kgd <sup>[2]</sup>	Eye (rabbit): 162 mg - mild
	Inhalation (mouse) LC50: 624 ppm/6hr <sup>[1]</sup>	Eye (rabbit): 500 mg/24h - mild
	Oral (rat) LD50: 580 mg/kg <sup>[2]</sup>	Skin (rabbit): 500 mg(open)-mild
		Skin (rabbit): 500 mg/24h - mild
		Skin (rabbit): 810 mg/24h-SEVERE
1,1-dichloroethane	TOXICITY	IRRITATION
	Inhalation (rat) LC50: 13000 ppm/4hr <sup>[2]</sup>	Not Available
	Oral (rat) LD50: 725 mg/kgd <sup>[2]</sup>	
vinylidene chloride	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: 10000 mg/kg <sup>[2]</sup>	Not Available
	Inhalation (rat) LC50: 10000 ppm/4hr <sup>[2]</sup>	
	Inhalation (rat) LC50: 6350 ppm/4hr <sup>[2]</sup>	
	Oral (rat) LD50: 200 mg/kgd <sup>[2]</sup>	
1,1-dichloropropene	TOXICITY	IRRITATION
	Not Available	Not Available
1,2,3-trichlorobenzene	TOXICITY	IRRITATION
	Oral (rat) LD50: 1830 mg/kg <sup>[2]</sup>	Not Available
1,2,3-trichloropropane	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: 390 mg/kg <sup>[1]</sup>	Eye (rabbit): 140 mg - SEVERE
	Oral (rat) LD50: 120 mg/kg <sup>[1]</sup>	Skin (rabbit): 700 mg(open)-mild



## Volatile Organic Compounds

1,2,4-trichlorobenzene	TOXICITY	IRRITATION
	dermal (rat) LD50: 6139 mg/kg <sup>[2]</sup>	Skin (rabbit): 1950 mg/13w - I
	Oral (rat) LD50: 600 mg/kg <sup>[1]</sup>	
1,2,4-trimethyl benzene	TOXICITY	IRRITATION
	Oral (rat) LD50: 3280 mg/kg <sup>[1]</sup>	Not Available
1,2-dibromo-3-chloropropane	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: 1400 mg/kg <sup>[2]</sup>	Eye (rabbit): 1% - mild
	Inhalation (rat) LC50: 206 ppm/8hr <sup>[2]</sup>	Skin (rabbit): 10 mg - SEVERE
	Oral (rat) LD50: 170 mg/kgE <sup>[2]</sup>	
ethylene dibromide	TOXICITY	IRRITATION
	dermal (rat) LD50: 300 mg/kg <sup>[2]</sup>	Skin (human): 1538 mg/2h - SEVERE
	Oral (rat) LD50: 108 mg/kgE <sup>[2]</sup>	Skin (rabbit): 1%/14d - SEVERE
1,2-dichlorobenzene	TOXICITY	IRRITATION
	Oral (rat) LD50: 500 mg/kgd <sup>[2]</sup>	Eye(rabbit):100mg/30s rinse-mild
ethylene dichloride	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: 2800 mg/kg <sup>[2]</sup>	Skin (rabbit): 500 mg/24h - mild
	Inhalation (monkey) LC50: 5250 ppm/7hr <sup>[2]</sup>	Skin (rabbit): 625 mg - mild
	Inhalation (rat) LC50: 1750 ppm/7hr <sup>[2]</sup>	
	Oral (rat) LD50: 500 mg/kg <sup>[2]</sup>	
1,2-dichloropropane	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: 8750 mg/kg <sup>[2]</sup>	Eye (rabbit): 500 mg - mild
	Inhalation (mouse) LC50: 1200 ppm/10h <sup>[2]</sup>	
	Inhalation (mouse) LC50: 5.64 mg/110 hr <sup>[1]</sup>	
	Inhalation (rat) LC50: 28 mg/18 hr <sup>[1]</sup>	
	Inhalation (rat) LC50: 600 ppm/8hr <sup>[2]</sup>	
	Oral (rat) LD50: 1900 mg/kg <sup>[2]</sup>	
1,3,5-trimethyl benzene	TOXICITY	IRRITATION
	Oral (rat) LD50: 3280 mg/kg <sup>[1]</sup>	Eye (rabbit): 500 mg/24h mild
		Skin (rabbit): 20 mg/24h moderate
1,3-dichlorobenzene	TOXICITY	IRRITATION
	Oral (rat) LD50: ca.580 mg/kg <sup>[1]</sup>	Not Available
1,3-dichloropropane	TOXICITY	IRRITATION
	Not Available	Not Available
1,4-dichlorobenzene	TOXICITY	IRRITATION
	dermal (rat) LD50: 2000 mg/kg <sup>[2]</sup>	Eye (human): 80 ppm
	Oral (rat) LD50: 500 mg/kg <sup>[2]</sup>	
2,2-dichloropropane	TOXICITY	IRRITATION
	Not Available	Not Available

## Volatile Organic Compounds

o-chlorotoluene	TOXICITY	IRRITATION
	dermal (rat) LD50: >1083 mg/kg <sup>[2]</sup>	Not Available
	Oral (rat) LD50: 2350 mg/kg <sup>[1]</sup>	
p-chlorotoluene	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: >2000 mg/kg <sup>[1]</sup>	Not Available
	Oral (rat) LD50: 2100 mg/kg <sup>[2]</sup>	
benzene	TOXICITY	IRRITATION
	dermal (mouse) LD50: 48 mg/kg <sup>[2]</sup>	Eye (rabbit): 2 mg/24h - SEVERE
	Inhalation (rat) LC50: 17500 ppm/7hr <sup>[2]</sup>	SKIN (rabbit):20 mg/24h - moderate
	Oral (rat) LD50: 690-1230 mg/kg <sup>[1]</sup>	
bromobenzene	TOXICITY	IRRITATION
	Oral (rat) LD50: 2383 mg/kg <sup>[2]</sup>	Not Available
bromochloromethane	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: >5000 mg/kg <sup>[2]</sup>	Not Available
	Oral (rat) LD50: 5000 mg/kg*d <sup>[2]</sup>	
bromodichloromethane	TOXICITY	IRRITATION
	Oral (rat) LD50: 430 mg/kg <sup>[2]</sup>	Not Available
bromoform	TOXICITY	IRRITATION
	Oral (rat) LD50: 933 mg/kg <sup>[2]</sup>	Not Available
methyl bromide	TOXICITY	IRRITATION
	Inhalation (mouse) LC50: 212.5 ppm/30M <sup>[2]</sup>	Not Available
	Inhalation (rat) LC50: 354.125 ppm/30M <sup>[2]</sup>	
	Inhalation (rat) LC50: 604 ppm/8hr <sup>[2]</sup>	
	Oral (rat) LD50: 214 mg/kgd <sup>[2]</sup>	
carbon tetrachloride	TOXICITY	IRRITATION
	dermal (rat) LD50: 5070 mg/kg <sup>[2]</sup>	Eye (rabbit): 2200ug/30s - mild
	Inhalation (rat) LC50: 8000 ppm/4hr <sup>[2]</sup>	Eye (rabbit): 500 mg/24 h - mild
	Oral (rat) LD50: 900 mg/kg <sup>[2]</sup>	Skin (rabbit): 500 mg/24 h - mild
ethyl chloride	TOXICITY	IRRITATION
	Inhalation (rat) LC50: >50000 ppm15 min <sup>[1]</sup>	Not Available
	Inhalation (rat) LC50: 35625 ppm15 min <sup>[1]</sup>	
	Inhalation (rat) LC50: 84.6875 mg/115 min <sup>[1]</sup>	
	Inhalation (rat) LC50: 90.1875 mg/115 min <sup>[1]</sup>	
chlorobenzene	TOXICITY	IRRITATION
	Inhalation (mouse) LC50: 2150 ppm/2hr <sup>[2]</sup>	Not Available
	Oral (rat) LD50: 1100 mg/kg* <sup>[2]</sup>	
chloroform	TOXICITY	IRRITATION
	Oral (rat) LD50: 300 mg/kg <sup>[2]</sup>	Eye (rabbit): 148 mg
		Eye (rabbit):20 mg/24h - moderate

## Volatile Organic Compounds

		Skin (rabbit):10 mg/24h(open)-mild
		Skin (rabbit):500 mg/24h - mild
chloromethane	TOXICITY	IRRITATION
	Inhalation (rat) LC50: 2700 ppm/4hr <sup>[1]</sup>	Not Available
	Oral (rat) LD50: 1800 mg/kg <sup>[2]</sup>	
cis-acetylene dichloride	TOXICITY	IRRITATION
	Not Available	Not Available
cis-1,3-dichloropropene	TOXICITY	IRRITATION
	dermal (rat) LD50: 758 mg/kg <sup>[1]</sup>	Not Available
	Oral (rat) LD50: 78 mg/kg <sup>[1]</sup>	
dibromochloromethane	TOXICITY	IRRITATION
	Oral (rat) LD50: 370 mg/kg <sup>[2]</sup>	Not Available
dibromomethane	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: >4000 mg/kg <sup>[2]</sup>	Not Available
	Oral (rat) LD50: 108 mg/kg <sup>[2]</sup>	
dichlorodifluoromethane	TOXICITY	IRRITATION
	Inhalation (rat) LC50: 100000 ppm/30m <sup>[2]</sup>	Not Available
methylene chloride	TOXICITY	IRRITATION
	dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Eye(rabbit): 162 mg - moderate
	Inhalation (mouse) LC50: 25200 ppm/7hr <sup>[2]</sup>	Eye(rabbit): 500 mg/24hr - mild
	Oral (rat) LD50: 985 mg/kg <sup>[2]</sup>	Skin (rabbit): 100mg/24hr-moderate
		Skin (rabbit): 810 mg/24hr-SEVERE
ethylbenzene	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: >5000 mg/kg <sup>[2]</sup>	Eye (rabbit): 500 mg - SEVERE
	Inhalation (rabbit) LC50: 4000 ppm/4hr <sup>[2]</sup>	Skin (rabbit): 15 mg/24h mild
	Oral (rat) LD50: 3500 mg/kg <sup>[2]</sup>	
hexachlorobutadiene	TOXICITY	IRRITATION
	dermal (rat) LD50: 4500 mg/kg <sup>[2]</sup>	Eye (rabbit): 162 mg - mild
	Oral (rat) LD50: 82 mg/kg <sup>[2]</sup>	Eye (rabbit): 500 mg/24h
		Skin (rabbit): 500 mg/24h - mild
		SKIN (RABBIT): 810 MG/24H -moderate
isopropyl benzene - cumene	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: 2000 mg/kg <sup>[2]</sup>	Eye (rabbit): 500 mg/24h mild
	Oral (rat) LD50: 1400 mg/kg <sup>[2]</sup>	Eye (rabbit): 86 mg mild
		Skin (rabbit): 10 mg/24h mild
		Skin (rabbit):100 mg/24h moderate
m-xylene	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: 14100 mg/kg <sup>[2]</sup>	Eye (rabbit): 5 mg/24h - SEVERE
	Inhalation (mouse) LC50: 7900.5 ppm/6hr <sup>[2]</sup>	Skin (rabbit): 20 mg/24h - mod
	Oral (rat) LD50: 4988 mg/kg <sup>[2]</sup>	Skin (rabbit):0.01 mg/24h(open)

## Volatile Organic Compounds

naphthalene	TOXICITY	IRRITATION
	dermal (rat) LD50: >2500 mg/kg <sup>[2]</sup>	Eye (rabbit): 100 mg - mild
	Oral (rat) LD50: 490 mg/kg <sup>[2]</sup>	Skin (rabbit): 495 mg (open) - mild
butylbenzene	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: >2000 mg/kg <sup>[1]</sup>	Not Available
	Oral (rat) LD50: 5210 mg/kg <sup>[1]</sup>	
propylbenzene	TOXICITY	IRRITATION
	Inhalation (rat) LC50: 32500 ppm/2hr <sup>[2]</sup>	Not Available
	Oral (rat) LD50: 6040 mg/kg <sup>[2]</sup>	
o-xylene	TOXICITY	IRRITATION
	Inhalation (mouse) LC50: 6892.5 ppm/6hr <sup>[1]</sup>	Not Available
	Oral (rat) LD50: 3567 mg/kg <sup>[2]</sup>	
p-cymene	TOXICITY	IRRITATION
	Oral (rat) LD50: 3669 mg/kg <sup>[2]</sup>	Not Available
p-xylene	TOXICITY	IRRITATION
	Inhalation (rat) LC50: 4550 ppm/4hr <sup>[2]</sup>	Not Available
	Oral (rat) LD50: 3910 mg/kg <sup>[2]</sup>	
sec-butylbenzene	TOXICITY	IRRITATION
	Oral (rat) LD50: 6300 mg/kg <sup>[2]</sup>	Eye (rabbit): 500 mg/24h - mild
		Skin (rabbit): 100 mg/24h - mod
styrene	TOXICITY	IRRITATION
	dermal (rat) LD50: >2000 mg/kg <sup>[1]</sup>	Eye (rabbit): 100 mg/24h - moderate
	Inhalation (rat) LC50: 2770 ppm/4hr <sup>[2]</sup>	Eye (rabbit): 100 mg/24h - moderate
	Oral (rat) LD50: 2650 mg/kg <sup>[2]</sup>	Skin (rabbit): 500 mg - mild
		Skin (rabbit): 500 mg - mild
tert-butylbenzene	TOXICITY	IRRITATION
	Oral (rat) LD50: 3045 mg/kg <sup>[2]</sup>	Not Available
tetrachloroethylene	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: >10000 mg/kg <sup>[1]</sup>	Eye (rabbit): 162 mg - mild
	Inhalation (mouse) LC50: 4467 ppm/6hr <sup>[2]</sup>	Skin (rabbit): 810 mg/24h - SEVERE
	Inhalation (rat) LC50: 6150 ppm/6hr <sup>[2]</sup>	
	Oral (rat) LD50: 2629 mg/kg <sup>[2]</sup>	
toluene	TOXICITY	IRRITATION
	Dermal (rabbit) LD50: 12124 mg/kg <sup>[2]</sup>	Eye (rabbit): 2mg/24h - SEVERE
	Inhalation (rat) LC50: >6675 ppm/1hr <sup>[2]</sup>	Eye (rabbit): 0.87 mg - mild
	Oral (rat) LD50: 636 mg/kg <sup>[2]</sup>	Eye (rabbit): 100 mg/30sec - mild
		Skin (rabbit): 20 mg/24h - moderate
		Skin (rabbit): 500 mg - moderate
trans-acetylene dichloride	TOXICITY	IRRITATION

## Volatile Organic Compounds

	Dermal (rabbit) LD50: >5000 mg/kg <sup>[2]</sup>	Eye (rabbit): 10 mg - moderate
	Oral (rat) LD50: 1235 mg/kg <sup>[2]</sup>	SKIN (RABBIT): 500 MG/24H - moderate
trans-1,3-dichloropropene	TOXICITY	IRRITATION
	Not Available	Not Available
trichloroethylene	TOXICITY	IRRITATION
	Inhalation (mouse) LC50: 8450 ppm/4hr <sup>[2]</sup>	Eye(rabbit): 20 mg/24h - SEVERE
	Oral (rat) LD50: 4920 mg/kg <sup>[2]</sup>	Skin(rabbit): 500 mg/24h - SEVERE
trichlorofluoromethane	TOXICITY	IRRITATION
	Not Available	Not Available
vinyl chloride	TOXICITY	IRRITATION
	Oral (rat) LD50: >500 mg/kg <sup>[1]</sup>	Not Available

**Legend:** 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.\* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances

1,1,1-TRICHLOROETHANE	1,1,1-trichloroethane vapour is mainly absorbed through the airways and rapidly eliminated from blood.
1,1,2-TRICHLOROETHANE	For 1,1,2-trichloroethane (TCE): TCE is irritating to the skin, eyes, upper airway, and stomach. Reproductive effector
1,1-DICHLOROETHANE	Equivocal tumorigenic agent by RTECS criteria.
VINYLDENE CHLORIDE	For vinylidene chloride: In humans, inhaling vinylidene chloride at a concentration of 0.4% causes intoxication that may lead to unconsciousness.
1,2,3-TRICHLOROPROPANE	for 1,2,3-trichloropropane: Studies with rats and mice suggest that 1,2,3-trichloropropane is similarly toxic following acute- and intermediate-duration exposure by either the inhalation or oral route. Bacterial cell mutagen
1,2,4-TRICHLOROBENZENE	Bacterial mutagen Altered sleep times, somnolence, convulsions, ataxia, maternal effects, effects on embryo, foetotoxicity, foetolethality recorded.
1,2,4-TRIMETHYL BENZENE	CHEMWATCH 2325 1,3,5-trimethylbenzene
1,2-DIBROMO-3-CHLOROPROPANE	Carcinogenic by RTECS criteria Reproductive effector in rats and rabbits Olfaction, respiratory tract, kidney, adrenal cortex, and skin tumours, paternal effects, foetotoxicity, foetolethality and specific developmental abnormalities involving urogenital system recorded.
ETHYLENE DIBROMIDE	Inhalation (rat) TCLO: 10 ppm/2y - I Eye (rabbit): 1%
1,2-DICHLOROBENZENE	Diffuse and zonal hepatocellular necrosis, lachrymation, general anaesthesia, paternal effects, specific developmental anomalies (musculoskeletal system) recorded.
ETHYLENE DICHLORIDE	for ethylene dichloride (syn: 1,2-dichloroethane, EDC).
1,2-DICHLOROPROPANE	* Dow Chemical
1,3,5-TRIMETHYL BENZENE	CHEMWATCH 12171 1,2,4-trimethylbenzene
1,4-DICHLOROBENZENE	Eye effects, respiratory tract changes, diarrhoea, specific developmental effects (cardiovascular system) recorded.
O-CHLOROTOLUENE	O-chlorotoluene is corrosive to skin. for o-chlorotoluene (syn: 2-chlorotoluene) <b>Acute toxicity:</b> The acute oral toxicity: LD 50 (Rat, male): 3227 mg/kg bw; LD50 (Rat, female): 3860 mg/kg bw The acute inhalation toxicity: LC50 (Rat): 37517 mg/m3 (4 h) The acute dermal toxicity: LD 50 (Rat): > 1083 mg/kg bw; LD50 (Rabbit): > 2165 mg/kg bw 2-Chlorotoluene, tested according to OECD Guideline 404, is slightly irritating to the skin. * SIDS HPV Challenge Program
BENZENE	Inhalation (man) TCLO: 150 ppm/1y - I
BROMODICHLOROMETHANE	Changes in circulation in brain and coverings, somnolence, tremor, ataxia, antipsychotic behaviour, fatty liver degeneration, liver changes, haemorrhage recorded.
BROMOFORM	Changes in circulation, lachrymation, somnolence, ataxia, antipsychotic behaviour, respiratory tract tumours, fatty liver degeneration, haemorrhage recorded.
METHYL BROMIDE	For methyl bromide: Inhalation of 6mg/L methyl bromide for 10-20 hours or 30mg/L for 1.5 hours is lethal to humans.
ETHYL CHLORIDE	Inhalation (mouse) LC50: 146,000 mg/m3/2h Nil reported
CHLOROBENZENE	Mammalian somatic cell mutagen NTP Carcinogenesis studies indicate some positive findings for rat following administration by gavage.
CHLOROMETHANE	For chloromethane: Chloromethane is a gas except under pressure, so inhalation is the main route of exposure in the workplace. Human cell mutagen Specific paternal effects affecting spermatogenesis, testes etc, foetotoxicity and foetolethality, specific developmental abnormalities of the musculoskeletal and cardiovascular systems recorded.
CIS-ACETYLENE DICHLORIDE	Rat liver cell mutagen in vitro
METHYLENE CHLORIDE	Inhalation (human) TCLO: 500 ppm/ 1 y - I Eye(rabbit): 10 mg - mild
ETHYLBENZENE	Ethylbenzene is readily absorbed when inhaled, swallowed or in contact with the skin. Liver changes, uterine tract, effects on fertility, foetotoxicity, specific developmental abnormalities (musculoskeletal system) recorded.

Continued...

## Volatile Organic Compounds

HEXACHLOROBUTADIENE	Somnolence, irritability, effects on fertility, foetotoxicity, specific developmental abnormalities (central nervous system), effects on newborn
ISOPROPYL BENZENE - CUMENE	Cumene is reasonably anticipated to be a human carcinogen based on sufficient evidence of carcinogenicity from studies in experimental animals. similar metabolic pathways. The relevance of the kidney tumors to cancer in humans is uncertain; there is evidence that a species-specific mechanism not relevant to humans contributes to their induction, but it is possible that other mechanisms relevant to humans, such as genotoxicity, may also contribute to kidney-tumour formation in male rats.
M-XYLENE	Effects on fertility, specific developmental abnormalities (craniofacial)
BUTYLBENZENE	None available.
O-XYLENE	Paternal effects recorded.
TOLUENE	For toluene: Acute toxicity: Humans exposed to high levels of toluene for short periods of time experience adverse central nervous system effects ranging from headaches to intoxication, convulsions, narcosis (sleepiness) and death.
TRANS-ACETYLENE DICHLORIDE	Hamster lung cell mutagen in vitro
TRICHLOROETHYLENE	Overexposure to trichloroethylene fumes causes liver damage, irregular heartbeat, brain depression and death.
VINYL CHLORIDE	Tumours of the sense organs, vascular system, respiratory system, gastrointestinal system, skin and liver, lymphoma, paternal effects, effects on fertility, foetotoxicity, specific developmental abnormalities involving the musculoskeletal system recorded.
METHANOL & 1,1,1-TRICHLOROETHANE & 1,2,3-TRICHLOROPROPANE & 1,2,4-TRICHLOROBENZENE & 1,3,5-TRIMETHYL BENZENE & BENZENE & CARBON TETRACHLORIDE & CHLOROFORM & ETHYLBENZENE & HEXACHLOROBUTADIENE & ISOPROPYL BENZENE - CUMENE & NAPHTHALENE & P-CYMELE & SEC-BUTYLBENZENE & STYRENE & TOLUENE & TRANS-ACETYLENE DICHLORIDE	The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.
1,1,1,2-TETRACHLOROETHANE & 1,1,2,2-TETRACHLOROETHANE & 1,2-DICHLOROPROPANE & CARBON TETRACHLORIDE & TETRACHLOROETHYLENE & TRICHLOROETHYLENE & VINYL CHLORIDE	Disinfection byproducts (DBPs) are formed when disinfectants such as chlorine, chloramines and ozone react with organic and inorganic matter in water.
1,1,1,2-TETRACHLOROETHANE & 1,1,1-TRICHLOROETHANE & 1,2,3-TRICHLOROPROPANE & ETHYLBENZENE & M-XYLENE	The material may produce severe irritation to the eye causing pronounced inflammation.
1,1,1,2-TETRACHLOROETHANE & 1,1,2,2-TETRACHLOROETHANE	For 1,1,2,2-tetrachloroethane: A number of suicides from drinking 1,1,2,2-tetrachloroethane have been reported, with unconsciousness occurring within 1 hour and death within 3-20 hours.
1,1,1,2-TETRACHLOROETHANE & 1,1,2,2-TETRACHLOROETHANE & 1,2-DIBROMO-3-CHLOROPROPANE & ETHYLENE DICHLORIDE & 1,4-DICHLOROBENZENE & BROMODICHLOROMETHANE & CARBON TETRACHLORIDE & CHLOROFORM & ETHYLBENZENE & ISOPROPYL BENZENE - CUMENE & NAPHTHALENE & STYRENE	<b>WARNING:</b> This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans.
1,1,1-TRICHLOROETHANE & 1,1,2-TRICHLOROETHANE & VINYLIDENE CHLORIDE & 1,2-DICHLOROBENZENE & 1,3-DICHLOROBENZENE & BROMOFORM & METHYL BROMIDE & ETHYL CHLORIDE & CHLOROMETHANE & DIBROMOCHLOROMETHANE & HEXACHLOROBUTADIENE	The substance is classified by IARC as Group 3: <b>NOT</b> classifiable as to its carcinogenicity to humans.
1,1,2-TRICHLOROETHANE & 1,2-DIBROMO-3-CHLOROPROPANE & 1,2-DICHLOROBENZENE & 1,2-DICHLOROPROPANE & 1,3,5-TRIMETHYL BENZENE & HEXACHLOROBUTADIENE & NAPHTHALENE & SEC-BUTYLBENZENE &	The material may be irritating to the eye, with prolonged contact causing inflammation.

## Volatile Organic Compounds

<b>TETRACHLOROETHYLENE</b>	
1,1,2-TRICHLOROETHANE & 1,2-DIBROMO-3-CHLOROPROPANE & ETHYLENE DIBROMIDE & 1,2-DICHLOROBENZENE & METHYLENE CHLORIDE & M-XYLENE & TETRACHLOROETHYLENE & TRICHLOROETHYLENE	The material may cause severe skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.
1,1-DICHLOROETHANE & 1,2,3-TRICHLOROBENZENE & 1,2,4-TRICHLOROBENZENE & 1,2,4-TRIMETHYL BENZENE & ETHYLENE DIBROMIDE & 1,2-DICHLOROBENZENE & ETHYLENE DICHLORIDE & 1,3,5-TRIMETHYL BENZENE & 1,3-DICHLOROPROPANE & BROMOCHLOROMETHANE & BROMODICHLOROMETHANE & METHYL BROMIDE & CIS-1,3-DICHLOROPROPENE & DIBROMOCHLOROMETHANE & ISOPROPYL BENZENE - CUMENE & PROPYLBENZENE & P-CYMENE & TRANS-1,3-DICHLOROPROPENE & TRICHLOROFLUOROMETHANE & VINYL CHLORIDE	Asthma-like symptoms may continue for months or even years after exposure to the material ends.
1,1-DICHLOROPROPENE & 1,3-DICHLOROPROPANE & 2,2-DICHLOROPROPANE & CIS-1,3-DICHLOROPROPENE & TRANS-1,3-DICHLOROPROPENE	No significant acute toxicological data identified in literature search.
1,2,3-TRICHLOROBENZENE & 1,2,4-TRICHLOROBENZENE	Trichlorobenzenes (TCBs) are moderately toxic if swallowed or inhaled.
1,2,3-TRICHLOROBENZENE & 1,2,4-TRICHLOROBENZENE & 1,2-DICHLOROBENZENE & 1,3-DICHLOROBENZENE & 1,4-DICHLOROBENZENE & CHLOROBENZENE	Chlorobenzenes produce several clinical symptoms including eye and airway irritation, blood disorders, abnormal skin changes and foetal defects at levels toxic to the mother.
1,2,3-TRICHLOROPROPANE & ETHYLENE DIBROMIDE & METHYLENE CHLORIDE & TETRACHLOROETHYLENE	<b>WARNING:</b> This substance has been classified by the IARC as Group 2A: Probably Carcinogenic to Humans.
1,2,3-TRICHLOROPROPANE & 1,2-DIBROMO-3-CHLOROPROPANE & ETHYLENE DICHLORIDE & 1,4-DICHLOROBENZENE & BROMODICHLOROMETHANE & CHLOROFORM & ISOPROPYL BENZENE - CUMENE	Tenth Annual Report on Carcinogens: Substance anticipated to be Carcinogen [National Toxicology Program: U.S. Dep.
1,2,3-TRICHLOROPROPANE & CHLOROMETHANE	Reproductive effector in rats
1,2,4-TRIMETHYL BENZENE & 1,3,5-TRIMETHYL BENZENE	For trimethylbenzenes: Absorption of 1,2,4-trimethylbenzene occurs after exposure by swallowing, inhalation, or skin contact.
1,2,4-TRIMETHYL BENZENE & 1,3,5-TRIMETHYL BENZENE	Other Toxicity data is available for
1,2,4-TRIMETHYL BENZENE & 1,3,5-TRIMETHYL BENZENE	CHEMWATCH 12172 1,2,3-trimethylbenzene
1,2-DIBROMO-3-CHLOROPROPANE & CARBON TETRACHLORIDE & CHLOROMETHANE	Exposure to the material for prolonged periods may cause physical defects in the developing embryo (teratogenesis).
ETHYLENE DIBROMIDE & METHYLENE CHLORIDE & TRANS-ACETYLENE DICHLORIDE & TRICHLOROETHYLENE	The material may produce moderate eye irritation leading to inflammation.
ETHYLENE DIBROMIDE & 1,2-DICHLOROPROPANE & METHYL BROMIDE & DIBROMOMETHANE & ETHYLBENZENE	<b>NOTE:</b> Substance has been shown to be mutagenic in at least one assay, or belongs to a family of chemicals producing damage or change to cellular DNA.
1,2-DICHLOROBENZENE & 1,3-DICHLOROBENZENE & 1,4-DICHLOROBENZENE	1,2-DCB is quickly and extensively absorbed through both the gastrointestinal tract and the respiratory tract.



## Volatile Organic Compounds

1,2-DICHLOROPROPANE & BENZENE & TRICHLOROETHYLENE & VINYL CHLORIDE	<b>WARNING:</b> This substance has been classified by the IARC as Group 1: <b>CARCINOGENIC TO HUMANS.</b>
BROMOFORM & DIBROMOCHLOROMETHANE	Bromoform and dibromochloromethane are readily absorbed from the gastrointestinal tract, and may also be absorbed through the airways and skin.
CIS-ACETYLENE DICHLORIDE & TRANS-ACETYLENE DICHLORIDE	Studies have shown that trans-1,2-dichloroethylene shows low levels of acute toxicity.
CIS-1,3-DICHLOROPROPENE & TRANS-1,3-DICHLOROPROPENE	The following information refers to contact allergens as a group and may not be specific to this product.
DICHLORODIFLUOROMETHANE & TRICHLOROFLUOROMETHANE	CFCs are absorbed following inhalation, oral ingestion, or through skin contact.
HEXACHLOROBUTADIENE & M-XYLENE	recorded.
ISOPROPYL BENZENE - CUMENE & P-CYMENE	For aromatic terpenes: p-cymene and cumene have low toxic potential and are excreted in the urine.
TRICHLOROETHYLENE & VINYL CHLORIDE	Tenth Annual Report on Carcinogens: Substance known to be Carcinogenic [National Toxicology Program: U.S. Dep.

Acute Toxicity	☐	Carcinogenicity	☐
Skin Irritation/Corrosion	☐	Reproductivity	☐
Serious Eye Damage/Irritation	☐	STOT - Single Exposure	☐
Respiratory or Skin sensitisation	☐	STOT - Repeated Exposure	☐
Mutagenicity	☐	Aspiration Hazard	☐

Legend: ✗ – Data available but does not fill the criteria for classification  
✔ – Data available to make classification  
☐ – Data Not Available to make classification

## SECTION 12 ECOLOGICAL INFORMATION

## Toxicity

Volatile Organic Compounds	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable

  

methanol	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	>100mg/L	4
	EC50	48	Crustacea	>10000mg/L	4
	BCF	24	Algae or other aquatic plants	0.05mg/L	4
	EC50	24	Algae or other aquatic plants	0.0246708mg/L	4
	NOEC	72	Crustacea	0.1mg/L	4

  

1,1,1,2-tetrachloroethane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	5.971mg/L	3
	EC50	96	Algae or other aquatic plants	12.528mg/L	3
	EC50	384	Crustacea	1.463mg/L	3
	NOEC	48	Crustacea	<10mg/L	4

  

1,1,1-trichloroethane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	7.224mg/L	3
	EC50	48	Crustacea	11.2mg/L	4
	EC50	72	Algae or other aquatic plants	0.213-0.536mg/L	2
	EC10	72	Algae or other aquatic plants	0.213mg/L	4
	NOEC	408	Crustacea	1.3mg/L	4

  

1,1,2,2-tetrachloroethane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	12mg/L	4
	EC50	48	Crustacea	23mg/L	4
	EC50	96	Algae or other aquatic plants	≈6.44mg/L	1
	EC50	384	Crustacea	4.990mg/L	3

Continued...

## Volatile Organic Compounds

	NOEC	768	Fish	1.4mg/L	4
1,1,2-trichloroethane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	22.278mg/L	3
	EC50	48	Crustacea	=18mg/L	1
	EC50	72	Algae or other aquatic plants	57.0mg/L	4
	EC50	384	Crustacea	=2.9mg/L	1
	NOEC	24	Crustacea	=1mg/L	1
1,1-dichloroethane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	25.157mg/L	3
	EC50	96	Algae or other aquatic plants	80.142mg/L	3
	EC50	384	Crustacea	6.002mg/L	3
	NOEC	24	Fish	100mg/L	4
vinylidene chloride	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1.685mg/L	3
	EC50	48	Crustacea	37mg/L	2
	EC50	72	Algae or other aquatic plants	9.12mg/L	4
	EC10	72	Algae or other aquatic plants	3.94mg/L	4
	NOEC	Not Applicable	Crustacea	<2.4mg/L	1
1,1-dichloropropene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1.038mg/L	3
	EC50	96	Algae or other aquatic plants	8.800mg/L	3
1,2,3-trichlorobenzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.348384mg/L	4
	EC50	48	Crustacea	1.7mg/L	5
	EC50	96	Algae or other aquatic plants	0.9mg/L	4
	BCF	96	Fish	0.0808mg/L	4
	EC50	1008	Fish	0.097983mg/L	4
	NOEC	504	Crustacea	0.03mg/L	4
1,2,3-trichloropropane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	10.804mg/L	3
	EC50	48	Crustacea	>=2.65374- <=6.48692mg/L	2
	EC50	96	Algae or other aquatic plants	26.430mg/L	3
	EC50	384	Crustacea	2.622mg/L	3
	NOEC	48	Crustacea	=4mg/L	1
1,2,4-trichlorobenzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1.202mg/L	3
	EC50	48	Crustacea	1.2mg/L	5
	EC50	96	Algae or other aquatic plants	1.4mg/L	1
	BCF	768	Fish	0.92mg/L	4
	EC50	384	Crustacea	0.269mg/L	5
	NOEC	504	Fish	0.04mg/L	2
1,2,4-trimethyl benzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1.318mg/L	3
	EC50	48	Crustacea	ca.6.14mg/L	1
	EC50	96	Algae or other aquatic plants	2.154mg/L	3
	EC50	384	Crustacea	0.328mg/L	3

## Volatile Organic Compounds

1,2-dibromo-3-chloropropane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	12.798mg/L	3
	EC50	96	Algae or other aquatic plants	29.358mg/L	3
	EC50	384	Crustacea	3.118mg/L	3
ethylene dibromide	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1.13mg/L	2
	EC50	48	Crustacea	11.61mg/L	2
	EC50	72	Algae or other aquatic plants	>4.48mg/L	2
	EC50	72	Algae or other aquatic plants	>4.48mg/L	2
	NOEC	48	Crustacea	5.24mg/L	2
1,2-dichlorobenzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1.58mg/L	2
	EC50	48	Crustacea	0.66mg/L	2
	EC50	96	Algae or other aquatic plants	2.2mg/L	4
	BCF	24	Algae or other aquatic plants	10mg/L	4
	EC50	336	Crustacea	0.55mg/L	4
	NOEC	48	Crustacea	0.36mg/L	4
ethylene dichloride	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	22.365mg/L	3
	EC50	48	Crustacea	155mg/L	1
	EC50	96	Algae or other aquatic plants	69.488mg/L	3
	EC50	384	Crustacea	5.344mg/L	3
	NOEC	336	Fish	≈1.82mg/L	4
1,2-dichloropropane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	12.605mg/L	3
	EC50	48	Crustacea	44.97mg/L	5
	EC50	72	Algae or other aquatic plants	15.3mg/L	2
	EC50	384	Crustacea	3.041mg/L	3
	NOEC	672	Crustacea	4.09mg/L	4
1,3,5-trimethyl benzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1.318mg/L	3
	EC50	48	Crustacea	13mg/L	5
	EC50	96	Algae or other aquatic plants	2.154mg/L	3
	EC50	384	Crustacea	0.328mg/L	3
	NOEC	504	Crustacea	0.4mg/L	4
1,3-dichlorobenzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	2.904mg/L	3
	EC50	48	Crustacea	1.2mg/L	4
	EC50	96	Algae or other aquatic plants	5.28mg/L	4
	EC50	384	Crustacea	0.717mg/L	3
	NOEC	384	Crustacea	≈0.3mg/L	1
1,3-dichloropropane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	11.205mg/L	3
	EC50	96	Algae or other aquatic plants	29.230mg/L	3
	EC50	384	Crustacea	2.708mg/L	3
	NOEC	96	Algae or other aquatic plants	<5.6mg/L	4

Continued...

# Volatile Organic Compounds

1,4-dichlorobenzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.88mg/L	4
	EC50	48	Crustacea	0.0007mg/L	4
	EC50	96	Algae or other aquatic plants	1.6mg/L	5
	BCF	48	Fish	0.1381mg/L	4
	EC50	96	Fish	0.0011mg/L	4
	NOEC	336	Fish	>=0.2- <=0.23mg/L	2
2,2-dichloropropane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	4.087mg/L	3
	EC50	96	Algae or other aquatic plants	8.607mg/L	3
	EC50	384	Crustacea	1.001mg/L	3
o-chlorotoluene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	2.958mg/L	3
	EC50	96	Algae or other aquatic plants	5.677mg/L	3
	EC50	384	Crustacea	0.729mg/L	3
	NOEC	504	Crustacea	0.14mg/L	4
p-chlorotoluene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	2.958mg/L	3
	EC50	48	Crustacea	0.612mg/L	5
	EC50	96	Algae or other aquatic plants	5.677mg/L	3
	EC50	384	Crustacea	0.729mg/L	3
	NOEC	720	Fish	0.20330mg/L	4
benzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.00528mg/L	4
	EC50	48	Crustacea	9.23mg/L	4
	EC50	72	Algae or other aquatic plants	29mg/L	4
	BCF	24	Algae or other aquatic plants	10mg/L	4
	EC50	24	Crustacea	1.59mg/L	5
	NOEC	480	Crustacea	ca.0.17mg/L	1
bromobenzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	5.6mg/L	4
	EC50	96	Algae or other aquatic plants	12.976mg/L	3
	BCF	24	Algae or other aquatic plants	~0.05mg/L	4
	EC50	384	Crustacea	1.487mg/L	3
bromochloromethane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	57.277mg/L	3
	EC50	96	Algae or other aquatic plants	205.273mg/L	3
	EC50	384	Crustacea	13.561mg/L	3
bromodichloromethane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	53.591mg/L	3
	EC50	96	Algae or other aquatic plants	180.111mg/L	3
	EC50	384	Crustacea	12.741mg/L	3
bromoform	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	7.1mg/L	4
	EC50	96	Algae or other aquatic plants	12.3mg/L	4
	EC50	96	Fish	7.1mg/L	5
	NOEC	96	Fish	2.9mg/L	4

## Volatile Organic Compounds

methyl bromide	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.0008mg/L	4
	EC50	48	Crustacea	1.7mg/L	4
	EC50	96	Algae or other aquatic plants	250.695mg/L	3
	EC50	96	Fish	0.0006mg/L	4
	NOEC	72	Fish	=0.1mg/L	1
carbon tetrachloride	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	10.4mg/L	4
	EC50	48	Crustacea	29mg/L	1
	EC50	72	Algae or other aquatic plants	0.246mg/L	4
	BCF	24	Algae or other aquatic plants	0.05mg/L	4
	EC10	72	Algae or other aquatic plants	0.0717mg/L	4
	NOEC	336	Fish	=2.5mg/L	4
ethyl chloride	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	22.195mg/L	3
	EC50	48	Crustacea	=58mg/L	1
	EC50	72	Algae or other aquatic plants	=39mg/L	1
	EC10	72	Algae or other aquatic plants	=2.7mg/L	1
	NOEC	72	Algae or other aquatic plants	<7.7mg/L	1
chlorobenzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.05mg/L	2
	EC50	48	Crustacea	0.2656416mg/L	2
	EC50	96	Algae or other aquatic plants	12.5mg/L	1
	BCF	24	Algae or other aquatic plants	10mg/L	4
	EC50	168	Fish	0.05mg/L	5
	NOEC	384	Crustacea	0.32mg/L	1
chloroform	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	=3mg/L	1
	EC50	48	Crustacea	=29mg/L	1
	EC50	72	Algae or other aquatic plants	=13.3mg/L	1
	EC10	72	Algae or other aquatic plants	3.61mg/L	4
	NOEC	6480	Fish	0.151mg/L	2
chloromethane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	39.581mg/L	3
	EC50	96	Algae or other aquatic plants	160.154mg/L	3
	EC50	384	Crustacea	9.298mg/L	3
cis-acetylene dichloride	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	2.083mg/L	3
	EC50	96	Algae or other aquatic plants	20.513mg/L	3
	NOEC	24	Fish	100mg/L	4
cis-1,3-dichloropropene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1.6mg/L	2
	NOEC	96	Fish	0.59mg/L	2
dibromochloromethane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	58.566mg/L	3
	EC50	96	Algae or other aquatic plants	190.611mg/L	3
	EC50	384	Crustacea	13.952mg/L	3

Volatile Organic Compounds

dibromomethane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	66.151mg/L	3
	EC50	96	Algae or other aquatic plants	229.582mg/L	3
	EC50	384	Crustacea	15.694mg/L	3
dichlorodifluoromethane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	27.789mg/L	3
	EC50	48	Crustacea	95mg/L	2
	EC50	96	Algae or other aquatic plants	86.652mg/L	3
	EC50	384	Crustacea	6.639mg/L	3
methylene chloride	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	=13.1mg/L	1
	EC50	48	Crustacea	=108.5mg/L	1
	EC50	96	Algae or other aquatic plants	161.874mg/L	3
	EC50	384	Crustacea	10.334mg/L	3
	NOEC	96	Algae or other aquatic plants	56mg/L	4
ethylbenzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.0043mg/L	4
	EC50	48	Crustacea	1.184mg/L	4
	EC50	96	Algae or other aquatic plants	3.6mg/L	2
	EC50	96	Crustacea	=0.49mg/L	1
	NOEC	168	Crustacea	0.96mg/L	5
hexachlorobutadiene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.089mg/L	3
	EC50	48	Crustacea	0.9mg/L	4
	EC50	96	Algae or other aquatic plants	0.415mg/L	3
	BCF	24	Fish	0.0591mg/L	4
	EC50	168	Fish	0.08mg/L	4
	NOEC	336	Fish	=0.005mg/L	4
isopropyl benzene - cumene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1.784mg/L	3
	EC50	48	Crustacea	=0.6mg/L	1
	EC50	72	Algae or other aquatic plants	1.29mg/L	2
	EC50	384	Crustacea	0.442mg/L	3
	NOEC	72	Algae or other aquatic plants	0.22mg/L	2
m-xylene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.0092mg/L	4
	EC50	48	Crustacea	>3.4mg/L	2
	EC50	72	Algae or other aquatic plants	4.9mg/L	2
	EC50	384	Crustacea	0.710mg/L	3
	NOEC	168	Crustacea	1.17mg/L	5
naphthalene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.213mg/L	4
	EC50	48	Crustacea	1.6mg/L	4
	EC50	72	Algae or other aquatic plants	ca.0.4mg/L	1
	BCF	12	Fish	10.2mg/L	4
	EC50	0.05	Crustacea	0.000000085mg/L	4
	NOEC	48	Fish	0.012817mg/L	4

## Volatile Organic Compounds

butylbenzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.777mg/L	3
	EC50	48	Crustacea	0.34mg/L	4
	EC50	96	Algae or other aquatic plants	1.109mg/L	3
	EC50	384	Crustacea	0.195mg/L	3
	NOEC	24	Crustacea	0.2mg/L	5
propylbenzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1.55mg/L	4
	EC50	48	Crustacea	109mg/L	4
	EC50	72	Algae or other aquatic plants	1.8mg/L	4
	EC50	384	Crustacea	0.394mg/L	3
o-xylene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.011mg/L	4
	EC50	48	Crustacea	1.39mg/L	4
	EC50	72	Algae or other aquatic plants	4.7mg/L	4
	EC50	1	Fish	0.6mg/L	4
	NOEC	168	Crustacea	1.17mg/L	2
p-cymene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.790mg/L	3
	EC50	96	Algae or other aquatic plants	1.132mg/L	3
	EC50	384	Crustacea	0.199mg/L	3
	NOEC	48	Crustacea	<4.6mg/L	4
p-xylene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.002mg/L	4
	EC50	48	Crustacea	4.73mg/L	4
	EC50	72	Algae or other aquatic plants	3.2mg/L	4
	EC50	384	Crustacea	0.710mg/L	3
	NOEC	73	Algae or other aquatic plants	0.44mg/L	2
sec-butylbenzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.874mg/L	3
	EC50	96	Algae or other aquatic plants	1.279mg/L	3
	EC50	384	Crustacea	0.219mg/L	3
styrene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	3.963mg/L	3
	EC50	48	Crustacea	=4.7mg/L	1
	EC50	96	Algae or other aquatic plants	=0.72mg/L	1
	EC10	96	Algae or other aquatic plants	=0.13mg/L	1
	NOEC	96	Algae or other aquatic plants	0.063mg/L	4
tert-butylbenzene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.935mg/L	3
	EC50	96	Algae or other aquatic plants	1.388mg/L	3
	EC50	384	Crustacea	0.234mg/L	3
tetrachloroethylene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.797mg/L	3
	EC50	48	Crustacea	2.49mg/L	5
	EC50	72	Algae or other aquatic plants	~0.2mg/L	4
	BCF	240	Fish	350mg/L	4



## Volatile Organic Compounds

	EC50	24	Algae or other aquatic plants	~0.2mg/L	4
	NOEC	168	Crustacea	0.33mg/L	5
toluene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.0073mg/L	4
	EC50	48	Crustacea	3.78mg/L	5
	EC50	72	Algae or other aquatic plants	12.5mg/L	4
	BCF	24	Algae or other aquatic plants	10mg/L	4
	EC50	384	Crustacea	1.533mg/L	3
	NOEC	168	Crustacea	0.74mg/L	5
trans-acetylene dichloride	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	2.083mg/L	3
	EC50	96	Algae or other aquatic plants	20.513mg/L	3
	NOEC	48	Crustacea	<110mg/L	4
trans-1,3-dichloropropene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	Not Applicable	Not Applicable	Not Applicable	Not Applicable	Not Applicable
trichloroethylene	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	1.345mg/L	3
	EC50	48	Crustacea	=2.2mg/L	1
	EC50	96	Algae or other aquatic plants	11.596mg/L	3
	EC3	72	Algae or other aquatic plants	=0.1mg/L	1
	NOEC	504	Crustacea	>1.384mg/L	4
trichlorofluoromethane	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	18.749mg/L	3
	EC50	48	Crustacea	=130mg/L	1
	EC50	96	Algae or other aquatic plants	52.340mg/L	3
	EC50	384	Crustacea	4.511mg/L	3
vinyl chloride	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	210mg/L	2
	EC3	168	Algae or other aquatic plants	>=710mg/L	1
	NOEC	96	Fish	=128mg/L	1

**Legend:**

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

On the basis of the available evidence concerning properties and predicted or observed environmental fate and behavior, the material may present a danger to the structure and/ or functioning of the stratospheric ozone layer.

For 1,2,4 - Trimethylbenzene:

Half-life (hr) air: 0.48-16;

Half-life (hr) H<sub>2</sub>O surface water: 0.24 -672;

Half-life (hr) H<sub>2</sub>O ground: 336-1344;

Half-life (hr) soil: 168-672;

Henry's Pa m<sup>3</sup> /mol: 385 -627;

Bioaccumulation: not significant. 1,2,4-Trimethylbenzene is a volatile organic compound (VOC) substance.

Atmospheric Fate: 1,2,4-trimethylbenzene can contribute to the formation of photochemical smog in the presence of other VOCs. Degradation of 1,2,4-trimethylbenzene in the atmosphere occurs by reaction with hydroxyl radicals. Reaction also occurs with ozone but very slowly (half life 8820 days).

Aquatic Fate: 1,2,4-Trimethylbenzene volatilizes rapidly from surface waters with volatilization half-life from a model river calculated to be 3.4 hours. Biodegradation of 1,2,4-trimethylbenzene has been noted in both seawater and ground water. Various strains of Pseudomonas can biodegrade 1,2,4-trimethylbenzene.

Terrestrial Fate: 1,2,4-Trimethylbenzene also volatilizes from soils however; moderate adsorption to soils and sediments may occur. Volatilization is the major route of removal of 1,2,4-trimethylbenzene from soils; although, biodegradation may also occur. Due to the high volatility of the chemical it is unlikely to accumulate in soil or surface water to toxic concentrations.

Ecotoxicity: No significant bioaccumulation has been noted. 1,2,4-Trimethylbenzene is moderately toxic to fathead minnow and slightly toxic to dungeness crab. 1,2,4-Trimethylbenzene has moderate acute toxicity to aquatic organisms. No stress was observed in rainbow trout, sea lamprey and Daphnia magna water fleas. The high concentrations required to induce toxicity in laboratory animals are not likely to be reached in the environment.

For Aromatic Substances Series:

Environmental Fate: Large, molecularly complex polycyclic aromatic hydrocarbons, or PAHs, are persistent in the environment longer than smaller PAHs.

Atmospheric Fate: PAHs are 'semi-volatile substances' which can move between the atmosphere and the Earth's surface in repeated, temperature-driven cycles of deposition and volatilization.

Terrestrial Fate: BTEX compounds have the potential to move through soil and contaminate ground water, and their vapors are highly flammable and explosive.

Ecotoxicity - Within an aromatic series, acute toxicity increases with increasing alkyl substitution on the aromatic nucleus. The order of most toxic to least in a study using grass shrimp and brown shrimp was dimethylnaphthalenes > methylnaphthalenes > naphthalenes. Anthracene is a phototoxic PAH. UV light greatly increases the toxicity of anthracene to bluegill sunfish. Biological resources in strong sunlight are at more risk than those that are not. PAHs in general are more frequently associated with chronic risks.

Continued...

## Volatile Organic Compounds

## Environmental Fate:

**Soil:** The distribution of 1,3-dichloropropene in soil compartment depends on vapor pressure, diffusion coefficient, temperature, and moisture content of the soil. Its persistence in soil is influenced by volatilization, chemical and biological degradation, photochemical degradation, and organism uptake. 1,3-dichloropropene is initially degraded by hydrolysis forming 3-chloroallyl alcohol and then will be biodegraded into 3-chloroacrolein and 3-chloroacrylic acid. Volatilization and diffusion are the most significant mechanisms for environmental dispersion and dilution of 1,3-dichloropropene. When the fumigant is properly applied, residues of the compound are not likely to accumulate because it rapidly disappears in soil. 1,3-dichloropropene is potentially mobile in soil, particularly in open-textured, sandy soil with a low moisture content. Infiltration of the compound is enhanced by deep cultivation of soil with low porosity thus the compound may find its way and enter the upper groundwater.

**Water:** Because of its relatively low water solubility and high volatility, 1,3-dichloropropene rapidly disappears in water.

**Air:** 1,3-dichloropropene in air is mainly degraded by reaction with free radicals and ozone. Direct photolysis of the compound may not be significant but it can be enhanced in the presence of atmospheric particles.

**Plants:** 1,3-dichloropropene can be taken up by plants, however significant accumulation of residue is not likely to occur in edible crops because these are not normally planted until most of the fumigant has dissipated.

## Ecotoxicity:

Fish LC50 (96h): 1-7.9 mg/l

EC50 (96h): freshwater alga (*Selenastrum capricornutum*) 4.95 mg/l; estuarine diatom (*Skeletoneria costatum*) 1 mg/l

Birds LC50 (8d): mallard duck and bobwhite quail >10 g/kg

Bees LD50 (48h): 6.6 ug/bee

## For naphthalene:

**Environmental Fate:** Naphthalene may be reach surface water and soil through transportation in water or being carried by air. Most airborne naphthalene is in a vapour form and hence deposition is expected to be slow. A minimal amount of naphthalene emitted to the air is transported to other environmental components mostly by dry deposition. Naphthalene in surface water may volatilize into the atmosphere, depending on environmental conditions. It remains in solution in water, with only small amounts associated with suspended material and benthic sediments. While naphthalene is readily volatilized from aerated soils, it adheres to soils with a high organic content. Adsorption to aquifer material reduces transportation of naphthalene through groundwater, and the presence of nonionic organic compounds such as tetrachloroethene may enhance sorption to materials that contain low carbon content. Bioconcentration of naphthalene is moderate in aquatic organisms. It is readily metabolized by fish, and invertebrates that are placed in pollutant free water rapidly eliminate any traces of the pollutant. While bioaccumulation in the food chain is unlikely, exposure of cows and chickens to naphthalene could lead to naphthalene being present in milk and eggs. While the data on the transport and partitioning of methylnaphthalenes in the environment is limited, the characteristics of these chemicals are similar to naphthalene, so they are expected to behave in a similar manner to naphthalene in the environment, and produce the same effects on aquatic organisms. Biodegradation of naphthalene occurs relatively quickly in aquatic systems. Methylnaphthalenes are biodegraded under aerobic conditions after adaptation. Degradation rates are highest in water constantly polluted with petroleum. Naphthalene biodegradation rates are higher in sediment than in the water column above it. Methylnaphthalenes biodegrades more slowly. Reported half-lives in sediments were 46 weeks for 1-methylnaphthalene and ranged from 14 to 50 weeks for 2-methylnaphthalene. In soils, the potential for biodegradation is an important factor for biological remediation of soil. Studies on biodegradation of PAHs suggest that adsorption to the organic matter significantly reduces the bioavailability for microorganisms, and thus the biodegradability, of PAHs, including naphthalene. Biodegradation is accomplished through the action of aerobic microorganisms and is reduced in anaerobic soil conditions. Naphthalene biodegrades to carbon dioxide in aerobic soils, with salicylate as an intermediate product. Abiotic degradation of naphthalene seldom occurs in soils. As with naphthalene, 1-Methylnaphthalene is easily volatilised from aerated soil, and the biodegradation half-life averages between 1.7 and 2.2 days.

**Ecotoxicity:** Acute toxicity data on naphthalene for several fish species (freshwater and marine), show 96h LC50 values range from 1.8 to 7.8 mg/L. Comparable results were obtained with other vertebrates (amphibians). From chronic toxicity tests, a precise NOEL is not clearly determined. A NOEC of 0.12 mg/L was observed in a 40 days test on juvenile pink salmon, but 50% mortality at 0.11 mg/L was calculated for trout fry exposed during hatching. Several data are also available for invertebrates, showing 48h EC50 values ranging from 2.1 to 24 mg/L. While chronic data on freshwater invertebrates and algae are questionable, a 50% photosynthesis reduction was observed at 2.8 mg/L in 4 hours experiments. QSAR prediction models give results consistent with experimental short-term data on fish daphnia and algae.

**DO NOT discharge into sewer or waterways.**

## Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
methanol	LOW	LOW
1,1,1,2-tetrachloroethane	MEDIUM (Half-life = 66.83 days)	HIGH (Half-life = 931.71 days)
1,1,1-trichloroethane	HIGH (Half-life = 546 days)	HIGH (Half-life = 2247.04 days)
1,1,2,2-tetrachloroethane	LOW (Half-life = 44 days)	MEDIUM (Half-life = 88.79 days)
1,1,2-trichloroethane	HIGH (Half-life = 730 days)	MEDIUM (Half-life = 81.5 days)
1,1-dichloroethane	HIGH (Half-life = 360 days)	MEDIUM (Half-life = 102.83 days)
vinylidene chloride	HIGH	HIGH
1,1-dichloropropene	HIGH	HIGH
1,2,3-trichlorobenzene	HIGH	HIGH
1,2,3-trichloropropane	HIGH (Half-life = 720 days)	LOW (Half-life = 25.54 days)
1,2,4-trichlorobenzene	HIGH (Half-life = 360 days)	LOW (Half-life = 53.5 days)
1,2,4-trimethyl benzene	LOW (Half-life = 56 days)	LOW (Half-life = 0.67 days)
1,2-dibromo-3-chloropropane	HIGH (Half-life = 360 days)	MEDIUM (Half-life = 60.79 days)
ethylene dibromide	HIGH (Half-life = 180 days)	MEDIUM (Half-life = 106.96 days)
1,2-dichlorobenzene	HIGH (Half-life = 360 days)	MEDIUM (Half-life = 63.67 days)
ethylene dichloride	HIGH (Half-life = 360 days)	MEDIUM (Half-life = 121.54 days)
1,2-dichloropropane	HIGH (Half-life = 2578 days)	LOW (Half-life = 26.92 days)
1,3,5-trimethyl benzene	HIGH	HIGH
1,3-dichlorobenzene	HIGH (Half-life = 360 days)	LOW (Half-life = 37.13 days)
1,3-dichloropropane	HIGH	HIGH
1,4-dichlorobenzene	HIGH (Half-life = 360 days)	MEDIUM (Half-life = 83.58 days)
2,2-dichloropropane	HIGH	HIGH
o-chlorotoluene	HIGH	HIGH
p-chlorotoluene	HIGH	HIGH
benzene	HIGH (Half-life = 720 days)	LOW (Half-life = 20.88 days)
bromobenzene	HIGH	HIGH
bromochloromethane	HIGH	HIGH
bromodichloromethane	HIGH	HIGH
bromoform	HIGH (Half-life = 360 days)	HIGH (Half-life = 541.21 days)

Continued...

## Volatile Organic Compounds

methyl bromide	LOW (Half-life = 38 days)	HIGH (Half-life = 680.29 days)
carbon tetrachloride	HIGH (Half-life = 360 days)	HIGH (Half-life = 6666.67 days)
ethyl chloride	LOW (Half-life = 56 days)	MEDIUM (Half-life = 66.83 days)
chlorobenzene	HIGH (Half-life = 300 days)	LOW (Half-life = 30.38 days)
chloroform	HIGH (Half-life = 1800 days)	HIGH (Half-life = 259.63 days)
chloromethane	LOW	LOW
cis-acetylene dichloride	HIGH	HIGH
dibromochloromethane	HIGH (Half-life = 180 days)	HIGH (Half-life = 427.17 days)
dibromomethane	HIGH (Half-life = 560.17 days)	HIGH (Half-life = 354.58 days)
dichlorodifluoromethane	HIGH (Half-life = 360 days)	HIGH (Half-life = 882.5 days)
methylene chloride	LOW (Half-life = 56 days)	HIGH (Half-life = 191 days)
ethylbenzene	HIGH (Half-life = 228 days)	LOW (Half-life = 3.57 days)
hexachlorobutadiene	HIGH (Half-life = 360 days)	HIGH (Half-life = 1193.75 days)
isopropyl benzene - cumene	HIGH	HIGH
m-xylene	HIGH (Half-life = 360 days)	LOW (Half-life = 1.08 days)
naphthalene	HIGH (Half-life = 258 days)	LOW (Half-life = 1.23 days)
butylbenzene	HIGH	HIGH
propylbenzene	HIGH	HIGH
o-xylene	HIGH (Half-life = 360 days)	LOW (Half-life = 1.83 days)
p-cymene	HIGH	HIGH
p-xylene	HIGH (Half-life = 360 days)	LOW (Half-life = 1.75 days)
sec-butylbenzene	HIGH	HIGH
styrene	HIGH (Half-life = 210 days)	LOW (Half-life = 0.3 days)
tert-butylbenzene	HIGH	HIGH
tetrachloroethylene	HIGH (Half-life = 720 days)	MEDIUM (Half-life = 160.13 days)
toluene	LOW (Half-life = 28 days)	LOW (Half-life = 4.33 days)
trans-acetylene dichloride	HIGH	HIGH
trichloroethylene	HIGH (Half-life = 1653 days)	LOW (Half-life = 11.33 days)
trichlorofluoromethane	HIGH (Half-life = 720 days)	HIGH (Half-life = 54166.67 days)
vinyl chloride	HIGH (Half-life = 2875 days)	LOW (Half-life = 4.04 days)

## Bioaccumulative potential

Ingredient	Bioaccumulation
methanol	LOW (BCF = 10)
1,1,1,2-tetrachloroethane	LOW (LogKOW = 2.9332)
1,1,1-trichloroethane	LOW (BCF = 9)
1,1,2,2-tetrachloroethane	LOW (BCF = 13.2)
1,1,2-trichloroethane	LOW (BCF = 17)
1,1-dichloroethane	LOW (LogKOW = 1.79)
vinylidene chloride	LOW (BCF = 13)
1,1-dichloropropene	LOW (LogKOW = 2.5281)
1,2,3-trichlorobenzene	MEDIUM (LogKOW = 4.05)
1,2,3-trichloropropane	LOW (BCF = 9)
1,2,4-trichlorobenzene	HIGH (BCF = 4420)
1,2,4-trimethyl benzene	LOW (BCF = 275)
1,2-dibromo-3-chloropropane	LOW (LogKOW = 2.96)
ethylene dibromide	LOW (BCF = 10)
1,2-dichlorobenzene	LOW (BCF = 260)
ethylene dichloride	LOW (BCF = 6)
1,2-dichloropropane	LOW (BCF = 7)
1,3,5-trimethyl benzene	LOW (BCF = 342)
1,3-dichlorobenzene	HIGH (BCF = 6918)
1,3-dichloropropane	LOW (LogKOW = 2)
1,4-dichlorobenzene	LOW (BCF = 190)
2,2-dichloropropane	LOW (LogKOW = 2.9163)
o-chlorotoluene	LOW (BCF = 112)
p-chlorotoluene	LOW (BCF = 101.6)
benzene	HIGH (BCF = 4360)
bromobenzene	LOW (BCF = 34)

## Volatile Organic Compounds

bromochloromethane	LOW (LogKOW = 1.41)
bromodichloromethane	LOW (LogKOW = 2)
bromoform	LOW (BCF = 21)
methyl bromide	LOW (LogKOW = 1.19)
carbon tetrachloride	LOW (BCF = 30)
ethyl chloride	LOW (LogKOW = 1.43)
chlorobenzene	LOW (BCF = 41)
chloroform	LOW (BCF = 13)
chloromethane	LOW (LogKOW = 0.91)
cis-acetylene dichloride	LOW (LogKOW = 1.9808)
dibromochloromethane	LOW (LogKOW = 2.16)
dibromomethane	LOW (LogKOW = 1.7)
dichlorodifluoromethane	LOW (BCF = 10)
methylene chloride	LOW (BCF = 40)
ethylbenzene	LOW (BCF = 79.43)
hexachlorobutadiene	HIGH (LogKOW = 4.78)
isopropyl benzene - cumene	LOW (BCF = 35.5)
m-xylene	LOW (BCF = 1.37)
naphthalene	HIGH (BCF = 18000)
butylbenzene	MEDIUM (LogKOW = 4.38)
propylbenzene	LOW (LogKOW = 3.69)
o-xylene	LOW (BCF = 219)
p-cymene	MEDIUM (LogKOW = 3.9963)
p-xylene	LOW (BCF = 2.2)
sec-butylbenzene	HIGH (LogKOW = 4.57)
styrene	LOW (BCF = 77)
tert-butylbenzene	MEDIUM (LogKOW = 4.11)
tetrachloroethylene	LOW (BCF = 77.1)
toluene	LOW (BCF = 90)
trans-acetylene dichloride	LOW (LogKOW = 2.09)
trans-1,3-dichloropropene	LOW (LogKOW = 2.03)
trichloroethylene	HIGH (BCF = 5370)
trichlorofluoromethane	LOW (BCF = 26)

## Mobility in soil

Ingredient	Mobility
methanol	HIGH (KOC = 1)
1,1,1,2-tetrachloroethane	LOW (KOC = 96.63)
1,1,1-trichloroethane	LOW (KOC = 48.64)
1,1,2,2-tetrachloroethane	LOW (KOC = 106.8)
1,1,2-trichloroethane	LOW (KOC = 67.7)
1,1-dichloroethane	LOW (KOC = 35.04)
vinylidene chloride	LOW (KOC = 35.04)
1,1-dichloropropene	LOW (KOC = 67.7)
1,2,3-trichlorobenzene	LOW (KOC = 732.5)
1,2,3-trichloropropane	LOW (KOC = 130.8)
1,2,4-trichlorobenzene	LOW (KOC = 717.6)
1,2,4-trimethyl benzene	LOW (KOC = 717.6)
1,2-dibromo-3-chloropropane	LOW (KOC = 130.8)
ethylene dibromide	LOW (KOC = 43.79)
1,2-dichlorobenzene	LOW (KOC = 443.1)
ethylene dichloride	LOW (KOC = 43.79)
1,2-dichloropropane	LOW (KOC = 67.7)
1,3,5-trimethyl benzene	LOW (KOC = 703)
1,3-dichlorobenzene	LOW (KOC = 434)
1,3-dichloropropane	LOW (KOC = 80.77)
1,4-dichlorobenzene	LOW (KOC = 434)
2,2-dichloropropane	LOW (KOC = 48.64)
o-chlorotoluene	LOW (KOC = 443.1)

## Volatile Organic Compounds

p-chlorotoluene	LOW (KOC = 434)
benzene	LOW (KOC = 165.5)
bromobenzene	LOW (KOC = 268)
bromochloromethane	LOW (KOC = 23.74)
bromodichloromethane	LOW (KOC = 35.04)
bromoform	LOW (KOC = 35.04)
methyl bromide	LOW (KOC = 14.3)
carbon tetrachloride	LOW (KOC = 48.64)
ethyl chloride	LOW (KOC = 23.74)
chlorobenzene	LOW (KOC = 268)
chloroform	LOW (KOC = 35.04)
chloromethane	LOW (KOC = 14.3)
cis-acetylene dichloride	LOW (KOC = 43.79)
dibromochloromethane	LOW (KOC = 35.04)
dibromomethane	LOW (KOC = 23.74)
dichlorodifluoromethane	LOW (KOC = 48.64)
methylene chloride	LOW (KOC = 23.74)
ethylbenzene	LOW (KOC = 517.8)
hexachlorobutadiene	LOW (KOC = 993.5)
isopropyl benzene - cumene	LOW (KOC = 817.2)
m-xylene	LOW (KOC = 434)
naphthalene	LOW (KOC = 1837)
butylbenzene	LOW (KOC = 1761)
propylbenzene	LOW (KOC = 955)
o-xylene	LOW (KOC = 443.1)
p-cymene	LOW (KOC = 1324)
p-xylene	LOW (KOC = 434)
sec-butylbenzene	LOW (KOC = 1579)
styrene	LOW (KOC = 517.8)
tert-butylbenzene	LOW (KOC = 1181)
tetrachloroethylene	LOW (KOC = 106.8)
toluene	LOW (KOC = 268)
trans-acetylene dichloride	LOW (KOC = 43.79)
trichloroethylene	LOW (KOC = 67.7)
trichlorofluoromethane	LOW (KOC = 48.64)

## SECTION 13 DISPOSAL CONSIDERATIONS

### Waste treatment methods

<p><b>Product / Packaging disposal</b></p>	<p>Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.</p> <p>A Hierarchy of Controls seems to be common - the user should investigate:</p> <ul style="list-style-type: none"> <li>▶ Reduction</li> <li>▶ Reuse</li> <li>▶ Recycling</li> <li>▶ Disposal (if all else fails)</li> </ul> <p>This material may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to reclaim the product by filtration, distillation or some other means. Shelf life considerations should also be applied in making decisions of this type. Note that properties of a material may change in use, and recycling or reuse may not always be appropriate.</p> <ul style="list-style-type: none"> <li>▶ <b>DO NOT allow wash water from cleaning or process equipment to enter drains.</b></li> <li>▶ It may be necessary to collect all wash water for treatment before disposal.</li> <li>▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.</li> <li>▶ Where in doubt contact the responsible authority.</li> <li>▶ Recycle wherever possible.</li> <li>▶ Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.</li> <li>▶ Dispose of by: burial in a land-fill specifically licensed to accept chemical and / or pharmaceutical wastes or Incineration in a licensed apparatus (after admixture with suitable combustible material).</li> <li>▶ Decontaminate empty containers. Observe all label safeguards until containers are cleaned and destroyed.</li> </ul>
--	--

## SECTION 14 TRANSPORT INFORMATION

### Labels Required

## Volatile Organic Compounds

	 
Marine Pollutant	NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR)

UN number	1230														
UN proper shipping name	Methanol														
Transport hazard class(es)	<table border="1"> <tr> <td>ICAO/IATA Class</td><td>3</td></tr> <tr> <td>ICAO / IATA Subrisk</td><td>6.1</td></tr> <tr> <td>ERG Code</td><td>3L</td></tr> </table>	ICAO/IATA Class	3	ICAO / IATA Subrisk	6.1	ERG Code	3L								
ICAO/IATA Class	3														
ICAO / IATA Subrisk	6.1														
ERG Code	3L														
Packing group	II														
Environmental hazard	Not Applicable														
Special precautions for user	<table border="1"> <tr> <td>Special provisions</td><td>A104A113</td></tr> <tr> <td>Cargo Only Packing Instructions</td><td>364</td></tr> <tr> <td>Cargo Only Maximum Qty / Pack</td><td>60 L</td></tr> <tr> <td>Passenger and Cargo Packing Instructions</td><td>352</td></tr> <tr> <td>Passenger and Cargo Maximum Qty / Pack</td><td>1 L</td></tr> <tr> <td>Passenger and Cargo Limited Quantity Packing Instructions</td><td>Y341</td></tr> <tr> <td>Passenger and Cargo Limited Maximum Qty / Pack</td><td>1 L</td></tr> </table>	Special provisions	A104A113	Cargo Only Packing Instructions	364	Cargo Only Maximum Qty / Pack	60 L	Passenger and Cargo Packing Instructions	352	Passenger and Cargo Maximum Qty / Pack	1 L	Passenger and Cargo Limited Quantity Packing Instructions	Y341	Passenger and Cargo Limited Maximum Qty / Pack	1 L
Special provisions	A104A113														
Cargo Only Packing Instructions	364														
Cargo Only Maximum Qty / Pack	60 L														
Passenger and Cargo Packing Instructions	352														
Passenger and Cargo Maximum Qty / Pack	1 L														
Passenger and Cargo Limited Quantity Packing Instructions	Y341														
Passenger and Cargo Limited Maximum Qty / Pack	1 L														

Sea transport (IMDG-Code / GGVSee)

UN number	1230						
UN proper shipping name	METHANOL						
Transport hazard class(es)	<table border="1"> <tr> <td>IMDG Class</td><td>3</td></tr> <tr> <td>IMDG Subrisk</td><td>6.1</td></tr> </table>	IMDG Class	3	IMDG Subrisk	6.1		
IMDG Class	3						
IMDG Subrisk	6.1						
Packing group	II						
Environmental hazard	Not Applicable						
Special precautions for user	<table border="1"> <tr> <td>EMS Number</td><td>F-E, S-D</td></tr> <tr> <td>Special provisions</td><td>279</td></tr> <tr> <td>Limited Quantities</td><td>1 L</td></tr> </table>	EMS Number	F-E, S-D	Special provisions	279	Limited Quantities	1 L
EMS Number	F-E, S-D						
Special provisions	279						
Limited Quantities	1 L						

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

## SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

## METHANOL(67-56-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants	US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity	US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)	US - Washington Permissible exposure limits of air contaminants
US - California Permissible Exposure Limits for Chemical Contaminants	US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - California Proposition 65 - Reproductive Toxicity	US ACGIH Threshold Limit Values (TLV)
US - Hawaii Air Contaminant Limits	US Clean Air Act - Hazardous Air Pollutants
US - Idaho - Limits for Air Contaminants	US EPCRA Section 313 Chemical List
US - Massachusetts - Right To Know Listed Chemicals	US NIOSH Recommended Exposure Limits (RELs)
US - Michigan Exposure Limits for Air Contaminants	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Minnesota Permissible Exposure Limits (PELs)	US Priority List for the Development of Proposition 65 Safe Harbor Levels - No Significant Risk Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity
US - Oregon Permissible Exposure Limits (Z-1)	US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants
US - Pennsylvania - Hazardous Substance List	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Rhode Island Hazardous Substance List	

Continued...

## Volatile Organic Compounds

**1,1,1,2-TETRACHLOROETHANE(630-20-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - California Proposition 65 - Carcinogens

US - Massachusetts - Right To Know Listed Chemicals

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Pennsylvania - Hazardous Substance List

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

**1,1,1-TRICHLOROETHANE(71-55-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

**1,1,2,2-TETRACHLOROETHANE(79-34-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

**1,1,2-TRICHLOROETHANE(79-00-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

**1,1-DICHLOROETHANE(75-34-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS**



## Volatile Organic Compounds

## US - Alaska Limits for Air Contaminants

US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity

## US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

**VINYLDENE CHLORIDE(75-35-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - List of Hazardous Substances

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

**1,1-DICHLOROPROPENE(563-58-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals

US - Rhode Island Hazardous Substance List

US TSCA New Chemical Exposure Limits (NCEL)

**1,2,3-TRICHLOROBENZENE(87-61-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals

US CWA (Clean Water Act) - Toxic Pollutants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**1,2,3-TRICHLOROPROPANE(96-18-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Mutagens

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part B.

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Priority List for the Development of Proposition 65 Safe Harbor Levels - No Significant Risk Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

**1,2,4-TRICHLOROBENZENE(120-82-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

## Volatile Organic Compounds

US - Alaska Limits for Air Contaminants  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - Hawaii Air Contaminant Limits  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants  
US - Washington Permissible exposure limits of air contaminants

US ACGIH Threshold Limit Values (TLV)  
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)  
US Clean Air Act - Hazardous Air Pollutants  
US CWA (Clean Water Act) - Priority Pollutants  
US CWA (Clean Water Act) - Toxic Pollutants  
US EPA Carcinogens Listing  
US EPCRA Section 313 Chemical List  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**1,2,4-TRIMETHYL BENZENE(95-63-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - California Permissible Exposure Limits for Chemical Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Pennsylvania - Hazardous Substance List  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US EPCRA Section 313 Chemical List  
US NIOSH Recommended Exposure Limits (RELs)  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**1,2-DIBROMO-3-CHLOROPROPANE(96-12-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs  
US - Alaska Limits for Air Contaminants  
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - California Proposition 65 - Carcinogens  
US - California Proposition 65 - Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity  
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens  
US - California Proposition 65 - Reproductive Toxicity  
US - Hawaii Air Contaminant Limits  
US - Idaho - Limits for Air Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Minnesota Permissible Exposure Limits (PELs)  
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens  
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Mutagens  
US - Oregon Permissible Exposure Limits (Z-1)  
US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants  
US - Washington Permissible exposure limits of air contaminants  
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values  
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants  
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)  
US Clean Air Act - Hazardous Air Pollutants  
US EPCRA Section 313 Chemical List  
US National Toxicology Program (NTP) 14th Report Part B.  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Carcinogens Listing  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory  
US TSCA New Chemical Exposure Limits (NCEL)

**ETHYLENE DIBROMIDE(106-93-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs  
International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft  
US - Alaska Limits for Air Contaminants  
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity  
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - California Proposition 65 - Carcinogens  
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens  
US - California Proposition 65 - Reproductive Toxicity  
US - Hawaii Air Contaminant Limits  
US - Idaho - Acceptable Maximum Peak Concentrations  
US - Idaho - Limits for Air Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens  
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Mutagens  
US - Oregon Permissible Exposure Limits (Z-1)  
US - Oregon Permissible Exposure Limits (Z-2)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants  
US - Washington Permissible exposure limits of air contaminants  
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values  
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants  
US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift  
US ACGIH Threshold Limit Values (TLV)  
US ACGIH Threshold Limit Values (TLV) - Carcinogens  
US Clean Air Act - Hazardous Air Pollutants  
US CWA (Clean Water Act) - List of Hazardous Substances  
US EPA Carcinogens Listing  
US EPCRA Section 313 Chemical List  
US National Toxicology Program (NTP) 14th Report Part B.  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US OSHA Permissible Exposure Levels (PELs) - Table Z2  
US Priority List for the Development of Proposition 65 Safe Harbor Levels - No Significant Risk Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory  
US TSCA New Chemical Exposure Limits (NCEL)

**1,2-DICHLOROBENZENE(95-50-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

## Volatile Organic Compounds

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs  
US - Alaska Limits for Air Contaminants  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - Hawaii Air Contaminant Limits  
US - Idaho - Limits for Air Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - Oregon Permissible Exposure Limits (Z-1)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants  
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants  
US ACGIH Threshold Limit Values (TLV)  
US ACGIH Threshold Limit Values (TLV) - Carcinogens  
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)  
US CWA (Clean Water Act) - List of Hazardous Substances  
US CWA (Clean Water Act) - Priority Pollutants  
US CWA (Clean Water Act) - Toxic Pollutants  
US EPA Carcinogens Listing  
US EPCRA Section 313 Chemical List  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**ETHYLENE DICHLORIDE(107-06-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs  
US - Alaska Limits for Air Contaminants  
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity  
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - California Proposition 65 - Carcinogens  
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens  
US - Hawaii Air Contaminant Limits  
US - Idaho - Acceptable Maximum Peak Concentrations  
US - Idaho - Limits for Air Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens  
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Mutagens  
US - Oregon Permissible Exposure Limits (Z-1)  
US - Oregon Permissible Exposure Limits (Z-2)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants  
US - Washington Permissible exposure limits of air contaminants  
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values  
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants  
US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift  
US ACGIH Threshold Limit Values (TLV)  
US ACGIH Threshold Limit Values (TLV) - Carcinogens  
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)  
US Clean Air Act - Hazardous Air Pollutants  
US CWA (Clean Water Act) - List of Hazardous Substances  
US CWA (Clean Water Act) - Priority Pollutants  
US CWA (Clean Water Act) - Toxic Pollutants  
US EPA Carcinogens Listing  
US EPCRA Section 313 Chemical List  
US National Toxicology Program (NTP) 14th Report Part B.  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US OSHA Permissible Exposure Levels (PELs) - Table Z2  
US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory  
US TSCA New Chemical Exposure Limits (NCEL)

**1,2-DICHLOROPROPANE(78-87-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs  
US - Alaska Limits for Air Contaminants  
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - California Proposition 65 - Carcinogens  
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens  
US - Hawaii Air Contaminant Limits  
US - Idaho - Limits for Air Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - Oregon Permissible Exposure Limits (Z-1)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants  
US - Washington Permissible exposure limits of air contaminants  
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values  
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants  
US ACGIH Threshold Limit Values (TLV)  
US ACGIH Threshold Limit Values (TLV) - Carcinogens  
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)  
US Clean Air Act - Hazardous Air Pollutants  
US CWA (Clean Water Act) - List of Hazardous Substances  
US CWA (Clean Water Act) - Priority Pollutants  
US EPCRA Section 313 Chemical List  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory  
US TSCA New Chemical Exposure Limits (NCEL)

**1,3,5-TRIMETHYL BENZENE(108-67-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - California Permissible Exposure Limits for Chemical Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US NIOSH Recommended Exposure Limits (RELs)  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**1,3-DICHLOROBENZENE(541-73-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs  
US - Massachusetts - Right To Know Listed Chemicals  
US - Pennsylvania - Hazardous Substance List  
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)  
US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants  
US EPA Carcinogens Listing  
US EPCRA Section 313 Chemical List  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**1,3-DICHLOROPROPANE(142-28-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

**Volatile Organic Compounds**

US - Massachusetts - Right To Know Listed Chemicals  
US - Pennsylvania - Hazardous Substance List  
US CWA (Clean Water Act) - List of Hazardous Substances

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory  
US TSCA New Chemical Exposure Limits (NCEL)

**1,4-DICHLOROBENZENE(106-46-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs  
US - Alaska Limits for Air Contaminants  
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity  
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - California Proposition 65 - Carcinogens  
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens  
US - Hawaii Air Contaminant Limits  
US - Idaho - Limits for Air Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens  
US - Oregon Permissible Exposure Limits (Z-1)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants  
US - Washington Permissible exposure limits of air contaminants  
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values  
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants  
US ACGIH Threshold Limit Values (TLV)  
US ACGIH Threshold Limit Values (TLV) - Carcinogens  
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)  
US Clean Air Act - Hazardous Air Pollutants  
US CWA (Clean Water Act) - List of Hazardous Substances  
US CWA (Clean Water Act) - Priority Pollutants  
US CWA (Clean Water Act) - Toxic Pollutants  
US EPCRA Section 313 Chemical List  
US National Toxicology Program (NTP) 14th Report Part B.  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**2,2-DICHLOROPROPANE(594-20-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

**O-CHLOROTOLUENE(95-49-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Alaska Limits for Air Contaminants  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - Hawaii Air Contaminant Limits  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants  
US - Washington Permissible exposure limits of air contaminants  
US ACGIH Threshold Limit Values (TLV)  
US NIOSH Recommended Exposure Limits (RELs)  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**P-CHLOROTOLUENE(106-43-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**BENZENE(71-43-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs  
US - Alaska Limits for Air Contaminants  
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity  
US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)  
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - California Proposition 65 - Carcinogens  
US - California Proposition 65 - Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity  
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens  
US - California Proposition 65 - Reproductive Toxicity  
US - Connecticut Carcinogenic Substances  
US - Hawaii Air Contaminant Limits  
US - Idaho - Acceptable Maximum Peak Concentrations  
US - Idaho - Limits for Air Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens  
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Mutagens  
US - Oregon Permissible Exposure Limits (Z-1)  
US - Oregon Permissible Exposure Limits (Z-2)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants  
US - Washington Permissible exposure limits of air contaminants  
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values  
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants  
US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift  
US ACGIH Threshold Limit Values (TLV)  
US ACGIH Threshold Limit Values (TLV) - Carcinogens  
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)  
US Clean Air Act - Hazardous Air Pollutants  
US CWA (Clean Water Act) - List of Hazardous Substances  
US CWA (Clean Water Act) - Priority Pollutants  
US CWA (Clean Water Act) - Toxic Pollutants  
US EPA Carcinogens Listing  
US EPCRA Section 313 Chemical List  
US National Toxicology Program (NTP) 14th Report Part A Known to be Human Carcinogens  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Carcinogens Listing  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US OSHA Permissible Exposure Levels (PELs) - Table Z2  
US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**BROMOBENZENE(108-86-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals  
US - Pennsylvania - Hazardous Substance List

US EPA Carcinogens Listing  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**BROMOCHLOROMETHANE(74-97-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS**



## Volatile Organic Compounds

US - Alaska Limits for Air Contaminants  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - Hawaii Air Contaminant Limits  
US - Idaho - Limits for Air Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - Oregon Permissible Exposure Limits (Z-1)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants  
US - Washington Permissible exposure limits of air contaminants  
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants  
US ACGIH Threshold Limit Values (TLV)  
US CWA (Clean Water Act) - Toxic Pollutants  
US EPA Carcinogens Listing  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory  
US TSCA New Chemical Exposure Limits (NCEL)

**BROMODICHLOROMETHANE(75-27-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs  
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity  
US - California Proposition 65 - Carcinogens  
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens  
US - Massachusetts - Right To Know Listed Chemicals  
US - Pennsylvania - Hazardous Substance List  
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values  
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US CWA (Clean Water Act) - Priority Pollutants  
US CWA (Clean Water Act) - Toxic Pollutants  
US EPA Carcinogens Listing  
US EPCRA Section 313 Chemical List  
US National Toxicology Program (NTP) 14th Report Part B.  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory  
US TSCA New Chemical Exposure Limits (NCEL)

**BROMOFORM(75-25-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs  
US - Alaska Limits for Air Contaminants  
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - California Proposition 65 - Carcinogens  
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens  
US - Hawaii Air Contaminant Limits  
US - Idaho - Limits for Air Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens  
US - Oregon Permissible Exposure Limits (Z-1)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants  
US - Washington Permissible exposure limits of air contaminants  
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values  
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants  
US ACGIH Threshold Limit Values (TLV)  
US ACGIH Threshold Limit Values (TLV) - Carcinogens  
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)  
US Clean Air Act - Hazardous Air Pollutants  
US CWA (Clean Water Act) - Priority Pollutants  
US CWA (Clean Water Act) - Toxic Pollutants  
US EPA Carcinogens Listing  
US EPCRA Section 313 Chemical List  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory  
US TSCA New Chemical Exposure Limits (NCEL)

**METHYL BROMIDE(74-83-9) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs  
International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft  
US - Alaska Limits for Air Contaminants  
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity  
US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)  
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - California Proposition 65 - Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity  
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens  
US - California Proposition 65 - Reproductive Toxicity  
US - Hawaii Air Contaminant Limits  
US - Idaho - Limits for Air Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - Oregon Permissible Exposure Limits (Z-1)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants  
US - Washington Permissible exposure limits of air contaminants  
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values  
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants  
US ACGIH Threshold Limit Values (TLV)  
US ACGIH Threshold Limit Values (TLV) - Carcinogens  
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)  
US Clean Air Act - Hazardous Air Pollutants  
US CWA (Clean Water Act) - Priority Pollutants  
US CWA (Clean Water Act) - Toxic Pollutants  
US EPA Carcinogens Listing  
US EPCRA Section 313 Chemical List  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US SARA Section 302 Extremely Hazardous Substances  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory  
US TSCA New Chemical Exposure Limits (NCEL)

**CARBON TETRACHLORIDE(56-23-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

**Volatile Organic Compounds****International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs**

US - Alaska Limits for Air Contaminants

US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens

US - Hawaii Air Contaminant Limits

US - Idaho - Acceptable Maximum Peak Concentrations

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHSL): Carcinogens

US - Oregon Permissible Exposure Limits (Z-1)

US - Oregon Permissible Exposure Limits (Z-2)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

**ETHYL CHLORIDE(75-00-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS****International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs**

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

US - Alaska Limits for Air Contaminants

US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

**CHLOROBENZENE(108-90-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

**CHLOROFORM(67-66-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS****US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants**

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - List of Hazardous Substances

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part B.

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US OSHA Permissible Exposure Levels (PELs) - Table Z2

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

**US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants****US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants**

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - List of Hazardous Substances

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - List of Hazardous Substances

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

## Volatile Organic Compounds

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

**CHLOROMETHANE(74-87-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

US - Alaska Limits for Air Contaminants

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Reproductive Toxicity

US - Hawaii Air Contaminant Limits

US - Idaho - Acceptable Maximum Peak Concentrations

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Oregon Permissible Exposure Limits (Z-2)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

**CIS-ACETYLENE DICHLORIDE(156-59-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals

US - Pennsylvania - Hazardous Substance List

US ACGIH Threshold Limit Values (TLV)

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - List of Hazardous Substances

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part B.

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Priority List for the Development of Proposition 65 Safe Harbor Levels - No Significant Risk Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US SARA Section 302 Extremely Hazardous Substances

US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US OSHA Permissible Exposure Levels (PELs) - Table Z2

US Priority List for the Development of Proposition 65 Safe Harbor Levels - No Significant Risk Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

**CIS-1,3-DICHLOROPROPENE(10061-01-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals

US - Rhode Island Hazardous Substance List

US TSCA New Chemical Exposure Limits (NCEL)

**DIBROMOCHLOROMETHANE(124-48-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Massachusetts - Right To Know Listed Chemicals

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Pennsylvania - Hazardous Substance List

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

**DIBROMOMETHANE(74-95-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals

US - Pennsylvania - Hazardous Substance List

US CWA (Clean Water Act) - Toxic Pollutants

US EPCRA Section 313 Chemical List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

**DICHLORODIFLUOROMETHANE(75-71-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

## Volatile Organic Compounds

US - Alaska Limits for Air Contaminants  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - Hawaii Air Contaminant Limits  
US - Idaho - Limits for Air Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - Oregon Permissible Exposure Limits (Z-1)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants  
US - Washington Permissible exposure limits of air contaminants  
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants  
US ACGIH Threshold Limit Values (TLV)  
US ACGIH Threshold Limit Values (TLV) - Carcinogens  
US CWA (Clean Water Act) - Toxic Pollutants  
US EPCRA Section 313 Chemical List  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory  
US TSCA New Chemical Exposure Limits (NCEL)

**METHYLENE CHLORIDE(75-09-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs  
US - Alaska Limits for Air Contaminants  
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity  
US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)  
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - California Proposition 65 - Carcinogens  
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens  
US - Hawaii Air Contaminant Limits  
US - Idaho - Acceptable Maximum Peak Concentrations  
US - Idaho - Limits for Air Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens  
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Mutagens  
US - Oregon Permissible Exposure Limits (Z-1)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants  
US - Washington Permissible exposure limits of air contaminants  
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values  
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants  
US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift  
US ACGIH Threshold Limit Values (TLV)  
US ACGIH Threshold Limit Values (TLV) - Carcinogens  
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)  
US Clean Air Act - Hazardous Air Pollutants  
US CWA (Clean Water Act) - Priority Pollutants  
US CWA (Clean Water Act) - Toxic Pollutants  
US EPA Carcinogens Listing  
US EPCRA Section 313 Chemical List  
US National Toxicology Program (NTP) 14th Report Part B.  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Carcinogens Listing  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US OSHA Permissible Exposure Levels (PELs) - Table Z2  
US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory  
US TSCA New Chemical Exposure Limits (NCEL)

**ETHYLBENZENE(100-41-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs  
US - Alaska Limits for Air Contaminants  
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity  
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)  
US - California Permissible Exposure Limits for Chemical Contaminants  
US - California Proposition 65 - Carcinogens  
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens  
US - Hawaii Air Contaminant Limits  
US - Idaho - Limits for Air Contaminants  
US - Massachusetts - Right To Know Listed Chemicals  
US - Michigan Exposure Limits for Air Contaminants  
US - Minnesota Permissible Exposure Limits (PELs)  
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens  
US - Oregon Permissible Exposure Limits (Z-1)  
US - Pennsylvania - Hazardous Substance List  
US - Rhode Island Hazardous Substance List  
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants  
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants  
US - Washington Permissible exposure limits of air contaminants  
US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values  
US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants  
US ACGIH Threshold Limit Values (TLV)  
US ACGIH Threshold Limit Values (TLV) - Carcinogens  
US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)  
US Clean Air Act - Hazardous Air Pollutants  
US CWA (Clean Water Act) - List of Hazardous Substances  
US CWA (Clean Water Act) - Priority Pollutants  
US CWA (Clean Water Act) - Toxic Pollutants  
US EPA Carcinogens Listing  
US EPCRA Section 313 Chemical List  
US NIOSH Recommended Exposure Limits (RELs)  
US OSHA Permissible Exposure Levels (PELs) - Table Z1  
US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants  
US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**HEXACHLOROBUTADIENE(87-68-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS**



**Volatile Organic Compounds**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

US - Alaska Limits for Air Contaminants

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - Hawaii Air Contaminant Limits

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values  
US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US Priority List for the Development of Proposition 65 Safe Harbor Levels - No Significant Risk Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**ISOPROPYL BENZENE - CUMENE(98-82-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US Clean Air Act - Hazardous Air Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part B.

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Priority List for the Development of Proposition 65 Safe Harbor Levels - No Significant Risk Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**M-XYLENE(108-38-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - List of Hazardous Substances

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**NAPHTHALENE(91-20-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - List of Hazardous Substances

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part B.

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**BUTYLBENZENE(104-51-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

## Volatile Organic Compounds

US - Massachusetts - Right To Know Listed Chemicals

US - Pennsylvania - Hazardous Substance List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**PROPYLBENZENE(103-65-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals

US - Pennsylvania - Hazardous Substance List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**O-XYLENE(95-47-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - List of Hazardous Substances

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**P-CYMENE(99-87-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals

US - Pennsylvania - Hazardous Substance List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**P-XYLENE(106-42-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - List of Hazardous Substances

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**SEC-BUTYLBENZENE(135-98-8) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals

US - Pennsylvania - Hazardous Substance List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**STYRENE(100-42-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft

US - Alaska Limits for Air Contaminants

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - Hawaii Air Contaminant Limits

US - Idaho - Acceptable Maximum Peak Concentrations

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Oregon Permissible Exposure Limits (Z-1)

US - Oregon Permissible Exposure Limits (Z-2)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - List of Hazardous Substances

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part B.

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US OSHA Permissible Exposure Levels (PELs) - Table Z2

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**TERT-BUTYLBENZENE(98-06-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals

US - Pennsylvania - Hazardous Substance List

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

**TETRACHLOROETHYLENE(127-18-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

**Volatile Organic Compounds****International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs**

US - Alaska Limits for Air Contaminants

US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Carcinogens

US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens

US - Hawaii Air Contaminant Limits

US - Idaho - Acceptable Maximum Peak Concentrations

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens

US - Oregon Permissible Exposure Limits (Z-1)

US - Oregon Permissible Exposure Limits (Z-2)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

**TOLUENE(108-88-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS****International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs**

US - Alaska Limits for Air Contaminants

US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity

US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)

US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)

US - California Permissible Exposure Limits for Chemical Contaminants

US - California Proposition 65 - Maximum Allowable Dose Levels (MADLs) for Chemicals Causing Reproductive Toxicity

US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens

US - California Proposition 65 - Reproductive Toxicity

US - Hawaii Air Contaminant Limits

US - Idaho - Acceptable Maximum Peak Concentrations

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Oregon Permissible Exposure Limits (Z-2)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

**TRANS-ACETYLENE DICHLORIDE(156-60-5) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals

US - Pennsylvania - Hazardous Substance List

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US ACGIH Threshold Limit Values (TLV)

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

**TRANS-1,3-DICHLOROPROPENE(10061-02-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Massachusetts - Right To Know Listed Chemicals

US - Rhode Island Hazardous Substance List

US EPCRA Section 313 Chemical List

**TRICHLOROETHYLENE(79-01-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS**

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US National Toxicology Program (NTP) 14th Report Part B.

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US OSHA Permissible Exposure Levels (PELs) - Table Z2

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift

US ACGIH Threshold Limit Values (TLV)

US ACGIH Threshold Limit Values (TLV) - Carcinogens

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Clean Air Act - Hazardous Air Pollutants

US CWA (Clean Water Act) - List of Hazardous Substances

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US Drug Enforcement Administration (DEA) List I and II Regulated Chemicals

US EPA Carcinogens Listing

US EPCRA Section 313 Chemical List

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US OSHA Permissible Exposure Levels (PELs) - Table Z2

US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US CWA (Clean Water Act) - Priority Pollutants

US CWA (Clean Water Act) - Toxic Pollutants

US EPA Carcinogens Listing

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA New Chemical Exposure Limits (NCEL)

## Volatile Organic Compounds

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
US - Alaska Limits for Air Contaminants	US - Washington Permissible exposure limits of air contaminants
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity	US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values
US - California OEHHA/ARB - Chronic Reference Exposure Levels and Target Organs (CRELs)	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - California Permissible Exposure Limits for Chemical Contaminants	US - Wyoming Toxic and Hazardous Substances Table Z-2 Acceptable ceiling concentration, Acceptable maximum peak above the acceptable ceiling concentration for an 8-hr shift
US - California Proposition 65 - Carcinogens	US ACGIH Threshold Limit Values (TLV)
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - California Proposition 65 - Reproductive Toxicity	US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)
US - Hawaii Air Contaminant Limits	US Clean Air Act - Hazardous Air Pollutants
US - Idaho - Acceptable Maximum Peak Concentrations	US CWA (Clean Water Act) - List of Hazardous Substances
US - Idaho - Limits for Air Contaminants	US CWA (Clean Water Act) - Priority Pollutants
US - Massachusetts - Right To Know Listed Chemicals	US CWA (Clean Water Act) - Toxic Pollutants
US - Michigan Exposure Limits for Air Contaminants	US EPA Carcinogens Listing
US - Minnesota Permissible Exposure Limits (PELs)	US EPCRA Section 313 Chemical List
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens	US National Toxicology Program (NTP) 14th Report Part A Known to be Human Carcinogens
US - Oregon Permissible Exposure Limits (Z-1)	US NIOSH Recommended Exposure Limits (RELs)
US - Oregon Permissible Exposure Limits (Z-2)	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Pennsylvania - Hazardous Substance List	US OSHA Permissible Exposure Levels (PELs) - Table Z2
US - Rhode Island Hazardous Substance List	US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants	US TSCA New Chemical Exposure Limits (NCEL)

## TRICHLOROFLUOROMETHANE(75-69-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
US - California Permissible Exposure Limits for Chemical Contaminants	US - Washington Permissible exposure limits of air contaminants
US - Hawaii Air Contaminant Limits	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - Idaho - Limits for Air Contaminants	US ACGIH Threshold Limit Values (TLV)
US - Massachusetts - Right To Know Listed Chemicals	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - Michigan Exposure Limits for Air Contaminants	US CWA (Clean Water Act) - Toxic Pollutants
US - Minnesota Permissible Exposure Limits (PELs)	US EPCRA Section 313 Chemical List
US - Oregon Permissible Exposure Limits (Z-1)	US NIOSH Recommended Exposure Limits (RELs)
US - Pennsylvania - Hazardous Substance List	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Rhode Island Hazardous Substance List	US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants	US TSCA New Chemical Exposure Limits (NCEL)

## VINYL CHLORIDE(75-01-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs	US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
International Air Transport Association (IATA) Dangerous Goods Regulations - Prohibited List Passenger and Cargo Aircraft	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants
US - Alaska Limits for Air Contaminants	US - Washington Permissible exposure limits of air contaminants
US - California - Proposition 65 - Priority List for the Development of MADLs for Chemicals Causing Reproductive Toxicity	US - Washington Toxic air pollutants and their ASIL, SQER and de minimis emission values
US - California OEHHA/ARB - Acute Reference Exposure Levels and Target Organs (RELs)	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - California Permissible Exposure Limits for Chemical Contaminants	US ACGIH Threshold Limit Values (TLV)
US - California Proposition 65 - Carcinogens	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - California Proposition 65 - No Significant Risk Levels (NSRLs) for Carcinogens	US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)
US - Connecticut Carcinogenic Substances	US Clean Air Act - Hazardous Air Pollutants
US - Hawaii Air Contaminant Limits	US CWA (Clean Water Act) - Priority Pollutants
US - Idaho - Limits for Air Contaminants	US CWA (Clean Water Act) - Toxic Pollutants
US - Massachusetts - Right To Know Listed Chemicals	US EPA Carcinogens Listing
US - Michigan Exposure Limits for Air Contaminants	US EPCRA Section 313 Chemical List
US - Minnesota Permissible Exposure Limits (PELs)	US National Toxicology Program (NTP) 14th Report Part A Known to be Human Carcinogens
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Carcinogens	US NIOSH Recommended Exposure Limits (RELs)
US - New Jersey Right to Know - Special Health Hazard Substance List (SHHSL): Mutagens	US OSHA Carcinogens Listing
US - Oregon Permissible Exposure Limits (Z-1)	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Pennsylvania - Hazardous Substance List	US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants
US - Rhode Island Hazardous Substance List	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	US TSCA New Chemical Exposure Limits (NCEL)

## Federal Regulations

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

## SECTION 311/312 HAZARD CATEGORIES

Immediate (acute) health hazard	No
Delayed (chronic) health hazard	No
Fire hazard	Yes
Pressure hazard	No
Reactivity hazard	No

Continued...

## Volatile Organic Compounds

## US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

Name	Reportable Quantity in Pounds (lb)	Reportable Quantity in kg
Methanol	5000	2270
Ethane, 1,1,1,2-tetrachloro-	100	45.4
Ethane, 1,1,1-trichloro-	1000	454
Ethane, 1,1,2,2-tetrachloro-	100	45.4
Ethane, 1,1,2-trichloro-	100	45.4
1,1-Dichloroethane	1000	454
1,1-Dichloroethylene	100	45.4
Dichloropropene	100	45.4
1,2,4-Trichlorobenzene	100	45.4
1,2-Dibromo-3-chloropropane	1	0.454
Dibromoethane	1	0.454
Benzene, 1,2-dichloro-	100	45.4
1,2-Dichloroethane	100	45.4
Ethene, 1,2-dichloro-(E)	1000	454
1,2-Dichloropropane	1000	454
Benzene, 1,3-dichloro-	100	45.4
1,3-Dichloropropane	1000	454
Benzene, 1,4-dichloro-	100	45.4
Dichloropropane	1000	454
Benzene	10	4.54
Dichlorobromomethane	5000	2270
Bromoform	100	45.4
Bromomethane	1000	454
Carbon tetrachloride	10	4.54
Chloroethane	100	45.4
Benzene, chloro-	100	45.4
Chloroform	10	4.54
Chloromethane	100	45.4
Dichloropropene	100	45.4
Chlorodibromomethane	100	45.4
Methane, dibromo-	1000	454
Dichlorodifluoromethane	5000	2270
Dichloromethane	1000	454
Ethylbenzene	1000	454
1,3-Butadiene, 1,1,2,3,4,4-hexachloro-	1	0.454
Benzene, (1-methylethyl)-	5000	2270
m-Xylene	1000	454
Naphthalene	100	45.4
o-Xylene	1000	454
p-Xylene	100	45.4
Styrene	1000	454
Ethene, tetrachloro-	100	45.4
Benzene, methyl-	1000	454
Dichloropropene	100	45.4
Ethene, trichloro-	100	45.4
Methane, trichlorofluoro-	5000	2270
Ethene, chloro-	1	0.454

## State Regulations

## US. CALIFORNIA PROPOSITION 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm

## US - CALIFORNIA PREPOSITION 65 - CARCINOGENS &amp; REPRODUCTIVE TOXICITY (CRT): LISTED SUBSTANCE

Methanol, 1,1,1,2-Tetrachloroethane, 1,1,2,2-Tetrachloroethane, Vinyl trichloride (1,1,2-Trichloroethane), 1,1-Dichloroethane, 1,2,3-Trichloropropane, 1,2-Dibromo-3-chloropropane (DBCP), Ethylene dibromide, Ethylene dichloride (1,2-Dichloroethane), 1,2-Dichloropropane, p-Dichlorobenzene, Benzene, Bromodichloromethane, Bromoform, Methyl bromide, as a structural fumigant, Carbon tetrachloride, Chloroethane (Ethyl chloride), Chloroform, Methyl chloride, Dichloromethane (Methylene chloride), Ethylbenzene, Hexachlorobutadiene, Cumene, Naphthalene, Styrene, Tetrachloroethylene (Perchloroethylene), Toluene, Trichloroethylene, Vinyl chloride Listed

National Inventory	Status
--------------------	--------

Continued...



## Volatile Organic Compounds

Australia - AICS	N (1,1-dichloropropene; dibromochloromethane; bromodichloromethane; trans-1,3-dichloropropene; 1,2-dibromo-3-chloropropane)
Canada - DSL	N (cis-acetylene dichloride; cis-1,3-dichloropropene; 1,1-dichloropropene; 1,3-dichloropropane; dibromochloromethane; bromodichloromethane; trans-1,3-dichloropropene; 1,2-dibromo-3-chloropropane; p-chlorotoluene; 1,1-dichloroethane)
Canada - NDSL	N (toluene; bromochloromethane; dibromomethane; sec-butylbenzene; ethyl chloride; chlorobenzene; 1,2,3-trichlorobenzene; methanol; naphthalene; styrene; 2,2-dichloropropane; bromobenzene; hexachlorobutadiene; 1,2-dichlorobenzene; chloromethane; 1,1,2,2-tetrachloroethane; cis-1,3-dichloropropene; bromoform; methyl bromide; ethylbenzene; tetrachloroethylene; 1,1-dichloropropene; carbon tetrachloride; 1,2-dichloropropane; 1,1,1,2-tetrachloroethane; trichlorofluoromethane; 1,3,5-trimethyl benzene; ethylene dibromide; propylbenzene; 1,1,1-trichloroethane; 1,1,2-trichloroethane; tert-butylbenzene; methylene chloride; benzene; 1,4-dichlorobenzene; isopropyl benzene - cumene; ethylene dichloride; 1,2,4-trimethyl benzene; o-xylene; trichloroethylene; vinylidene chloride; o-chlorotoluene; 1,2,4-trichlorobenzene; dichlorodifluoromethane; p-xylene; m-xylene; p-cymene; vinyl chloride; 1,2,3-trichloropropane; butylbenzene; 1,3-dichlorobenzene; trans-acetylene dichloride; chloroform)
China - IECSC	N (2,2-dichloropropane; cis-1,3-dichloropropene; 1,1-dichloropropene; 1,1,1,2-tetrachloroethane; dibromochloromethane; bromodichloromethane; 1,2-dibromo-3-chloropropane)
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	N (bromochloromethane; sec-butylbenzene; methanol; 2,2-dichloropropane; bromobenzene; hexachlorobutadiene; cis-1,3-dichloropropene; tetrachloroethylene; 1,1-dichloropropene; carbon tetrachloride; 1,1,1,2-tetrachloroethane; trichlorofluoromethane; 1,3,5-trimethyl benzene; dibromochloromethane; propylbenzene; 1,1,1-trichloroethane; tert-butylbenzene; isopropyl benzene - cumene; bromodichloromethane; o-xylene; trichloroethylene; trans-1,3-dichloropropene; 1,2-dibromo-3-chloropropane; dichlorodifluoromethane; p-xylene; m-xylene; p-cymene; vinyl chloride; butylbenzene; 1,1-dichloroethane)
Korea - KECI	N (cis-1,3-dichloropropene; 1,1-dichloropropene; dibromochloromethane; tert-butylbenzene; bromodichloromethane; butylbenzene)
New Zealand - NZIoC	N (2,2-dichloropropane; hexachlorobutadiene; cis-1,3-dichloropropene; 1,1-dichloropropene; 1,1,1,2-tetrachloroethane; dibromochloromethane; trans-1,3-dichloropropene; 1,2-dibromo-3-chloropropane)
Philippines - PICCS	N (2,2-dichloropropane; cis-acetylene dichloride; cis-1,3-dichloropropene; 1,1-dichloropropene; 1,1,1,2-tetrachloroethane; dibromochloromethane; bromodichloromethane; trans-1,3-dichloropropene)
USA - TSCA	N (cis-1,3-dichloropropene; 1,1-dichloropropene)
<b>Legend:</b>	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing (see specific ingredients in brackets)

## SECTION 16 OTHER INFORMATION

## Other information

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

## Definitions and abbreviations

PC — TWA: Permissible Concentration-Time Weighted Average  
 PC — STEL: Permissible Concentration-Short Term Exposure Limit  
 IARC: International Agency for Research on Cancer  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 STEL: Short Term Exposure Limit  
 TEEL: Temporary Emergency Exposure Limit  
 IDLH: Immediately Dangerous to Life or Health Concentrations  
 OSF: Odour Safety Factor  
 NOAEL :No Observed Adverse Effect Level  
 LOAEL: Lowest Observed Adverse Effect Level  
 TLV: Threshold Limit Value  
 LOD: Limit Of Detection  
 OTV: Odour Threshold Value  
 BCF: BioConcentration Factors  
 BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.